

## **CUSTOM TRUCK MOUNTING**

TRUCK MOUNTED SPRAYMASTER TANKS FROM 575 TO 2000 GALLON CAPACITIES


DESIGNED TO MIX AND APPLY PAVEMENT SEALERS WITH OR WITHOUT SAND

Custom Truck Mounting begins with the selection of a SprayMaster™ Tank with one of the following material pump systems:

- Pro-Air System (2" discharge material pump)
- Maxx-Air System (2" discharge material pump)
- SandPumper™ II Hydraulic System (2" discharge material pump)

PRODUCT #	DESCRIPTION	
E4100	Custom Mounting: Consists of fabricating a flatbed with fenders onto a truck chassis. The SprayMaster unit is custom mounted to flatbed.	
Optional Features:		
E4140	Tool Box: Metal tool box with door and latch. Can be fabricated onto both sides of truck for added storage	
P50246D	Hydraulic Spray Bar Kit (Cab operated)	
P50246A	Air Operated Spray Bar: For air systems only. 10 ft. spray width [Cab operated]	
P50246M	Manual Spray Bar	
PE4170	Liquid Road Extendable Drag Box	
E4200	Rear Operator Platform: Strongly recommended for use with a spray bar	
P50336	Electric Hose Reel: Returns spray hose automatically	
P50337	Hand Operated Hose Reel	
E4240	Reese Style Tube Hitch: Includes pintle eye and 2" ball hitch	
P50281B	Night Work Lights	
* Call for pricing   Campapagets subject to abrene		

<sup>\*</sup> Call for pricing | Components subject to change



## LIQUID ROAD EXTENDABLE DRAG BOX

Designed for heavy bodied sealants with large amounts of aggregate. It extends hydraulically from its closed position of 8' to a maximum of 12' wide. The screed is a combination of squeegee rubbers and brushes. Included with the screed is a truck mounting bracket, hydraulic lift cylinder, and a hydraulic control valve.

## TRUCK MOUNT SIZES:

TANK SIZE (gallons)	PAYLOAD (pounds)	CAB TO AXLE
575	10,000	110"
750	13,000	110"
1,000	17,000	110"
1,500	24,000	151"
2,000	32,000	182"

<sup>\*</sup> Payload - Not to be confused with Gross Vehicle Weight (GVW)