



Pavement Products & Equipment

Volume 25

\$3.00



PAVEMENT MAINTENANCE PRODUCTS & EQUIPMENT

CATALOG



www.sealmaster.net

TABLE OF CONTENTS:

• PAVEMENT SEALERS:

MasterSeal, PMM, Liquid Road, OptiPave, AsPen, SealMaster LV, SealMaster Acrylic Pavement Sealer, SealMaster E-Z Stir, SealMaster Coal Tar Sealer, PMB, PMCTS, ColorPave, ColorPave HD 1-9

• SEALER ADDITIVES:

Top Tuff, Sealer VM, Zetac, FASS-DRI, FSA, FSA AE 10-11

• CRACK FILLERS:

CrackMaster Hot Pour 12-13
Pourable Crack Sealant, FlexMaster, Trowel Grade, Acrylic Crack Filler, GatorPave 14

• PREPARATION/REPAIR:

Pothole Patch, Oil Spot Primers, Asphalt Binder, Asphalt Binder Plus, TarBuster Cleaner, Tarpedo, MasterFlo 15-17

• TRAFFIC PAINTS:

Liquid Thermoplastic, SealMaster Traffic Paint, Handicap Blue, Firelane Red, Line Block-Out, TTP-1952b, Fast Dry 18-19

• CONCRETE PRODUCTS:

Concrete Sealer, Concrete Patch Binder, Concrete Repair Materials 20-21

• DUST SUPPRESSANT:

SealMaster Dust Suppressant 22

• EQUIPMENT/PARTS:

Self-Propelled 300 Squeegee Machine, Self-Propelled 300 Dual Machine 24-25
Self-Propelled 575 Squeegee Machine, Self-Propelled 575 Dual 26-27
SprayMaster Tank Trailers, SprayMaster Skid Tanks, SprayMaster Tanks - Truck Mounts 28-31
SandPup Trailers, SandPup Portable Pumps, CrackPro Cold-Pour Crack Filler Application Units 32-34
Porta-Pump, Sealer Wheeler 35
Heated Asphalt Storage Tanks, Bulk Storage Tanks, Hand-Agitated Mixing Tanks 36-37
Chip Spreader 38
Heated Asphalt Distributors 39-40
MA-10, SM-10 Melters, CrackPro Turbo, Heat Lance, SM-30, SM-125 Melter 41-42
CrackPro Melters 43-45
CrackPro Options 46
Blowers, Crack Cleaners, Rotary Brooms 48-49
Striping Machines 50-51
Parts 53-55

• TOOLS/ACCESSORIES:

Traffic & Athletic Field Marking Systems 56
Brushes, Squeegees 57
Spray Tips, Patching Straightedges, Line Taping Machine, Crack Filling Tools 58-59
Lutes, Rakes, Shovels, Hand-Tamper 60
Brooms, Scraper, Pail Openers, Chapin Sprayer, Asphalt Shoes 61
Fast Measure, Measuring Wheels, Safety Signs 62-63
Parking Blocks, Speed Bumps 64
Ideal Shield Post Sleeves 65
Traffic Cones, Caution Tape, Coveralls, Striping Layout Tools, Personal Protection and Care Products 66
Stencils 67-69

• SPORT SURFACING:

ColorPlus Color Coating System 70-71
ProCushion Coatings 72-73
SportMaster System Tennis Court Color Coatings 74-75
Resurfacers 76
Patching and Crack Filling Materials 77
Striping Paints, SportWax Clear Coat, Primers, Pre-Dispersed Pigment 78
SkateMaster In-Line Skate Surface 79
Running Track Sealing and Repair Materials 80-81
Tennis Court Accessories - Nets, Windscreens, Posts, etc 82-83
Tools, Power Washer 84
SportMaster Bulk Tank System 86

• PROMOTIONAL LITERATURE, DVD's, & CLOTHING: 87-90

The Road to Success Begins with SealMaster®

INFRASYS

A SealMaster® franchise enables you to manufacture SealMaster Pavement Sealers and distribute a full line of pavement maintenance products and equipment into the billion dollar pavement maintenance industry.

"The SealMaster franchise is not only a nice income generator, it's a great capital asset and wealth builder. The SealMaster franchise has been the best investment in my life. It has allowed me a lifestyle beyond my hopes and dreams."
-Bob Krebs, SealMaster Franchise Owner



"Operating my SealMaster franchise, my net worth and income have grown heartily and consistently, in spite of the worst downturn in the economy I've ever experienced."
-Mike Bashir, SealMaster Franchise Owner

SealMaster® Franchise Quick Facts

- Significant Earning Potential. Average single unit SealMaster franchise gross revenue in FY 2014 was \$4.77 million*
- Large Territories - In Some Cases up to an Entire State
- Typical Investment - \$650,000 to \$950,000
- Recession-Resistant Franchise
- #1 Ranked Franchise in Category by Entrepreneur Magazine
- SBA Approved for Easier Financing
- Industry Experience not Required- Training/Ongoing Support Provided

SealMaster®
Pavement Products & Equipment
FRANCHISE OPPORTUNITY



Learn more at sealmasterfranchise.com or call (800) 341-7325

This advertisement is not an offer to sell franchises. Such an offer can only be made through a Franchise Disclosure Document (FDD) that has been registered with and approved by the appropriate agency in your state, if your state requires such a registration.

*Based on average performance of franchises operational more than two years. More detail is provided in the Franchise Disclosure Document. New franchisee performance may differ from this.

SMAF

Discover Why SealMaster® Is A World-Wide Leader In The Pavement Maintenance Industry...

SealMaster®...

SealMaster® is driven by a philosophy of total dedication to the pavement maintenance industry. Quality products, competitive pricing, outstanding service and a strong commitment to research and development are the reasons why SealMaster® continues to be an industry leader.

Quality Products...

A complete line of pavement products, sport surfacing materials, and equipment available for pick up or delivery at SealMaster® stores nationwide.

Outstanding Service...

Each SealMaster® store is staffed by personnel trained to provide technical support. Our specialized transportation fleet enables us to provide convenient delivery of the diverse SealMaster® product line.



Copyright © 2015 by InFrasys, Inc. All rights reserved. Reproduction of any of this catalog and its accompanying materials is strictly prohibited without the written permission of InFrasys, Inc. Prices in this catalog are subject to change without notice.

SealMaster, SealMaster Professional Grade, AsPen, ColorPave, ColorPave HD, CrackPro, SportMaster, Liquid Road, FlexMaster and CrackMaster are registered trademarks of ThorWorks Industries, Inc. and are licensed to InFrasys, Inc. for use in the SealMaster System. The following trade names are also owned and licensed to the SealMaster System by ThorWorks Industries, Inc.: MasterSeal, OptiPave, Top Tuff, Liquid Thermoplastic, Sealer V.M., Zetac, Petro Seal, Prep Seal, SealMaster PMB, ColorPlus, GatorPave, PatchMaster, SkateMaster, SandPup, LevelMaster, CushionMaster, CourtFlex, Crack Magic, Stripe Rite, TrackMaster, TrackMaster Plus, Lane One, TrackFlex, MasterTurf, MasterFlo, Porta Pumps, MasterMix, SM-30, SprayMaster, and SportWax.

CREDIT TERMS & CONDITIONS

Credit terms are net 30 days (unless otherwise indicated). Any amount remaining unpaid after such date will incur a service charge of 1.5% (monthly) on the unpaid balance, until paid in full, plus any and all collection costs and attorney fees incurred to collect unpaid balances.

RETURNED MATERIAL POLICY

We will normally accept returned material under the following conditions: 1.) Prior written authorization from SealMaster is obtained. 2.) A copy of the invoice is furnished. 3.) The material is returned within 60 days from date of invoice. 4.) The material is in new resalable condition. 5.) The material is normal stock for us (not a special or custom order). 6.) A 15% restocking fee plus applicable freight will be imposed on all returns. Returned material, like all other purchased material, should be paid for when due.



THE LEADER IN ASPHALT BASED SEALER INNOVATION

Quality-minded sealcoating professionals continue to discover and embrace the SealMaster® Asphalt Based Sealer Advantage. The reason is simple - Our Sealers Perform Better. They are safer to use, with no irritating fumes or odors. They dry blacker, and stay blacker over time. They are more flexible and resist check cracking. And most important - They Last Longer. Contact your SealMaster Rep today and discover why the pros turn to SealMaster for new and innovative asphalt based sealers.



SealMaster®
SP 300 Squeegee
Machines available
on pages 24-27

MasterSeal™



The Industry's #1 Choice
For Quality & Performance

BEAUTIFIES & PROTECTS

MasterSeal is an environmentally friendly, mineral reinforced asphalt emulsion pavement sealer blended with special surfactants for superior adhesion, flexibility, and durability. MasterSeal is ideal for protecting all types of asphalt pavement surfaces including parking lots, driveways, shopping malls, airports, highway shoulders, low traffic roadways and more.

MasterSeal™ Advantages...

- User Friendly - No Irritating Fumes
- Deep, Rich Black Color
- More Flexible - Won't Check Crack
- Ideal For All Asphalt Pavement Surfaces


MASTERSEAL PROTECTS PAVEMENT AGAINST:



CHEMICALS



MOISTURE



OXIDATION

MasterSeal™ is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
S1010P	5-gallon pail	52 lbs.	\$ 31.99
S1010D	55-gallon drum	580 lbs.	\$289.99
S1010B	Bulk	-	- quoted -

Mixing Procedures: (Based on 100 gallons of Concentrate)



MasterSeal™ Concentrate	100 gallons
Water	15-25 gallons
TopTuff Polymer Additive	1-2 gallons
Sand (40-70 mesh AFS)	300-500 lbs.

Note: Mix thoroughly in agitated tank and apply by squeegee, brush or spray.

Material Requirements (coverage):

One gallon of MasterSeal™ Concentrate will cover approximately 100-120 square feet (11.1 to 13.3 square yards) per coat when properly mixed and applied.

Note: Coverage rate may vary due to pavement age, porosity, and method of application.



CALL TODAY!
(800) 395-7325
www.sealmaster.net

LOCATIONS NATIONWIDE




Prices are F.O.B. Sandusky, Ohio. Prices are subject to change.



(PMM)
Polymer Modified MasterSeal™



Polymer-Modified For Maximum Durability



PMM™ is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
S1097P	5-gallon pail	51 lbs.	\$ 32.99
S1097D	55-gallon drum	565 lbs.	\$299.99
S1097B	Bulk pricing available on request.		

Mixing Procedures: (Based on 100 gallons)

PMM™	100 gallons
Sand (40-70 mesh AFS)	200-400 lbs.

Note: If required, a small amount of water may be added to facilitate application of mixed material.

Application:

For optimum performance and durability apply two coats of PMM with sand. A third coat of PMM with sand may be applied to high traffic areas such as entrances, exits, and drive lanes.

Material Requirements (coverage):

One gallon of PMM™ Concentrate will cover approximately 85-95 square feet (9.4 to 10.5 square yards) per coat when properly mixed as a sand-filled coat and applied.

Note: Coverage rate may vary due to pavement age, porosity, and method of application.

Polymer Modification Makes The Difference...

Polymer-Modified MasterSeal (PMM) is an environmentally friendly, mineral reinforced asphalt emulsion pavement sealer blended with polymers and special surfactants for superior adhesion, flexibility, and durability. PMM is ideal for protecting all types of asphalt pavement surfaces including parking lots, driveways, shopping malls, airports, highway shoulders, low traffic roadways and more.

• Polymer-Modified MasterSeal restores the original black color to asphalt and greatly enhances the overall appearance of your pavement surface. PMM provides a deep rich "like new" black appearance.

• Sealed vs. Unsealed...

Problem: Left untreated, asphalt pavement will deteriorate rapidly. The asphalt binder that holds the pavement together begins to oxidize and weather soon after installation. Moisture penetrates the asphalt causing further damage and deterioration to the pavement.

Solution: Polymer-Modified MasterSeal replenishes the binder that is lost through weathering and aging, and provides superior protection against environmental distress.

• Specially engineered advanced polymers are hot blended into the PMM for additional strength, adhesion, flexibility, fuel resistance and UV resistance.

• The deep black color melts snow and ice significantly faster than unsealed pavements resulting in much greater safety for both vehicle and pedestrian traffic.

• A Safer Pavement Sealer for Pedestrian and Vehicle Traffic... PMM's high level of aggregate loading produces a surface coating with skid resistance in both wet and dry conditions. PMM provides property owners with a safer pavement for both motorists and pedestrians.



The Ultimate Coating System For Roads, Streets, & Other Pavement Surfaces. Liquid Road is a polymer-modified, fiber reinforced asphalt emulsion coating that is job-mixed with specially graded aggregate and applied to the road surface. The result is a highly durable, slip-resistant surface treatment that greatly extends pavement service life. Liquid Road is cost-effective and easy to apply with minimal impact on traffic flow.

• An Economical Approach to Pavement Maintenance. A systematic program of maintaining pavement with Liquid Road will more than double the service life of pavement at a fraction of the cost of repaving.

• A tough, durable aggregate-filled bituminous surface coating provides skid resistance and lasting protection. Provides a deep rich "like new" black appearance.

• Enhanced Traffic Marking visibility for added driver safety

• Deep black color melts snow and ice significantly faster than untreated pavement.

• Produces an even textured surface with no loose stones, making it ideal for vehicle, bicycle and pedestrian traffic.

• Fast, efficient application process with minimal impact on traffic flow.

Liquid Road™



Polymer-Modified And Fiber Reinforced



Liquid Road™ is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
S1045P	5-gallon pail	53 lbs.	\$ 36.99
S1045D	55-gallon drum	590 lbs.	\$338.99
S1045B	Bulk pricing available on request.		

Mixing Procedures: (Based on 100 gallons of Liquid Road)

Liquid Road™	100 gallons
Sand	400 lbs.

A 20-30 mesh AFS sand is recommended for parking lot applications. An 11-15 mesh AFS sand is recommended for road applications.

Note: A small amount of water may be added to facilitate application.

Material Requirements (coverage):

For parking lot application (20-30 mesh sand) - 55-66 square feet (6.11-7.33 square yards) per gallon per coat.

For road application (11-15 mesh sand) - 30-40 square feet (3.33-4.44 square yards) per gallon per coat.

OptiPave™ Surface Sealer



ECO-FRIENDLY
Surface Seal for
Pavement Preservation

AsPen® is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
\$1900P	5-gallon pail	50 lbs.	\$ 32.99
\$1900D	55-gallon drum	555 lbs.	\$292.99
\$1900B	Bulk pricing available on request.		

Mixing Procedures:
OptiPave is ready-to-use. Do not dilute.

Material Requirements (coverage):
One gallon of OptiPave will cover approximately 50-75 square feet (5.55 to 8.33 square yards) per gallon.



OptiPave is an asphalt based emulsion pavement surface seal designed to seal and protect asphalt roads while replenishing the pavement binder that is lost through oxidation and weathering. OptiPave beautifies, protects, and extends the service life of asphalt pavement while providing a rich, black "like new" appearance. Can also be applied over slurry and chip seals. OptiPave is a single coat application product that penetrates into the pavement surface utilizing the existing pavement profile to maintain traction.

USES...

- Residential Streets
- County Roads
- Homeowner Associations & Gated Communities
- Airport Taxiways
- Highway Shoulders
- Top Coat for Slurry & Chip Seals

AsPen® Surface Sealer



**The Environmentally
Friendly Rejuvenator.**
*Ideal for roads, streets, airports,
and highway shoulders.*

AsPen® is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
\$1040P	5-gallon pail	51 lbs.	\$ 32.99
\$1040D	55-gallon drum	565 lbs.	\$292.99
\$1040B	Bulk pricing available on request.		

Mixing Procedures: (Based on 100 gallons of AsPen)
AsPen® Concentrate 100 gallons
Water 50 gallons

Material Requirements (coverage):
One gallon of AsPen® Concentrate will cover approximately 75-115 square feet (8.33 to 12.77 square yards) per coat when properly mixed and applied.



AsPen is an asphalt based emulsion pavement rejuvenator designed to penetrate, water proof, and replenish the pavement binder that is lost through oxidation and weathering. AsPen beautifies, protects, and extends the service life of asphalt pavement while providing a rich, black "like new" appearance. AsPen is a single coat application product that penetrates into the pavement surface utilizing the existing pavement profile to maintain traction.

SealMaster® Acrylic Pavement Sealer



**The Ultimate Choice For
Pavement Maintenance**



DISCOVER THE ACRYLIC ADVANTAGE...

A 100% Acrylic formulation that outlasts and outperforms ordinary pavement sealers. Provides superior protection against weather, salt, gasoline and chemicals. Remains jet black for years. Resists scuffing and marking. SealMaster acrylic pavement sealer is ideal for protecting all types of asphalt pavement surfaces including parking lots, driveways, shopping malls, airports and more.

SealMaster® Acrylic Pavement Sealer is available in:
Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
\$1035P	5-gallon pail	53 lbs.	\$ 48.99
\$1035D	55-gallon drum	590 lbs.	\$488.99
\$1035B	Bulk pricing available on request.		

Mixing Procedures: (Based on 100 gallons of SealMaster Acrylic Pavement Sealer)

SealMaster Acrylic Pavement Sealer 100 gallons
Sand (50-70 mesh AFS rating) 700 lbs.

Note: - If required, a small amount of water may be added to facilitate application of the mixed material.

Material Requirements (coverage):

One gallon of SealMaster® Acrylic Pavement Sealer will cover approximately 70-80 square feet (7.8 to 8.9 square yards) per coat when properly mixed and applied.

SealMaster® E-Z Stir Pavement Sealer



The Sealer That's Ready-To-Use!
Simply stir, pour, and apply by
squeegee, brush, or spray!

Advantages:

- Ideal for maintenance crews and Do-It-Yourselfers
- Fortified with sand for slip resistance and durability.

SealMaster® EZ-Stir Pavement Sealer is available in: Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
\$1070P	5-gallon pail	56 lbs.	\$ 31.99
\$1070D	55-gallon drum	620 lbs.	\$284.99

Mixing Procedures:

Simply stir, pour, and apply by squeegee, brush, or spray.

Material Requirements (coverage):

One gallon of SealMaster® EZ-Stir Pavement Sealer will cover approximately 70-82 square feet (7.8 to 9.1 square yards) per coat when properly mixed and applied.

Note: Coverage rate may vary due to pavement age, porosity, and method of application.

DISCLAIMER: THERE ARE LEGAL LIMITS TO THE USE OF THIS PRODUCT IN CERTAIN STATES.

SealMaster LV™

An Asphalt Based Pavement Sealer Fortified with Fuel Resistance Resins.



SealMaster LV™ Advantages:

- Deep, Rich Black Color
- Ideal For All Asphalt Pavement Surfaces

SealMaster LV™ is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
S1002P	5-gallon pail	54 lbs.	\$ 32.99
S1002D	55-gallon drum	595 lbs.	\$305.99
S1002B	Bulk pricing available on request.		

Mixing Procedures: (Based on 100 gallons of Concentrate)

SealMaster LV™ Concentrate	100 gallons
Water	20-25 gallons
TopTuff™ Polymer Additive	1-2 gallons
Sand (40-70 mesh AFS)	300-500 lbs.

Mix thoroughly in agitated tank and apply by squeegee, brush, or spray.

Material Requirements (coverage):
One gallon of SealMaster LV™ Concentrate will cover approximately 100-120 square feet (11.1 to 13.3 square yards) per coat when properly mixed and applied.



BEAUTIFIES & PROTECTS
SealMaster LV is a mineral reinforced asphalt emulsion pavement sealer blended with special hydrocarbon resins for added fuel resistance. LV is ideal for protecting all types of asphalt pavement surfaces including parking lots, driveways, shopping malls, airports, highway shoulders, low traffic roadways and more.

DISCLAIMER: PRODUCTS ON THIS PAGE ARE NOT AVAILABLE AT ALL LOCATIONS AND HAVE BEEN BANNED IN CERTAIN STATES.

Coal Tar Pavement Sealer

Coal Tar Pavement Sealer Exhibits Outstanding Fuel Resistance

Squeegee or Spray Application

- Advantages...**
- Deep, Rich Black Color
 - Oil and Fuel Resistant
 - Reduced Fume Formulation For User Friendly Application

Coal Tar Pavement Sealer™ is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
S1000P	5-gallon pail	54 lbs.	\$ 31.99
S1000D	55-gallon drum	595 lbs.	\$284.99
S1000B	Bulk pricing available on request.		

Mixing Procedures: (Based on 100 gallons of Concentrate)

Coal Tar	100 gallons
Water	30-40 gallons
Sealer VM™ Polymer Additive	1-2 gallons
Sand (40-70 mesh AFS)	300-500 lbs.

Mix thoroughly in agitated tank and apply by squeegee, brush, or spray.

Material Requirements (coverage):
One gallon of Coal Tar Concentrate will cover approximately 100-120 square feet (11.1 to 13.3 square yards) per coat when properly mixed and applied.

Note: Coverage rate may vary due to pavement age, porosity, and method of application.

Polymer-Modified Coal Tar Sealer (PMCTS)

Premium quality coal tar emulsion pavement sealer fortified with cross-linking rubber polymers.

- Advantages:**
- Highly durable - applied at 48-55% solids (unlike conventional sealers that are applied at 40% solids)
 - Dries Fast
 - Rubberized for added flexibility and adhesion
 - Fuel Resistant

Application: For optimum performance and durability apply two coats of PMCTS with sand. A third coat of PMCTS with sand may be applied to high traffic areas such as entrances, exits and drive lanes.

PMCTS™ is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
S1096P	5-gallon pail	51 lbs.	\$ 34.99
S1096D	55-gallon drum	565 lbs.	\$311.99
S1096B	Bulk pricing available on request.		

Mixing Procedures: (Based on 100 gallons of Concentrate)

PMCTS Concentrate	100 gallons
Sand (40-70 mesh AFS)	200-400 lbs.

Note: If required, a small amount of water may be added to facilitate application of mixed material.

Material Requirements (coverage):
One gallon of PMCTS Concentrate will cover approximately 85-95 square feet (9.4 to 10.5 square yards) per coat when properly mixed and applied.

PMB™

Higher Solids Means Longer Wear

PMB™ is a unique coal tar based emulsion pavement sealer fortified with hot blended polymers and specialty surfactants producing a coating with outstanding wear properties.

Application: For optimum performance and durability apply one primer coat of PMB™ and two coats of PMB™ with sand. A third coat of PMB™ with sand may be applied to high traffic areas such as entrances, exits and drive lanes.

PMB™ is available in: Bulk, Drum, Pail

PRODUCT #	DESCRIPTION	WT.	PRICE
S1095P	5-gallon pail	51 lbs.	\$ 39.99
S1095D	55-gallon drum	565 lbs.	\$379.99
S1095B	Bulk pricing available on request.		

Mixing Procedures: (Based on 100 gallons of Concentrate)

- **Sand-Filled Coat:**

PMB™ Concentrate	100 gallons
Sand (40-70 mesh AFS)	400-500 lbs.

Note: If required, a small amount of water may be added to facilitate application of mixed material.

- **Primer Coat: For use as a primer (without sand)**

PMB™ Concentrate	100 gallons
Water	20-25 gallons

Material Requirements (coverage):

- **Sand-Filled Coat:** One gallon of PMB™ Concentrate will cover approximately 85-95 square feet (9.4 to 10.5 square yards) per coat when properly mixed as a sand-filled coat and applied.
- **Primer Coat:** One gallon of PMB™ Concentrate will cover approximately 180 square feet (20 square yards) when properly mixed as a primer coat and applied.

ColorPave® Neutral Concentrate



ColorPave® Neutral Concentrate is formulated for job-mixing with ColorPlus or ColorPave HD pigment dispersion, water, and sand. (See ColorPlus Pigment Dispersion - page 71 or ColorPave HD Tint - page 9).

ColorPave Neutral Concentrate is available in: *Keg, Drum, Tote, Bulk*

PRODUCT #	DESCRIPTION	WT.	PRICE
S2105K	30-gallon Keg	280 lbs	\$ 378.99
S2105D	55-gallon Drum	525 lbs.	\$ 602.99
S2105T	275-gallon Tote	2,650 lbs.	\$3,013.99
S2105B	Bulk pricing available on request		

Mixing Procedures:
ColorPave® Neutral Concentrate 55-gallons
Water 33 gallons
ColorPlus or HD Tint 4 gallons
Sand (50-60 mesh) 800 lbs.

Material Requirements (coverage):
.07 to .09 gallons of ColorPave® Neutral Concentrate per square yard per coat. Two coats are recommended for optimum performance. NOTE: Actual coverage rates will vary due to differences in pavement porosity.

ColorPave® Neutral Ready-Mix



ColorPave® Neutral Ready-Mix is designed to be mixed with ColorPave HD Tint or ColorPlus.

Available in 13 standard HD earth tone colors as well as ColorPlus colors. (See page 9 and 71 for colors and pricing).


ColorPave Neutral Ready-Mix is available in: *Pail*

PRODUCT #	DESCRIPTION	WT.	PRICE
S2092P	5-gallon pail (4-gallon net)	56 lbs.	\$ 66.99

Mixing Procedures:
ColorPave® Neutral Ready-Mix 1-pail
ColorPave HD Tint or ColorPlus 1-pint


Note: If needed, a small amount of water may be added to facilitate application.

Material Requirements (coverage):
One gallon will cover approximately 60 to 70 square feet (6.7 to 7.8 square yards) per coat. Two coats are recommended for optimum performance. NOTE: Actual coverage rates will vary due to differences in pavement porosity.



Bring Color To Your Pavement!

For asphalt pavement surfaces including: Driveways, Parking Lots, Paths, Walkways, and more!



Formerly known as ColorPave® Neutral Base

ColorPave® beautifies and protects asphalt pavement surfaces including driveways, parking lots, walkways, golf cart paths, jogging/bike paths, amusement parks, tennis courts, and more.

IMPORTANT: Do not apply to pavement surfaces that have previously been sealed with coal tar or asphalt based sealers.



Acrylic Crack Patch

A 100% acrylic trowel grade crack filler. See page 77 for colors and pricing.

ColorPave® HD Tint



A highly concentrated water based pigment dispersion designed as a colorant that is added to ColorPave® HD 500, ColorPave™ Neutral Concentrate, ColorPave® Neutral Ready-Mix.

ColorPave® HD Tint is available in: *Pint Bottle*
Available in 13 standard earth tone colors.

COLOR	LEED CREDIT	ITEM #	DESCRIPTION	WT.	PRICE
		S2205N	Graystone	2 lbs.	\$18.99
		S2215N	Brickyard Red	2 lbs.	\$18.99
		S2240N	Forest Green	2 lbs.	\$20.99
		S2220N	Sahara Beige	2 lbs.	\$18.99
		S2235N	Terra Cotta	2 lbs.	\$18.99
		S2210N	Slate Gray	2 lbs.	\$18.99
		S2225N	Brownstone	2 lbs.	\$18.99
		S2245N	Olivestone	2 lbs.	\$18.99
		S2230N	Burnt Sienna	2 lbs.	\$18.99
	SRI = 46	S2270N	Sandstone	2 lbs	\$18.99
	SRI = 31	S2255N	Light Green	2 lbs.	\$20.99
	SRI = 36	S2260N	Red	2 lbs.	\$18.99
	SRI = 33	S2265N	Dove Gray	2 lbs.	\$18.99

NOTE: Colors will vary somewhat due to printing limitations. Ask your SealMaster Representative for a color chip card for more accurate representation.

ColorPave® Clear Coat



ColorPave® HD Clear Coat is a 100% acrylic, clear drying emulsion specifically formulated as a protective top coat for ColorPave® HD color coatings. It provides additional protection against ultra-violet rays, moisture, oil, gas, and chemical attack. ColorPave® HD Clear Coat helps extend the service life of ColorPave® HD color coatings. Clear Coat HD can be applied by spray, brush, or roller.

ColorPave® Clear Coat is available in: *Pail*

PRODUCT #	DESCRIPTION	WT.	PRICE
S2300P	5-gallon pail	46 lbs.	\$158.99

Mixing Procedures:
ColorPave® HD Clear Coat: Use as is. Do not dilute.

Material Requirements (coverage):
One gallon will cover approximately 200 square feet (22 square yards) per coat.

ColorPave® HD 500

Ideal For Coating Imprinted Asphalt Surfaces.



ColorPave® HD 500 is supplied as a Neutral Base designed to be mixed with ColorPave® HD Tint or ColorPlus to achieve desired color. Pails contain 4 gallons of material to allow room for adding and mixing ColorPave® HD Tint. Add 1 pint bottle of ColorPave® HD Tint to one pail of ColorPave® HD 500.

IMPORTANT: Do not apply to pavement surfaces that have previously been sealed with coal tar or asphalt based sealers.

ColorPave® HD 500 Product Features:
• Unique cross-linking technology provides high durability
• Fortified with sand for slip-resistance and durability
• Fast-Drying Formula
• Designed for spray application (Due to ColorPave® HD's unique fast drying technology, squeegee application is not recommended)

NOTE: ColorPave® HD 500 is designed to be sprayed with any suitable texture coating spray unit.

ColorPave® HD 500 is available in: *Pail*

PRODUCT #	DESCRIPTION	WT.	PRICE
S2200P	5-gallon pail (4-gallon net)	56 lbs.	\$127.99

Mixing Procedures:
ColorPave® HD 500 1-pail
ColorPave® HD Tint or ColorPlus 1-pint

NOTE: If needed, a small amount of water may be added to facilitate application.

Material Requirements (coverage):
One gallon will cover approximately 60 to 70 square feet (6.7 to 7.8 square yards) per coat. Two coats are recommended for optimum performance. NOTE: Actual coverage rates will vary due to differences in pavement porosity.

Pavement Sealer Additives

Improve the performance of pavement sealers with polymer additives from SealMaster®



TopTuff™

Film Toughener For Pavement Sealers

- Improves surface toughness
- Anchors in sand for extended wear
- Helps suspend sand
- Reduces power steering marks
- Provides a blacker dried sealer film
- Enhances resistance to oils, fuels, and grease

PRODUCT #	DESCRIPTION	WT.	PRICE
M1100P	5-gallon pail	48 lbs.	\$ 87.99
M1100D	55-gallon drum	535 lbs.	\$895.99



Sealer VM™

Polymer Viscosity Modifier For Pavement Sealers

- Meets FAA P625, P627, P630, and P631 specs
- Improves sealer flexibility
- Enhances resistance to oils, fuels, and grease
- Provides a blacker dried sealer film
- Provides sand suspension and uniform application of sand slurry mixes

PRODUCT #	DESCRIPTION	WT.	PRICE
M1110P	5-gallon pail	47 lbs.	\$ 109.99
M1110D	55-gallon drum	520 lbs.	\$1,178.99



Zetac™

Improves Resistance To Water.

- Improves sealer durability by increasing water resistance
- Promotes greater adhesion to pavement surfaces
- Provides sand suspension and uniform application of sand slurry mixes

PRODUCT #	DESCRIPTION	WT.	PRICE
M1180P	5-gallon pail	47 lbs.	\$ 83.99
M1180D	55-gallon drum	520 lbs.	\$886.99

FASS-DRI™

Featuring Advanced NANO-CURE Technology

- FASS-DRI™ Pavement Sealer Additive is the result of an exciting break-through in NANO-CURE chemistry. FASS-DRI™ additive enables you to open a parking lot to traffic in as little as 30 minutes.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1178G	2-gallon pail	29 lbs.	\$ 50.99
M1178P	5-gallon pail	72 lbs.	\$122.99



FSA®

Speeds Up The Drying Time Of Sealer.

- Designed for situations requiring rapid drying i.e. drive-thrus, spring and fall applications

PRODUCT #	DESCRIPTION	WT.	PRICE
M1170P	5-gallon pail	47 lbs.	\$ 72.99
M1170D	55-gallon drum	520 lbs.	\$791.99



FSA® AE

Fast Drying Additive For Asphalt Based Sealer

- Designed for situations requiring rapid drying i.e. drive-thrus, spring and fall applications

PRODUCT #	DESCRIPTION	WT.	PRICE
M1172P	5-gallon pail	47 lbs.	\$ 81.99
M1172D	55-gallon drum	520 lbs.	\$870.99



CrackMaster®

Premium Quality
Hot Pour Crack Sealants



- Superior Performance
- Outstanding Flexibility
- Rapid Set-Up Time
- Economical to Use

CrackPro Heated Hose Machine available on page 44



CRACKMASTER SUPREME COVERAGE RATES:

CRACK WIDTH	CRACK DEPTH	LBS./100 FT.
3/8"	3/8"	6.2 lbs.
1/2"	1/2"	11.1 lbs.
3/4"	3/4"	25.0 lbs.

CRACKMASTER PARKING LOT GRADE, 3405 & PL COVERAGE RATES:

CRACK WIDTH	CRACK DEPTH	LBS./100 FT.
3/8"	3/8"	6.9 lbs.
1/2"	1/2"	12.3 lbs.
3/4"	3/4"	27.8 lbs.

CrackMaster® Supreme DF

Our finest hot applied crack filling material. Designed for use in both direct fire and oil-jacketed kettles. Ideal for all crack filling applications on driveways and parking lots.

PRODUCT#	DESCRIPTION	PRICE
M1050L	50 lb. box w/two 25 lb. cubes per box	\$.91 per lb.

CrackMaster® 3405

Meets ASTM 3405 Specifications. Designed for use in oil-jacketed kettles. Ideal for use on roads and highways. Cold climates - flexible to -20°F.

PRODUCT#	DESCRIPTION	PRICE
M1060L	50 lb. box w/two 25 lb. cubes per box	\$.84 per lb.

Also available in state modified formula containing no crumb rubber (CrackMaster 3405 NR) or elevated levels of crumb rubber (CrackMaster 3405 R)

CrackMaster® 3405 LM

Designed for use in oil-jacketed kettles. Ideal for use on roads and highways. Very cold climates - flexible to -40°F.

PRODUCT#	DESCRIPTION	PRICE
M1060LM	50 lb. box w/two 25 lb. cubes per box	\$.96 per lb.

CrackMaster® PL

An economical, high softening point material designed for use on parking lots and roads. Recommended for oil-jacketed kettles. Warm climates - flexible to 20°F.

PRODUCT#	DESCRIPTION	PRICE
M1070L	50 lb. box w/two 25 lb. cubes per box	\$.72 per lb.

CrackMaster® PL-HT

An economical, high softening point material designed for use on parking lots and roads. Recommended for oil-jacketed kettles. Warm climates - flexible to 20°F, Softening point over 210°F.

PRODUCT#	DESCRIPTION	PRICE
M1071L	50 lb. box w/two 25 lb. cubes per box	\$.73 per lb.

CrackMaster® Parking Lot Grade

A premium quality crack and joint sealing material that resists tracking at elevated temperatures and remains flexible down to -10°F. Designed for use in direct fired kettles with agitation and oil-jacketed kettles. Ideal for large parking lots.

PRODUCT#	DESCRIPTION	PRICE
M1075L	50 lb. box w/two 25 lb. cubes per box	\$.87 per lb.

CrackMaster® Parking Lot Grade - LP

A premium quality crack and joint sealing material that resists tracking at elevated temperatures and remains flexible down to -10°F. Designed for use in direct fired kettles with agitation and oil-jacketed kettles. Less surface tack than standard parking lot formulas, lower penetration at elevated temperatures.

PRODUCT#	DESCRIPTION	PRICE
M1074L	50 lb. box w/two 25 lb. cubes per box	\$.87 per lb.

CrackMaster® 1190

Designed for use on roads and highways. Recommended for oil-jacketed kettles. Moderate climates - flexible to 0°F.

PRODUCT#	DESCRIPTION	PRICE
M1078L	50 lb. box w/two 25 lb. cubes per box	\$.83 per lb.

Also available in state modified formula containing no crumb rubber (CrackMaster 1190 NR) or elevated levels of crumb rubber (CrackMaster 1190 R)

CrackMaster® 5078

Designed for use in oil-jacketed kettles. Ideal for use on roads and highways. Cool climates - flexible to 10°F.

PRODUCT#	DESCRIPTION	PRICE
M1067L	50 lb. box w/two 25 lb. cubes per box	\$.73 per lb.

CrackMaster® PF

Polymer modified fiber sealant containing approximately 5% polyester fibers. Designed for use in oil-jacketed kettles. Ideal for use on roads and highways. Moderate to hot climates - flexible to -0°F.

PRODUCT#	DESCRIPTION	PRICE
M1077L	50 lb. box w/two 25 lb. cubes per box	\$ 1.03 per lb.

CrackMaster® PF IV

Meets Ohio DOT, type IV specification. Contains approximately 2% polyester fiber content. Designed for use in oil-jacketed kettles. Ideal for use on roads and highways. Remains flexible in all climates.

PRODUCT#	DESCRIPTION	PRICE
M1076L	50 lb. box w/two 25 lb. cubes per box	\$ 1.03 per lb.

CrackMaster® MA

Marker adhesive designed for use in both direct fired kettles with agitation and oil-jacketed kettles. Ideal for use on roads and highways. Flexible in moderate to hot climates.

PRODUCT#	DESCRIPTION	PRICE
M1055L	50 lb. box w/two 25 lb. cubes per box	\$.85 per lb.

CrackMaster® CJA

A cold joint adhesive designed for use in oil-jacketed kettles. Ideal for use on roads and highways. Remains flexible in all climates.

PRODUCT#	DESCRIPTION	PRICE
M1061L	50 lb. box w/two 25 lb. cubes per box	\$.86 per lb.

Also available in state modified formula for Alaska, CrackMaster CJA II

CrackMaster® Blend

Bonding agent or anchor devise between the overrun surface of an airport runway and the emergency arresting concrete blocks. Designed for use in oil-jacketed kettles.

PRODUCT#	DESCRIPTION	PRICE
M1072L	50 lb. box w/two 25 lb. cubes per box	\$.89 per lb.

CrackMaster® 544

Polymer modified polyester fibered sealant designed for use with oil-jacketed kettles. Contains approximately 1/2% polyester fiber content. Ideal for use on roads and highways.

PRODUCT#	DESCRIPTION	PRICE
M1057L	50 lb. box w/two 25 lb. cubes per box	\$.74 per lb.

CrackMaster® TRM

Designed for use with oil-jacketed kettles. Contains a high crumb rubber content. Ideal for use on roads and highways.

PRODUCT#	DESCRIPTION	PRICE
M1054L	50 lb. box w/two 25 lb. cubes per box	\$.83 per lb.

CrackMaster® 3725

Recommended for oil-jacketed kettles. Designed for use on roads and highways. Very cold climates - flexible to -40°F.


PRODUCT#	DESCRIPTION	PRICE
M1062L	50 lb. box w/two 25 lb. cubes per box	\$ 1.01 per lb.

CrackMaster® 6690 Type 1

The ideal product for the contractor who wants a single product to use in both road and parking lot applications. Meets ASTM D 6690 Type 1 (formerly ASTM D 1190).

PRODUCT#	DESCRIPTION	PRICE
M1052L	50 lb. box w/two 25 lb. cubes per box	\$.85 per lb.

SealMaster® COLD POUR Crack Sealants



Pourable Crack Sealant

The Industry
Standard

An economical cold pour crack filler rubberized for added flexibility. Recommended for cracks up to 1/2" wide.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1010G	1-gallon jug	11 lbs.	\$ 16.99
M1010P	5-gallon pail	53 lbs.	\$ 47.99
M1010D	55-gallon drum	590 lbs.	\$466.99

Mixing Procedures:

Use cold applied crack filler as is. Do not dilute. Stir material and apply by pouring or trowelling. Smooth out with squeegee or trowel.

FlexMaster®

Seals cracks up to 1/2" wide in asphalt or concrete. Remains flexible at low temperatures.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1001G	1-gallon jug	10 lbs.	\$ 18.99
M1001P	5-gallon pail	50 lbs.	\$ 72.99
M1001D	55-gallon drum	550 lbs.	\$770.99

Trowel Grade Crack Filler

High Performance

Fortified with mineral fillers for filling larger cracks up to 1" wide.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1020P	5-gallon pail	65 lbs.	\$ 46.99

Acrylic Crack Filler

The Ultimate Crack Repair!

High Performance Elastomeric Acrylic Crack Filler designed for filling cracks and alligatored areas in pavement.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1002G	1-gallon jug	11 lbs.	\$ 27.99

GatorPave™

The Ready To Use Patching Material For Cracked & Alligatored Pavement Areas.

- Easy To Use, Apply by Squeegee or Trowel
- Polymer Modified for Maximum Performance
- Environmentally Friendly



PRODUCT #	DESCRIPTION	WT.	PRICE
M1160P	5-gallon pail	62 lbs.	\$ 64.99
M1160D	55-gallon drum	680 lbs.	\$660.99

Material Requirements (coverage):

Coverage is dependent upon depth and width of cracks. Typically, one gallon of crack filling material will fill approximately 75-150 linear feet of cracks depending on depth and width of cracks.

AQUAPHALT™

Premium Cold Patch Performance Engineered Asphalt Repair Material.



- Advantages:
- Extremely easy to apply.
 - Permanently hardens in minutes instead of days.
 - Engineered to be supremely tough and durable.
 - Usable in any weather.
 - Water activated curing technology.
 - Bonds with the surface to create a genuine repair, not just a temporary fix.
 - Available in 3 grades for precision repair.

Water activated curing technology!

PRODUCT #	DESCRIPTION	WT.
M1155	4 mm - cracks and less than 1 inch deep potholes	50 lbs.
M1156	6 mm - 1 to 3 inch deep potholes	50 lbs.
M1157	9 mm - deep holes and as base repairs	50 lbs.

*Call for pricing



PatchMaster™ High Performance Pothole Patch.

The Cold Patch With Hot Mix Performance!

- Advantages:
- Easy to Use - Simply pour from bag and tamp or drive over with car wheels. No heating required.
 - PatchMaster can be applied in any weather.
 - Fills potholes in both asphalt and concrete. Ideal for full depth repair.
 - Packaged in 50 lb. weatherproof bags and 55-gallon drums.
 - Ideal for roads, streets, parking lots, driveways, and other pavement surfaces.

PRODUCT #	DESCRIPTION	WT.	PRICE
M1150	Bag	50 lbs.	\$ 14.99
M1150D	55-gallon drum	700 lbs.	\$199.99

Mixing Procedures:

No mixing required. Simply pour from pail or bag, spread, and tamp in place.

Material Requirements (coverage):

One 50 lb. pail or bag will cover approximately 5 square feet at 1" depth or 2.5 square feet at 2" depth.



Hand Tamper and Asphalt Lutes available on page 60.

Asphalt Binder™

An Asphalt Emulsion Tack Coat Designed For Priming Oxidized Surfaces & Patchwork.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1140P	5-gallon pail	46 lbs.	\$ 43.99
M1140D	55-gallon drum	515 lbs.	\$404.99
M1140B	Bulk		- quoted -

Mixing Procedures:

Primer for coatings:

Asphalt Binder	10 gallons
Water	80 gallons

For use as a tack coat for patching or paving:

Asphalt Binder	10 gallons
Water	10 gallons

Material Requirements (coverage):

Dependant upon water dilution.

Asphalt Binder Plus™

Polymer-Modified Asphalt Emulsion



- Asphalt Recycling Agent
- Pavement Rejuvenator/Fog Seal
- Crack Sealant For Road Application
- Tack Coat

PRODUCT #	DESCRIPTION	WT.	PRICE
M1145P	5-gallon pail	46 lbs.	\$ 52.99
M1145D	55-gallon drum	515 lbs.	\$514.99

Mixing Procedures:

Recycling Agent for Infrared Patching: Use as is. Dilution is not required.

For use as a tack coat for patching or paving:

Dilute 1 to 1 with water. Apply by spray or brush. Apply at a rate of .06 to .10 gallons of mixed material per square yard (.03 to .05 concentrate).

Material Requirements (coverage):

Reference the Material Specification Sheet.

SealMaster® Oil Spot Primers

Seals oil, gas, and grease spots on pavement prior to sealcoating. Helps prevent oil spots from bleeding up through freshly applied pavement sealer.

Apply by Spray or Brush.



Brushes - p.57
Chapin Sprayer - p.61

Petro Seal™

Concentrated Oil Spot Primer

- Can be diluted up to one part Petro Seal and two parts water.
- Apply by spray or brush.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1120P	5-gallon pail	47 lbs.	\$ 82.99
M1120D	55-gallon drum	520 lbs.	\$846.99

Mixing Procedures:

Can be diluted up to one part Petro Seal and two parts water. However, a 1 to 1 dilution rate is typically recommended. Mix thoroughly before applying.

Material Requirements (coverage):

One gallon of Petro Seal when mixed 1 to 1 with water will cover approximately 300-400 square feet.



Prep Seal™

Ready To Use Oil Spot Primer

- No dilution required.
- Apply by spray or brush.
- Available in 1-gallon and 5-gallon containers.

PRODUCT #	DESCRIPTION	WT.	PRICE
M1130G	1-gallon jug	9 lbs.	\$ 13.99
M1130P	5-gallon pail	46 lbs.	\$ 33.99

Mixing Procedures:

Prep Seal is a ready-to-use product. Do not dilute. Use as is. Stir thoroughly before applying.

Material Requirements (coverage):

One gallon of Prep Seal will cover approximately 150-200 square feet.

TarBuster™

The environmentally friendly full strength tar & asphalt remover. Non-offensive citrus aroma.

TarBuster's Industrial formulation safely penetrates, dissolves, and removes the toughest: **Oil, Asphalt, Grease, Sludge, and Asphalt Pavement Sealer** (not recommended for removal of coal tar).

- Biodegradable
- Non-Toxic
- Non-Corrosive
- Citrus Aroma

TarBuster is FAST ACTING:

In as little as 30 seconds you'll see how TarBuster cuts cleanup time in the toughest cleaning applications.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2087	TarBuster wipes	2 lbs.	\$ 20.99
T2078	1-gallon jug	9 lbs.	\$ 49.99
T2080	1-gallon jugs (case of 4)	34 lbs.	\$ 199.99
T2082	5-gallon pail	41 lbs.	\$ 202.99
T2084	55-gallon drum	440 lbs.	\$1,493.99



Tarpedo™

Tarpedo Destroys & Quickly Dissolves Coal Tar Sealer!

- Use on tools, equipment and vehicles.
- Rinses easily with water.
- High flash point (145°F) formula.
- Also removes asphalt and other tough substances.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2090	1-gallon jug	9 lbs.	\$ 48.99
T2092	(case of 4) 1-gallon jugs	34 lbs.	\$ 195.99
T2094	5-gallon pail	41 lbs.	\$ 212.99
T2096	55-gallon drum	440 lbs.	\$1,647.99



MasterFlo™

Pavement Sealer Remover

- Removes coal tar, asphalt, and much more from a variety of surfaces.
- Water soluble ready-to-use formula.
- Can be used as a degreaser.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2060	1-pint	2 lbs.	\$ 21.99
T2050	1-gallon jug	9 lbs.	\$ 54.99
T2065	5-gallon pail	41 lbs.	\$ 194.99
T2055	55-gallon drum	440 lbs.	\$1,681.99





Application Instructions:

Apply to surface and allow to penetrate for 30 seconds to 2 minutes. Scrub with brush or cloth. Rinse thoroughly with water.

SealMaster® Traffic Paints

- 100% Acrylic Lead Free Water Base Formulas
- Outstanding Performance & Durability
- Bright Vibrant Colors




Line Striper Machines sold on pages 50-51.



High Performance Traffic Marking Paint

Liquid Thermoplastic

- Cold Spray-Applied Liquid Thermoplastic Featuring Hot-Applied Thermoplastic Performance.
- Meets Fed Spec TTP-1952d and TTP-1952e.
- Liquid Thermoplastic Traffic Marking Paint can be applied with standard airless spray equipment.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1297P	Liquid Thermoplastic White 5-gallon pail	72 lbs.	\$ 118.99
M1297D	Liquid Thermoplastic White 55-gallon drum	800 lbs.	\$1,231.99
M1296P	Liquid Thermoplastic Yellow 5-gallon pail	72 lbs.	\$ 118.99
M1296D	Liquid Thermoplastic Yellow 55-gallon drum	800 lbs.	\$1,231.99
M1298P	Liquid Thermoplastic Blue 5-gallon pail	72 lbs.	\$ 120.99
M1298D	Liquid Thermoplastic Blue 55-gallon drum	800 lbs.	\$1,250.99
M1299P	Liquid Thermoplastic Red 5-gallon pail	72 lbs.	\$ 120.99
M1299D	Liquid Thermoplastic Red 55-gallon drum	800 lbs.	\$1,250.99
M1294P	Liquid Thermoplastic Black 5-gallon pail	72 lbs.	\$ 118.99
M1294D	Liquid Thermoplastic Black 55-gallon drum	800 lbs.	\$1,231.99

Mixing Procedures:
Use as is. Do not dilute. Apply by spray, roller, or brush.

Material Requirements (coverage):
1 gallon will provide 155-180' of 4" line at 30-35 mils wet thickness.

Acrylic Traffic Paint

High Performance 100% acrylic emulsion paint designed for bright, durable traffic markings on asphalt or concrete roadways and parking lots. Available in white and yellow.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1200P	White 5-gal. pail	65 lbs.	\$ 69.99
M1200D	White 55-gal. drum	715 lbs.	\$599.99
M1210P	Yellow 5-gal. pail	65 lbs.	\$ 69.99
M1210D	Yellow 55-gal. drum	715 lbs.	\$599.99

Handicap Blue

Professional Grade, 100% acrylic water-based paint. Formulated for lasting durability.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1230G	Blue 1-gallon pail	12 lbs.	\$ 23.99
M1230P	Blue 5-gallon pail	60 lbs.	\$100.99

Firelane Red

Designed for marking firelane areas on parking lots. 100% acrylic emulsion paint. Bright, vibrant color.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1220G	Red 1-gallon pail	12 lbs.	\$ 23.99
M1220P	Red 5-gallon pail	60 lbs.	\$100.99

Mixing Procedures:
Use as is. Do not dilute. Apply by spray, roller, or brush.

TTP-1952b Traffic Paint

100% acrylic premium grade traffic paint. Meets federal specifications. Provides bright, durable traffic markings. Available in white and yellow.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1240P	White 5-gal. pail	66 lbs.	\$ 79.99
M1240D	White 55-gal. drum	725 lbs.	\$799.99
M1250P	Yellow 5-gal. pail	67 lbs.	\$ 79.99
M1250D	Yellow 55-gal. drum	735 lbs.	\$799.99

Fast Dry Traffic Paint

High solids 100% acrylic traffic paint. Dries in less than 5 minutes. Available in white and yellow. Meets TTP-1952d and TTP-1952e.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1270P	White 5-gal. pail	72 lbs.	\$ 101.99
M1270D	White 55-gal. drum	800 lbs.	\$1,064.99
M1280P	Yellow 5-gal. pail	72 lbs.	\$ 101.99
M1280D	Yellow 55-gal. drum	800 lbs.	\$1,064.99

Line Block-Out Paint

Black 100% acrylic marking paint designed to block out unwanted lines. Ideal for changing traffic patterns on parking lots.



PRODUCT #	DESCRIPTION	WT.	PRICE
M1260P	5-gallon pail	55 lbs.	\$ 67.99
M1260D	55-gallon drum	615 lbs.	\$686.99

Material Requirements (coverage):
1 gallon will provide 325' of 4" line at 15 mils wet thickness.



Concrete surface cleaner available on page 84

SealMaster® Concrete Products



**Environmentally Friendly
100% Acrylic Emulsion
Formulations**

*Ideal for interior
and exterior
concrete surfaces.*



Concrete Sealer

A 100% acrylic water based clear drying emulsion designed to seal and protect concrete against water, salt, and oil damage. Resists blushing when exposed to moisture or rainfall. For interior or exterior use. Apply by spray, lambswool applicator, or roller.

PRODUCT #	DESCRIPTION	WT.	PRICE
M1300P	5-gallon pail	46 lbs.	\$ 70.99
M1300D	55-gallon drum	510 lbs.	\$708.99

Mixing Procedures:

Concrete Sealer is ready-to-use. Do not dilute. Stir thoroughly before applying.

Material Requirements (coverage):

One gallon of Concrete Sealer will cover 200 square feet.

Concrete Patch

A 100% acrylic heavy-bodied trowel grade patch material designed for filling larger cracks up to 1" wide in concrete surfaces. Concrete Patch can also be used to fill and repair damaged and spalled areas in concrete up to 1/4" deep.

PRODUCT #	DESCRIPTION	WT.	PRICE
M1350G	1-gallon pail	17 lbs.	\$ 20.99

Mixing Procedures:

Use as is. Do not dilute. Stir thoroughly before applying.

Material Requirements (coverage):

One gallon will fill approximately 75-150 feet of cracks depending on depth and width of crack. When used to patch low spots, coverage will vary with depth of patch.

Concrete Patch Binder

A 100% acrylic emulsion designed for mixing with sand and cement. Ideal for repairing damaged, spalled, and cracked concrete surfaces. Exhibits outstanding strength for lasting repairs up to 1/2" deep.

PRODUCT #	DESCRIPTION	WT.	PRICE
M1340P	5-gallon pail	47 lbs.	\$ 113.99
M1340D	55-gallon drum	525 lbs.	\$1,163.99

Mixing Procedures:

Concrete Patch Binder	3.5 gallons
Sand	100 lbs.
Portland Cement	15-20 lbs.
Water	.5 gallon

(Additional water may be required to achieve workability).

Material Requirements (coverage):

One gallon will produce enough patch mix (when mixed with sand and cement) to fill .86 square yard (approximately 7.75 sq. ft.) at 1/4" depth.

Concrete Crack Sealant

A 100% acrylic elastomeric crack sealant designed for sealing cracks and joints in concrete. Packaged in one gallon jugs.

PRODUCT #	DESCRIPTION	WT.	PRICE
M1355G	1-gallon jug	15 lbs.	\$ 23.99

Mixing Procedures:

Use as is. Do not dilute.

Material Requirements (coverage):

Typically, One gallon of Concrete Crack Sealant will fill approximately 75-150 feet of cracks.



SealMaster® Dust Suppressant & Soil Stabilizer



**The Environmentally
Friendly, Non-Toxic
Synthetic Polymer Emulsion**

SealMaster® Dust Suppressant and Soil Stabilizer is a synthetic polymer emulsion concentrate consisting of a combination of carefully selected polymers designed specifically for dust palliative and soil stabilization applications. Provides superior bonding and stabilizing for lasting performance.

Product Uses:

- Hydroseed and Mulch Tackifier
- Stock Pile Sealant and Dust Cap
- ADA Trails and Cart Paths
- Walking Path & Trail Stabilizer
- Quarries and Gravel Roads
- Gravel Parking Lot Stabilizer
- Helicopter & Aircraft Runway Stabilizer
- Sub-base stabilizer - mixed up to 6-inches deep
- Dust control and palliative for both traffic non-traffic applications
- Slope Erosion Control
- Unpaved Road Stabilizer
- Agricultural Roads
- Military Operations
- Construction Sites
- Heavy Haul Roads

SealMaster® Dust Suppressant & Soil Stabilizer is available in:
Drum, Tote, Bulk

PRODUCT #	DESCRIPTION	WT.	PRICE
S4000D	55-gallon Drum	535 lbs.	\$ 659.99
S4000T	275-gallon Tote	2,700 lbs.	\$3,308.99
S4000B	Bulk pricing available on request.		



*Dust Suppressant can also be pigmented
for colored applications.
(Pigment sold separately).*



TR 575 SprayMaster with Pro-Air System available on page 28.

THE MACHINES THAT HELPED BUILD AN INDUSTRY

grow your business. And we make owning SealMaster equipment easy with several attractive financing options. Call us today and discover the SealMaster equipment advantage.


More pavement sealer has been applied with SealMaster equipment than any other brand. The reason- We make Durable and Reliable Equipment that Gets the Job Done. With SealMaster, you get more than just a piece of equipment. You get the full backing, service and support of your local SealMaster dealer, who is dedicated to helping you



Self-Propelled Machines



SprayMaster Trailer Units



Custom Truck Spray Systems



Portable Spray Systems



MasterMix Bulk Storage Tanks



CALL TODAY!
(800) 395-7325
www.sealmaster.net

LOCATIONS NATIONWIDE

SealMaster®
Pavement Products & Equipment

SP 300 Squeegee Machine



Shown with water option

The "Workhorse" of squeegee machines with a 320 gallon capacity.

The SP 300 is a 320 gallon squeegee machine designed to mix and apply pavement sealers with or without sand.

SP 300 Features:

- Round tank design with true full sweep agitation and rubber wiper blades.
- Floating squeegee assembly with rear angling squeegee (windrow features) and front box squeegee.
- Rear wheel drive for added traction and easier trailer loading.
- Power steering for ease of maneuvering.
- Easy open butterfly sealer discharge valves.
- Diesel engine optional (21.6 H.P. Kubota).
- **Emergency brake.**

SP 300 Squeegee Machine:

PRODUCT #	DESCRIPTION	WT.
E1020	SP 300	3,320 lbs.
E9000	Blocking/Bracing Charge	400 lbs.
Option:		
P50335	Diesel Engine	
P50402	28 gallon Water System	

*Call for pricing

Specifications:


- Height65"
- Width.....63"
- Length.....140"
- Wheel Base.....60"
- Squeegee Width.....93"
- Weight.....3,320 lbs.
- Material Tank Capacity.....320 gallons
- Water Tank Capacity Option.....28 gallons
- Engine.....21 H.P. Honda




Features:



User-Friendly Control Panel



Hydraulic Shift for Angling the Squeegee



Rear Wheel Direct-Drive



Power Steering



Dual Easy-Open Butterfly Sealer Discharge Valves

SP 300 Dual Spray/Squeegee Machine




Shown with water option

A 320 gallon capacity machine that does it all.

- spray bar, spray wand, and squeegee application.

Features:



Rear Wheel Direct-Drive



Hydraulic Shift for Angling the Squeegee



Power Steering



Hydraulically Driven Dual Diaphragm Material Pump



User-Friendly Control Panel



Diesel Engine Standard



Dual Easy-Open Butterfly Sealer Discharge Valves



1-Gallon Basket Strainer Reduces Tip Clogging

SP 300 DUAL™ Features:

- Diesel engine standard
- SandPumper II 2" material pump-shifts to neutral when wand or spray bar is shut off.
- Round tank design with true full-sweep agitation and rubber wiper blades.
- 75-foot hose and spray wand.
- Rear wheel direct drive.
- Power steering for ease of maneuvering.
- Adjustable rear angling squeegee.
- **Emergency brake.**

SP 300 Dual™ with Diesel Engine:

PRODUCT #	DESCRIPTION	WT.
E1000	SP 300 Dual	3,880 lbs.
E9000	Blocking/Bracing Charge	400 lbs.
Option:		
P50402	28 gallon Water System	

*Call for pricing

Specifications:

- Height65"
- Width.....63"
- Length.....140"
- Wheel Base.....60"
- Squeegee Width.....93"
- Spray Width.....108"
- Weight.....3,880 lbs.
- Material Tank Capacity.....320 gallons
- Water Tank Capacity Option.....28 gallons
- Engine.....33.5 H.P. Kubota
- Steering.....Power
- Drive Train.....Hydrostat Direct Drive

SP 575 Squeegee Machine



Shown with water option

The "Titan" of squeegee machines with a 575 gallon capacity.

The SP 575 is a 575 gallon squeegee machine designed to mix and apply pavement sealers with or without sand.

SP 575 Features:

- Round tank design with true full sweep agitation and rubber wiper blades.
- Floating squeegee assembly with rear angling squeegee (windrow features) and front box squeegee.
- **ALL WHEEL DRIVE** for added traction and easier trailer loading.
- Power steering for ease of maneuvering.
- Easy open butterfly sealer discharge valves.
- **Emergency brake.**

SP 575:

PRODUCT #	DESCRIPTION	WT.
E1015	SP 575	4,280 lbs.
E9000	Blocking/Bracing Charge	400 lbs.
Option:		
P50402	28 gallon Water System	

*Call for pricing

Specifications:


- Height74"
- Width.....65"
- Length.....14'
- Wheel Base.....60"
- Squeegee Width.....104"
- Weight.....4,280 lbs.
- Material Tank Capacity.....575 gallons
- Water Tank Capacity Option.....28 gallons
- Engine.....42 H.P. Kubota




Standard Features:



User-Friendly Control Panel



Hydraulic Shift Option for Angling the Squeegee



Rear Wheel Direct-Drive



Power Steering



Dual Easy-Open Butterfly Sealer Discharge Valves

SP 575 Dual Spray/Squeegee Machine



Shown with water option

A 575 gallon capacity machine that does it all.

The SP 575 Dual is a 575 gallon spray/squeegee machine designed to mix and apply pavement sealers with or without sand.

SP 575 Features:

- Round tank design with true full sweep agitation and rubber wiper blades.
- SandPumper II 2" material pump-shifts to neutral when wand or spray bar is shut off.
- Floating squeegee assembly with rear angling squeegee (windrow features) and front box squeegee.
- **ALL WHEEL DRIVE** for added traction and easier trailer loading.
- Spray bar, spray wand.
- Power steering for ease of maneuvering.
- Easy open butterfly sealer discharge valves.
- **Emergency brake.**

SP 575 Dual:

PRODUCT #	DESCRIPTION	WT.
E1005	SP 575 Dual	4,760 lbs.
E9000	Blocking/Bracing Charge	400 lbs.
Option:		
P50402	28 gallon Water System	

*Call for pricing

Specifications:

- Height74"
- Width.....65"
- Length.....14'
- Wheel Base.....60"
- Squeegee Width.....104"
- Weight.....4,760 lbs.
- Material Tank Capacity.....575 gallons
- Water Tank Capacity Option.....28 gallons
- Engine.....42 H.P. Kubota


Standard Features:



User-Friendly Control Panel



Hydraulically Driven Dual Diaphragm Material Pump



Rear Wheel Direct-Drive



Power Steering




Hydraulic Shift Option for Angling the Squeegee



Dual Easy-Open Butterfly Sealer Discharge Valves

TR 575 & TR 750

SprayMaster™ with Pro-Air System



TR 575 & TR 750:

PRODUCT #	DESCRIPTION	WT.
E1120	TR 575 Pro-Air	3,810 lbs.
E1132	TR 750 Pro-Air	3,900 lbs
Option:		
P50332	Storage Deck	
P50246M	Manual spray bar (includes seat and mounting components)	
P50247L	Lever - Manual spray bar	
P50330	50-gallon water tank, mounting kit and pump	
P50331	Hydraulically driven SandPumper II material pump system	
P50246D	Hydraulically operated spray bar (SandPumper II only)	
P50280B	Water Cooler	
P50281B	Night Work Lights	
P50336	Electric Hose Reel: returns spray hose automatically	
P50337	Hand Operated Hose Reel	
T1145	Brush Water Box 40"	
P50405	2" Air Diaphragm Pump	
E9000	Blocking/Bracing Charge (if required)	400 lbs.

*Call for pricing

Specifications:


- Engine.....13 H.P. Honda
- Material Pump:
 - Type:.....Dual Diaphragm
 - Inlet/Outlet:.....1 1/2"
- Air Compressor:
 - Engine:.....13 H.P. Honda
 - SCFM:.....30.0

TR 575 TR 750

- Height73"81"
- Width.....75"75"
- Length w/spray bar.....18'18'
- -w/opt. storage deck.....20'20'
- Spray Bar Width.....88"88"
- Axles.....2-6,000 lbs.....2-6,000 lbs.
- Tongue Weight Empty.....380 lbs.....390 lbs.

Optional Features:

- Storage deck
- Hand operated hose reel
- 50 gallon water tank
- Brush water box
- Manually operated spray bar
- Hydraulically operated spray bar (SandPumper II system only)
- SandPumper II hydraulically driven material pump system
- Work Lights
- Squeegee Drag Box Assembly (contact SealMaster for pricing)



• Water Cooler



Standard Features:

- 75-foot hose and spray wand. Spray bar is optional.
- Two 6,000 lb. axles with electric brakes.
- Running lights and brake lights.



13 H.P. Honda Engine




Dual Diaphragm Material Pump



Direct-Drive FWD/REV Agitation



Safety Break-Away Braking System



One Gallon Basket Strainer

TR 1000

SprayMaster™ with Pro-Air System



TR 1,000 SprayMaster:

PRODUCT #	DESCRIPTION	WT.
E1140	TR 1,000 Pro-Air	4,560 lbs.
Option:		
P50330	50-gallon water tank, mounting kit and pump	
P50332	Storage Deck	
P50246M	Manual spray bar (includes seat and mounting components)	
P50247L	Lever - Manual spray bar	
P50331	Hydraulically driven SandPumper II material pump system	
P50246D	Hydraulically operated spray bar (SandPumper II only)	
P50280B	Water Cooler	
P50281B	Night Work Lights	
P50336	Electric Hose Reel: returns spray hose automatically	
P50337	Hand Operated Hose Reel	
T1145	Brush Water Box 40"	
P50405	2" Air Diaphragm Pump	
E9000	Blocking/Bracing Charge (if required)	400 lbs.

*Call for pricing

TR 1,000 Features:

- Dependable, low-maintenance air-driven dual diaphragm pump-shifts to neutral automatically when wand or spray bar is shut off. Sprays pavement sealers with sand loadings - 50 GPM.
- 1,000 gallon tank with hydraulically controlled full sweep agitator with rubber wiper blades.
- 75-foot hose and spray wand. Spray bar is optional.
- Two 8,000 lb. axles, load range G tires
- Running lights and brake lights.


Optional Features:

- 50 gallon water tank
- Manually operated spray bar
- SandPumper II hydraulically driven material pump system
- Hydraulically operated spray bar (SandPumper system only)

Standard Features:



Dual Diaphragm Material Pump



One Gallon Basket Strainer



13 H.P. Honda Engine



Safety Break-Away Braking System

Specifications:

- Height7' 10"
- Width.....80"
- Length w/Spray Bar.....18' w/Optional Storage Deck.....20'
- Spray Bar Width.....88"
- Axles.....2-8,000 lb.
- Tongue Weight Empty.....640 lbs.
- Engine.....13 H.P. Honda
- Material Pump:
 - Type:.....Dual Diaphragm
 - Inlet/Outlet:.....1 1/2"
- Air Compressor:
 - Engine:.....13 H.P. Honda
 - SCFM.....30.0

SprayMaster™ Tanks

with Pro-Air System



SprayMaster Tanks:

PRODUCT #	DESCRIPTION	WT.
E1320	SK 575 Pro-Air	2,240 lbs.
E1330	SK 750 Pro-Air	2,340 lbs.
E1340	SK 1,000 Pro-Air	3,200 lbs.
E1360	SK 1,500 Pro-Air	3,700 lbs.
E1370	SK 2,000 Pro-Air	4,200 lbs.
Option:		
P50330	50-gallon water tank, mounting kit and pump	
P50246M	Manual spray bar (includes seat and mounting components)	
P50247L	Lever - Manual spray bar	
P50331	Hydraulically driven SandPumper II material pump system	
P50246D	Hydraulically operated spray bar (SandPumper II only)	
P50336	Electric Hose Reel: returns spray hose automatically	
P50337	Hand Operated Hose Reel	
P50403	Maxx-Air 2" Diaphragm Pump with 20 H.P Compressor	
P50405	2" Air Diaphragm Pump	
E9000	Blocking/Bracing Charge (if required)	400 lbs.

*Call for pricing

Specifications:					
• Material Pump:					
- Type:.....Dual Diaphragm					
- Inlet/Outlet:.....1 1/2"					
• Air Compressor:					
- Engine:.....13 H.P. Honda					
- SCFM:.....30.0					
	575	750	1000	1500	2000
• Height:	60"	68"	76"	76"	76"
• Width:	48"	56"	64"	64"	64"
• Length:	144"	144"	144"	174"	204"
• Weight:	2240 lbs.	2350 lbs.	3200 lbs.	3700 lbs.	4,200 lbs.



SprayMaster SK 1500 with Custom Truck Mounting (see page 31)

SprayMaster Features:

- Dependable, low-maintenance air-driven dual diaphragm pump-shifts to neutral automatically when wand or spray bar is shut off. Sprays pavement sealers with sand loadings - 50 GPM.
- Hydraulically controlled full sweep agitation with rubber wiper blades.
- 75-foot hose and spray wand.

Optional Features:

- 50 gallon water tank
- Manually operated spray bar (includes seat/mounting components)
- SandPumper II hydraulically driven material pump system
- Hydraulically operated spray bar

Standard Features:



Direct-Drive FWD/REV Agitation



75-foot hose and spray wand



1 Gallon Basket Strainer



13 H.P. Honda Engine



Dual Diaphragm Material Pump

Custom Truck Mounting



Custom Truck Sizing:

PRODUCT #	DESCRIPTION
E4100	Custom Mounting: Consists of fabricating a flatbed with fenders onto a truck chassis. The SprayMaster™ unit is custom mounted to flatbed.
E4140	Tool Box: Metal tool box with door and latch. Can be fabricated onto both sides of truck for added storage.
P50246D	Hydraulic Spray Bar Kit: Recommended for SandPumper™ II units only. 10ft. spray width - (Cab operated)
P50246A	Air Operated Spray Bar: For air systems only. 10ft. spray width (Cab operated)
P50246M	Manual Spray Bar: (includes seat and mounting components) Recommended for Maxx Air System, Standard Air System, and SandPumper™ II units. 10ft. spray width
P50247L	Lever - Manual spray bar
E4160	8' Squeegee Drag Box Assembly
E4180	10' Squeegee Drag Box Assembly
E4200	Rear Operator Platform: Strongly recommended for use with spray bar.
P50336	Option - Electric Hose Reel: returns spray hose automatically
P50337	Option - Hand Operated Hose Reel
E4240	Reese Style Tube Hitch: Includes pintle eye and 2" ball hitch

*Call for pricing


Custom Truck Mounting Begins With The Selection Of A SprayMaster™ Tank With One Of The Following Material Pump Systems:

- Pro Air System
- Maxx-Air System
- SandPumper™ II System (hydraulic)

Available Options:



Optional Squeegee Assembly



Optional Rear Operator Platform With Spray Bar

Truck Mount Sizes:

TANK SIZE (gallons)	PAYLOAD (Pounds)	CAB to AXLE	
		Min.	Preferred
575	10,000	85"	90"
750	13,000	85"	90"
1,000	17,000	85"	90"
1,500	24,000	126"	131"
2,000	32,000	156"	161"

*Payload - Not to be confused with Gross Vehicle Weight (GVW)



TR 300
300-gallon unit

TR 300 is shown with the following
OPTIONAL FEATURES:
Hydraulic Agitation & Brush Water Box

Optional Features:



Brush/Squeegee
Water Box



Hydraulically
Driven Full
Sweep Agitation

Standard Features:



14-Gallon Poly Water Tank



Hose Reel with
75-Foot Hose



Safety Break-Away
Braking System



Hide-Away Spray
Wand Holder



Air Driven Dual Diaphragm
Pump with Basket Strainer



Gear
Reduction
Hand Agitator

SealMaster® SandPup™ Trailer & Skid Unit

Performance & Economy

The SandPup™ Trailer is the economical way to transport and apply pavement sealers with sand.



SK 300
300-gallon unit

SandPup™ Trailer:

PRODUCT #	DESCRIPTION	WT.
E1160	TR 300 hand agitated tank trailer	1,920 lbs.
E1380	SandPup™ Skid Tank - Fits 8ft. beds only. Check weight capacity of your truck. The tank is mounted sideways and sits forward of the truck axle.	1,400 lbs.
Option:		
P50340	Hydraulic Agitation	
T1145	Brush Water Box 40"	

*Call for pricing

Specifications:

	TR 300	SK 300
• Height:	68"	52"
• Width:	67"	57"
• Length:	156"	85"
• Weight:	1,920 lbs.	1,400 lbs.

SandPup™ Portable Spray System

SandPup™
20-gallons per minute!



The portable solution for spraying pavement sealers with sand. Also ideal for applying cold pour crack sealants and water base tack coat.

SandPup™ Features:

- Air-driven dual diaphragm pump (SandPup™ - 1" discharge, SandPup™ II - 1 1/2" discharge)
- 75-foot spray hose and wand
- Basket Strainer reduces tip clogging
- Engine - SandPup™ - 5.5 H.P. Honda
- SandPup™ II - 9 H.P. Honda

SandPup™ I and II:

PRODUCT #	DESCRIPTION	WT.
E1620	SandPup™ - 5.5 H.P. Honda engine	225 lbs.
E1630	SandPup™ II - 9 H.P. Honda engine	480 lbs.
Option:		
P50343	SandPup™ Crack filler Wand Kit	
P50342	SandPup™ II Crack Cleaning Wand Kit	

*Call for pricing

SandPup™ II
50-gallons per minute!



The SandPup's™ bigger, tougher brother. A larger air compressor and material pump provides maximum performance.

SandPup™ Options:


SandPup™ Crack filler Wand Kit

Fits both SandPup™ I and II. Ideal for applying cold pour crack fillers.



SandPup™ II Crack Cleaning Wand Kit

Fits SandPup™ II and CrackPro 3500. Compressed air jet for cleaning out cracks.



SandPup™ Specifications:

- Height.....33"
- Width.....22"
- Length.....41"
- Weight.....220 lbs.
- Engine.....5.5 H.P. Honda
- Material Pump:
 - Type.....Air-Operated Dual Diaphragm - 1" discharge
- Air Compressor:
 - SCFM.....14.6
 - PSIG.....125

SandPup™ II Specifications:

- Height.....50"
- Width.....25"
- Length.....56"
- Weight.....440 lbs.
- Engine.....9 H.P. Honda
- Material Pump:
 - Type.....Air-Operated Dual Diaphragm - 1 1/2" discharge
- Air Compressor:
 - SCFM.....24
 - PSIG.....125

CrackPro® Cold-Pour Crack Filler Application Units

For Ease, Convenience, & High Production

All Units Feature: Air Diaphragm Material Pump, 50 ft. Hose & Wand, Straight Pipe & Crack Shoe Application Assemblies, Suction Hose & Basket Strainer.

CrackPro® 3500



Includes larger air compressor and air-wand attachment for blowing out cracks.



CrackPro® 3000



CrackPro® 2000

Economical pump unit that plugs into any air compressor (10 cfm or higher) (Requires separate air compressor).

Specifications:

	CrackPro® 3500	CrackPro® 3000	CrackPro® 2000
• Length:	56"	33"	30"
• Width:	25"	41"	23"
• Height:	50"	22"	41"
• Weight:	440 lbs.	220 lbs.	114 lbs.
• SCFM:	24	14.6	5.1
• PSIG:	125	125	100
• Engine:	9 H.P. Honda	5.5 H.P. Honda	-

Cold-Pour Applicator Units:

PRODUCT #	DESCRIPTION	WT.
E1635	CrackPro® 3500	440 lbs.
E1701	CrackPro® 2000	114 lbs.
E1625	CrackPro® 3000	220 lbs.

*Call for pricing

Porta-Pump™

The Portable Multi-Purpose Pump System

(Requires Separate Air Compressor - Minimum of 10 cfm recommended)

Can be mounted directly to top of drum or rested on flat surface.



Drum is not included.

Porta-Pump™

Use your own compressor! Spray pavement sealers and fill cracks. Mounts directly on top of a 55-gallon drum.

Features:

- 1" Air Diaphragm Pump
- Basket Strainer
- 75' Spray Hose & Wand
- Suction Hose Assembly

Specifications:

- Width.....23"
- Length.....30"
- Weight.....114 lbs.
- Flow Rate.....20 GPM
- Pressure.....100 PSI

Porta-Pump™: (a compressor of 10 cfm is recommended)

PRODUCT #	DESCRIPTION	WEIGHT
E1700	Porta-Pump	114 lbs.

*Call for pricing

Sealer™ Wheeler

Mix and apply pavement sealers, tennis court coatings & more.



Sealer Wheeler™

The Sealer Wheeler™ is an economical mixing and dispensing unit that is ideal for pavement sealers, tennis court coatings, and many other uses. Available in 55 gallon and 30 gallon capacity.

Features:

- Full Sweep Hand Agitator
- 2" Ball Valve Discharge
- Hinged Lid Opening
- Pneumatic Tires

Sealer Wheeler™:

PRODUCT #	DESCRIPTION	WEIGHT
E1070	55-gallon	215 lbs.
E1080	30-gallon	195 lbs.

*Call for pricing

Heated Asphalt Storage Tanks



Heater Controls



Liquid Level Scale

Optional Features:



Propeller Agitation



Material Pump

Heated Asphalt Storage Tanks:

- Vertical

PRODUCT #	DESCRIPTION
E1870	10,000 Gallon
Option:	
P50277B	Material Pump - 80 GPM
P50278B	Propeller Blade Agitation

*Call for pricing

Ideal For Paving Grade Asphalts, Roofing Asphalts, & Asphalt Emulsions.

Features:

- 1/4" plate steel construction
- 4" thick mineral wool insulation
- Foam glass block insulation on tank bottom
- Ribbed steel panel outer skin (covers insulation)
- Thermostatically controlled electric heat (all voltages and phases available)
 - Heater coil system for hot oil circulation also available
- Liquid level scale

Options:

- Material Pump - 80 GPM
- Propeller Blade Agitation

Tanks can be customized to meet specific requirements or sizes.

MasterMix™ Bulk Storage Tanks

The Ultimate In Sealer Convenience & Economy.



MasterMix™ Features:

- Hydraulically controlled full sweep agitator
- 2-inch Roper pump
- 13 H.P. Honda engine
- Clean out port on bottom of tank end

Options (6,000 - 10,000):

- Three Phase Electric Motor
- Single Phase Electric Motor
- Two-Inch Bowie Pump

Options (6,000 and 8,000):

- Heavy Duty Agitator Drive Gears

Specifications:

Tank Size:	6,000	8,000	10,000
• Height:	104"	104"	130"
• Width:	96"	96"	120"
• Length:	243"	312"	272"
• Weight:	7,200 lbs.	7,950 lbs.	8,800 lbs.

A SealMaster® Bulk Storage Tank enables you to buy pavement sealer in bulk and save. The convenience of on-site storage enables you to spend more time sealcoating and less time running for sealer.

MasterMix™ Tanks:

PRODUCT #	DESCRIPTION	WT.
E1820	MasterMix 6,000	7,200 lbs.
E1830	MasterMix 8,000	7,950 lbs.
E1840	MasterMix 10,000	8,800 lbs.
Option:		
P941A002	3 phase electric motor	
P941A001	Single phase electric motor	
E1850	Metal housing over pump and motor	
P640A043	2" Bowie pump substituted for Roper pump	
P50404	Heavy Duty Agitation	

*Call for pricing

Hand-Agitated Mixing Tanks

Available in 300 & 575 gallon capacities.

Features:

- Full sweep agitation with 2:1 gear reduction for ease of turning
- 2-inch gate valve material discharge
- Skid mounted



Specifications:

	TR 300	SK 300	SK 575
• Height:	68"	52"	61"
• Width:	67"	41"	52"
• Length:	156"	80"	101"
• Weight:	1,440 lbs.	750 lbs.	950 lbs.

Hand-Agitated Mixing Tanks: - Skid Mounted.

PRODUCT #	DESCRIPTION	WT.
E2005	Hand-Agitated SK 300	750 lbs.
E2025	Hand-Agitated SK 575	950 lbs.
E2006	Hand-Agitated TR 300	1,440 lbs.
P50340	Hydraulic Agitation	75 lbs.
E9000	Blocking/Bracing Charge (if required)	400 lbs.

*Call for pricing

R-1 Aggregate Chip Spreader

The R-1 is a tow behind aggregate spreader that is ideal for tar and chip operations on roadways. The R-1 distributes aggregate to precise depths with clean cut edges. It features an open type spiral agitator to convey material to outer ends of hopper.

Features:

- Auger Control Lever
- Material Auger
- Feed Gate Control Lever
- Drive Wheels
- Hitch Height Adjustment
- Quick Attachment Receiving Hitch



R-1 Aggregate Chip Spreader:

PRODUCT #	DESCRIPTION	WT.
E2330	10' spread width, 1.41 cu. yd. capacity	2,420 lbs.
E9000	Blocking/Bracing Charge (if required)	400 lbs.

*Call for pricing

PRODUCT #	DESCRIPTION
Option:	
PE2380	10' Operator Platform
PE2460	Truck Hitch - 1 supplied w/each spreader
PE2470	12" Block-Off Plates - to alter width of spread
PE2480	24" Block-Off Plates - to alter width of spread
PE2490	Tailgate Hook - (2 required) Two tailgate hooks supplied with each spreader
E2500	R-1 Trailer System - For towing aggregate spreader

TR 300 Heated Asphalt Distributor

Heat and spray asphalt emulsions, cutbacks, rejuvenators, primers, & more.



Standard Features:


- 20-ft. hose and spray wand



Easy Access Basket Strainer
Reduces Tip Clogging



Optional:
Yanmar Diesel Engine



300,000 BTU Vapor Heat
System with Safety Shut-Off




Electric Brakes with Safety
Break-Away System



Positive Displacement
Material Pump



5 Gallon Diesel
Wash Down System



Lock down lid with
breather vent

Heated Asphalt Distributor Units:

PRODUCT #	DESCRIPTION	WT.
E2220	TR 300 - Trailer	1,805 lbs.
Option:		
P50246M	Manual spray bar (includes seat and mounting components) - 10 ft spray width	
P50247L	Lever - Manual spray bar	
P458A034	Yanmar Diesel - option	
E9000	Blocking/Bracing Charge (if required)	400 lbs.

*Call for pricing

Specifications:

- Height66"
- Width.....72"
- Length.....177"
- Weight.....1,805 lbs.
- Tongue Weight Empty.....180 lbs.
- Axle.....6,000 lbs.
- Engine.....5.5 H.P. Honda
- Optional Engine.....Yanmar Diesel
- Burner System.....300,000 BTU vapor heat system with safety shut off
- Material Pump.....Positive displacement with pressure relief valve 15 GPM

TR 575 Heated Asphalt Distributor

Heat and spray asphalt emulsions, cutbacks, rejuvenators, primers, & more.



Optional Spray Bar



(LP gas cylinder not included)

Heated Asphalt Distributor Units:

PRODUCT #	DESCRIPTION	WT.
E2260	TR 575 - Trailer	3,000 lbs.
Option:		
P50246M	Manual spray bar (includes seat and mounting components) - 10 ft spray width	
P50247L	Lever - Manual spray bar	
P458A034	Yanmar Diesel - option	
E9000	Blocking/Bracing Charge (if required)	400 lbs.

*Call for pricing


Specifications:

- Height73"
- Width.....75"
- Length.....17'
- Weight.....3,000 lbs.
- Tongue Weight Empty.....300 lbs.
- Axles.....2-6,000 lbs.
- Engine.....5.5 H.P. Honda
- Optional Engine.....Yanmar Diesel
- Burner System.....300,000 BTU vapor heat system with safety shut off
- Material Pump.....Positive displacement with pressure relief valve 15 GPM

Standard Features:



Easy Access Basket Strainer Reduces Tip Clogging



Electric Brakes with Safety Break-Away System



Positive Displacement Material Pump




Optional: Yanmar Diesel Engine



5 Gallon Diesel Wash Down System



300,000 BTU Vapor Heat System with Safety Shut-Off



Lock down lid with breather vent

MA-10 Melter Applicator

Ideal for melting and applying CrackMaster™ Supreme Direct-Fire Crack Sealant.

Features:

- 10 gallon tank size
- Includes burner, hose, and regulator (Designed for use with Vapor LP gas cylinder)

Dimensions:

- Height39"
- Width.....24"
- Length.....43"

MA-10:

PRODUCT #	DESCRIPTION	WT.
E2820	MA-10	129 lbs.

*Call for pricing

SM-10 Melter

Ideal for Melting CrackMaster™ Supreme Direct-Fire Material.

Features:

- 10 gallon tank size
- Includes burner, hose, and regulator (Designed for use with Vapor LP gas cylinder)

Dimensions:

- Height36"
- Width.....18"
- Length.....29"



SM-10 Melter:

PRODUCT #	DESCRIPTION	WT.
E2830	SM-10	113 lbs.

*Call for pricing

P.A. Torch

Cleans & Dries Cracks

P.A. Torch Package includes: Torch, 50 ft. U.L. rated gas hose, regulator and 1/2" standard air quick connect.



P.A. Torch:

PRODUCT #	DESCRIPTION	WT.
T5550	P.A. Torch Package	15 lbs.

*Call for pricing

CrackPro® Turbo

Cleans and dries cracks in one motion. Highly maneuverable.



Dimensions:

- Height42"
- Width.....39"
- Length.....51"



(LP tank not included)

CrackPro® Turbo:

PRODUCT #	DESCRIPTION	WT.
E1704	CrackPro® Turbo	280 lbs.

*Call for pricing

SealMaster® Hot Air Lance

High Velocity Heat Lance Cleans and Dries Cracks Quickly.

SealMaster® Hot Lance Kit - Recommended for use with 60-100 cfm (50-175 psi) air compressor.
Heated air temperature: 400°F to 2600°F.
Exit heated air: Up to 1000 ft. per second.
BTU: Up to 1,000,000.
Kit includes: Hot Air Lance, 50' hose with protective cover, shoulder strap, air filter, LP regulator gauge and quick connect fittings.



SealMaster® Hot Air Lance:

PRODUCT #	DESCRIPTION	WT.
T5555	SealMaster® Hot Air Lance Kit	45 lbs.
T5556	Wheel Kit with Debris Guard	8lbs.

*Call for pricing

SM-30 Direct Fire Melter

*Ideal For Use With
CrackMaster™ Supreme
Direct Fire Crack Sealant.*

SM-30 Direct Fire Melter:

PRODUCT #	DESCRIPTION	WT.
E2800	SM-30	315 lbs.

*Call for pricing

Specifications:

- Height30"
- Width.....23"
- Length.....48"
- Weight.....315 lbs.



Features:

- Burner, hose and regulator
- 30-gallon capacity
- Hand operated agitator
- Retractable carrying handles
- Designed for use with Vapor LP gas cylinder (not included)
- Melting Rate is approximately 1/2 hour

SM-125 Direct Fire Melter



Features:

- 125 gallon capacity
- Trailer mounted
- Automatic fuel shut-off
- Hydraulically driven agitation
- Designed for use with Vapor LP gas cylinder (not included)

SM-125 Direct Fire Melter:

PRODUCT #	DESCRIPTION	WT.
E2810	SM-125	2,080 lbs.

*Call for pricing



Standard Features:



Automatic
Temperature Control



Anti-Splash
Loading



Forward/Reverse
Full Sweep
Agitation

Specifications:

- Height66"
- Loading Height.....57"
- Width.....78"
- Length.....136"
- Weight.....2,080 lbs.

CrackPro® Gravity Flow

*Oil-Jacketed Melter For Hot Pour
Crack Sealing Materials
Ready to apply within 1 hour.*

CrackPro® 125 Gravity Flow




CrackPro® 60 Gravity Flow

CrackPro® 60 & 125 Gravity Flow Options:



State-Of-The-Art Burner System
with Auto Shut Off


CrackPro® 60 & 125 Gravity Flow Features:



FWD/REV
Hydraulic
Agitation Valve



Direct Drive
Hydraulic
Agitation



Anti-Splash
Material
Loading Hatch



Oil and Material
Temperature
Gauges



Automatic
Temperature
Control

Specifications:

	CP 60	CP 125	CP 260
• Tank Capacity:	60 gallon	125 gallon	260 gallon
• Heat Transfer Oil:	10 gallons	25 gallons	30 gallons
• Max. BTU Input:	225,000	225,000	372,000
• Construction:	Oil Jacket	Oil Jacket	Oil Jacket
• Temp. Control:	Gas Thermostat	Gas Thermostat	Digital
• Tank Opening:	12" x 14"	12" x 14"	16" x 24"
• Insulation:	1 1/2" ceramic	1 1/2" ceramic	1 1/2" ceramic
• Agitation:	Full Sweep Hydraulic	Full Sweep Hydraulic	Full Sweep Hydraulic
• Heating System:	LP gas burner	LP gas burner	Diesel burner
• Power Unit:	5.5 H.P. Honda	5.5 H.P. Honda	8 H.P. Honda
• Suspension:	2,500 lb. axle	5,400 lb. axle	6,000 lb. axle
• Loading Height:	54"	57"	59"
• Overall Height:	66"	71"	75"
• Width:	64"	78"	94"
• Length:	122"	136"	162"
• Weight:	1,500 lbs.	2,640 lbs.	3,640 lbs.

CrackPro® 60 Gravity Flow:

PRODUCT #	DESCRIPTION	WT.
E2730	CrackPro® 60	1,500 lbs.
P163A008	Diesel Burner Option	

CrackPro® 125 Gravity Flow:

PRODUCT #	DESCRIPTION	WT.
E2728	CrackPro® 125	2,640 lbs.
E2726	SK 125 Skid Tank	1,575 lbs.
P163A008	Diesel Burner Option	

CrackPro® 260 Gravity Flow:

PRODUCT #	DESCRIPTION	WT.
E2736	CrackPro® 260	3,640 lbs.

*Call for pricing

CrackPro® Heated Hose Machine



*Oil-Jacketed Melter/Applicator For
Hot Pour Crack Sealing Materials*

Ready to apply within 1 hour.

ALL DIESEL POWER!

Both the burner and the engine are powered by diesel fuel for maximum safety, efficiency, and performance.

IMPORTANT: The DA version features a larger 33.5 H.P. Diesel Engine and a 100 CFM screw type air compressor for cleaning cracks.

Specifications:

- Tank Capacity.....125, 260 gallons
- Heat Transfer Oil.....25, 30 gallon capacity
- Maximum BTU Input.....372,000 BTU
- Construction.....Oil jacket type tank
- Temperature Control.....Automatic Electronic
- Tank Opening.....16" x 24" no splash material loading
- Insulation.....1 1/2" High Temperature Ceramic
- Agitation.....Full Sweep, Hydraulically Driven, Reversible
- Material Pump.....2" Steel Gear, Reversible
- Heating System.....Bottom fired forced air diesel fuel
- Suspension.....Torsion type axle with 5 lug tubeless tire
- Application Hose.....3/4" x 18' electric hose (22' available)
- Heated Hose.....Eliminates need to flush out hose for clean-up

CrackPro® Heated Hose Machine:

PRODUCT #	DESCRIPTION	WT.
E2745HH	TR 125 D	3,700 lbs.
E2747HH	TR 125 DA	4,000 lbs.
E2755HH	TR 260 D	5,000 lbs.
E2765HH	TR 260 DA	5,300 lbs.
P74001	Upgrade to a 22' hose	
See page 46 for available options.		

	CP 125	CP 260
• Loading Height:	54"	48"
• Overall Height:	80"	90"
• Width:	78"	93"
• Length:	192"	206"
• Empty Weight:	3,700 lbs.	5,000 lbs.
• Empty Weight w/conveyor:	4,200 lbs.	5,500 lbs.
• Height w/conveyor:	8' 6"	8' 6"



*Ask about our safety
loading options.*

CrackPro® Heated Hose Machine



CP-260

Shown with optional LP tank stand

Standard Features on CrackPro 125/260:

- Insulated with 1.5" ceramic covered by a 16 gauge steel outer body




Digital Control Center with protective cover. Control Center offers AC Gauge to monitor heating of electric hose



Anti-Splash Material Loading Hatch for safer loading of sealant materials



Air compressor is Direct Drive 100 CFM with 100' x 5/8" Reeled Hose & Wand



Diesel fired Beckett Burners are electronically controlled with Auto Shut Off



Electro-hydraulic manifold with flow control for pump and mixer speeds



Liquid Cooled 14.5 & 21.5 HP standard 33.5 HP Kubota Engine for DA models



Direct-Drive FWD/REV Full Sweep Agitation

*Call for pricing


Crack Pro OPTIONS



Shown with optional LP tank stand



Arrowboard



Engine Security Cover



Tool Box

CrackPro® Melter/Applicator Options:


PRODUCT #	DESCRIPTION	WT.
Option:		
P552A001	Material Block Conveyor	
E2680	Hydraulic surge brake assembly	
P553A008	2 5/16" ball hitch	
P516A021	Arrowboard	
P447A001	Fire extinguisher	10 lbs.
P163A004	1/8" or 1/4" wand tip	
PE2720	Engine security cover	
P163A005	Sealing shoe	
P163A012	Crack sealing square	
P74000B004	Tool box	
P74002	LP tank stand	

*Call for pricing

THE ONE-STOP-SOURCE FOR PAVEMENT PRODUCTS & EQUIPMENT

SealMaster® has all the pavement maintenance products, equipment and tools you need – Under One Roof – to help you get the job done fast and right. And we've got the best trained professionals in the business to provide unmatched service and guidance to help your business grow and succeed. Contact us today and find out why more pavement professionals turn to SealMaster than any other brand.

SMAF



SPORT SURFACING PRODUCTS AND MORE

LOCATIONS NATIONWIDE
CALL TODAY!
(800) 395-7325
www.sealmaster.net



LITTLE WONDER

"NEW" Little Wonder Pro Crack Cleaner



Features:

- Adjustable front wheels.
- Long Lasting Wire Wheel, heavy-duty 9" wire wheel.
- 4 HP Honda Engine
- Lightweight and low center of gravity, increases maneuverability and makes it easy to load and unload.

Ideal for cleaning dirt, debris, and vegetation from cracks prior to cracksealing.

Little Wonder Crack Cleaner



Features:

- 9" twisted wire brush with three options.
- 3.5 HP B&S Engine



PRODUCT #	DESCRIPTION	WT.
T6305	Pro Crack Cleaner, 4 HP Honda GX120, attachment with 9" wire brush	77 lbs.
T6300	Pro Edger with 3.5 H.P. B&S engine and a crack cleaner attachment with 9" wire brush	75 lbs.
P150A002	9" replacement brush	6 lbs.

*Call for pricing



Optimax Blowers

Available in several engine options.



Features:

- All steel housing and fans.
- Tougher handles, new transport bracket, integrated front discharge.
- 5-year warranty.

PRODUCT #	DESCRIPTION	WT.
T6006	160 CC Honda GC 160	128 lbs.
T6045	270 CC Subaru EX 270	171 lbs.
T6050	270 CC Honda GX 270	163 lbs.
T6060	390 CC Honda GX 390	196 lbs.
P151A069	Swivel Wheel Kit - Fits any Little Wonder high output blower	15 lbs.

*Call for pricing



Force™ Blowers

Special design for maximum air movement and minimal noise levels.



Features:

- Available with several engine options.
- New 6 H.P. features commercial duty engine and weighs only 78 lbs. with gas and oil added.

PRODUCT #	DESCRIPTION	WT.
T6162	6 H.P. Robin Subaru	86 lbs.
T6161	9 H.P. Robin Subaru	164 lbs.
T6126	9 H.P. Honda GX	169 lbs.
T6186	13 H.P. Honda GX	185 lbs.
T6181	18 H.P. Vanguard Twin	179 lbs.

*Call for pricing



RBHGX (Hydraulic)

2-way broom rotation



RBMGX (Mechanical)

1-way broom rotation



An industry favorite for cleaning cracks prior to cracksealing.



Features:

- 8" twisted wire brush and 4 H.P. Honda GX 120 engine.

PRODUCT #	DESCRIPTION	WT.
T6370	Billy Goat Crevice Cleaner	82 lbs.
P153A096	8" replacement brush	6 lbs.

*Call for pricing



Rotary Brooms

Features:

- Cleans along curbs, drains, and low areas at walking speeds with superior results.
- Easily and quickly prepares crankcase oil spills for treatment and sealing.
- Cleans in tight places where sweepers can't.
- Cleans stripes and curbs.
- Long life, low replacement cost, steel bristle broom head

PRODUCT #	DESCRIPTION	WT.
T6001	RBHGX (Hydraulic)	260 lbs.
T6002	RBMGX (Mechanical)	173 lbs.

*Call for pricing

Graco Striping Machines

Ask about our paint/machine combination pricing.

Graco Parts Now Available
At Your SealMaster®
Showroom!

Graco LineLazer 5900

Designed for the pavement marking professional who demands maximum performance and production. The 5900 delivers 1.5 GPM of traffic paint and is ideal for 2-gun applications (second gun sold separate). Features include a 5.5 H.P. Honda GX 160 engine and quick disconnect hose with 50 ft. of spray hose for stenciling and general painting. Unit includes one tip for lines and one tip for stencils. Accessories and additional spray tips listed at right.



PRODUCT #	DESCRIPTION	WT.
T6845	5900 1-Gun Auto layout	280 lbs.
T6846	5900 2-Gun Auto layout	290 lbs.

*Call for pricing

Graco LineLazer 3400

The LineLazer 3400 features new easy reach controls, new handle bar design with comfort grips, higher output and higher maximum pressure, new electronic pressure control, and new easy-roll wheel design. Swivel front wheel. Parking brake to prevent striper from rolling on uneven surfaces. Accessories and spray tips listed above.



PRODUCT #	DESCRIPTION	WT.
T6860	3400	200 lbs.

*Call for pricing

LineDriver™




High-production, ride-on striping system. The latest advancement in the striping industry. Connects to your line striper to immediately double your striping production. Simply attach the LineDriver and drive your productivity to new levels. You'll complete jobs in half the time without sacrificing line quality or line accuracy. Designed to attach to 3900 and 5900 model LineLasers.

PRODUCT #	DESCRIPTION	WT.
T6810	LineDriver 160 CC Honda	400 lbs.
T6812	LineDriver 200 CC Honda	400 lbs.

*Call for pricing

Graco LineLazer 3900

The LineLazer 3900 is ideal for contractors who demand productivity and performance. The 3900 features a quick disconnect spray gun for easy stenciling and general painting. A 4 H.P. Honda GX 120 engine provides for smooth operation with power to spare, 3300 PSI, (1.15 GPM). Includes one spray tip for lines and one tip for stencils. Accessories and additional spray tips listed above.



PRODUCT #	DESCRIPTION	WT.
T6820	3900 1-Gun	260 lbs.
T6825	3900 1-Gun Auto layout	260 lbs.
T6826	3900 2-Gun Auto layout	270 lbs.

*Call for pricing

Graco FieldLazer Sports Field Striper

- Airless technology for spraying higher concentrations of turf paint - delivering brighter, longer-lasting lines
- Exclusive tall-wheel cart rolls easily over ruts and cleat marks, resulting in less operator fatigue and straighter lines



PRODUCT #	DESCRIPTION	WT.
T6830	Graco Fieldlazer Sports Field Striper	175 lbs.

*Call for pricing

Accessories For Graco LineLazer:

PRODUCT #	DESCRIPTION	WT.
P159B002	GM 3900 Pump Repair Kit	1 lb.
P159B003	GM 5900 Pump Repair Kit	1 lb.
P159B004	Flex Gun Repair Kit	1 lb.
P159B010	Graco Filter Bag (207-240) replacement - 12 pack	1 lb.

*Call for pricing

SPRAY TIPS FOR GRACO LINELAZER -

PRODUCT #	DESCRIPTION
P159A005	(219) Parking Lot Lines 4"-6" (Standard with unit)
P159A192	(217) Long Lines 4"-6"
P159A007	(519) For curbs with one gun
P159A008	(317) For curbs with two guns, narrow stencils
P159A009	(517) Wide stencils, general painting (Standard with unit)
P159A010	(213) Athletic Court 2" lines (Use 100 mesh filter)
P159A011	(623) Cross-Walks 12" lines
P159A012	(721) Airport 24" lines with two guns

*Call for pricing



Advanced Performance. Total Reliability.

Striping Machines



Advanced Performance. Total Reliability.

PowrLiner™ 8955



Optional PowrDrive Self Propulsion (SP) - Call for Details.

PowrLiner™ 6955



- 2 gun spray system
- Powered by a dependable Subaru 211cc (model 8955) engine with low oil alert
- Electric start for easy operation
- Fast, easy, tool-free convertibility to 2 hp Extended-Life DC electrical motor
- Versatile gun bracket can be positioned to spray on left, right, front or rear of striper
- Precise pressure control from 400 psi to 3300 psi
- Max. Output = 2.35 GPM (model 6955), 2.50 GPM (model 8955)
- Cycle Rate = 55 per gallon (model 6955), 40 per gallon (model 8955)

PRODUCT #	DESCRIPTION	WT.
T7160	PowrLiner 8955 2-Gun	255 lbs.
T7165	PowrLiner 6955 2-Gun	245 lbs.

*Call for pricing

Accessories For Titan PowrLiner:

PRODUCT #	DESCRIPTION
T7200	PowrLiner Bead Dispenser - 1 Gun Kit (4"-6") w/hopper is for PL4955 and larger
T7205	PowrLiner Bead Dispenser - 2 Gun Kit (4"-6") w/hopper is for PL4955 and larger
T7210	PowrLiner Bead Dispenser - 1 Gun Kit (12") w/hopper is for PL4955 and larger
T7215	PowrLiner 12 gallon Hopper
T7230	PowrLiner Line Pointer

*Call for pricing

PowrLiner™ 4955

Optional PowrDrive Self Propulsion (SP) - Call for Details.

- Dependable Subaru 126cc, OHC gas engine with low oil alert
- Fast, easy, tool-free convertibility to 2 hp Extended-Life DC electrical motor
- Versatile gun bracket can be positioned to spray on left, right, front or rear of striper
- Precise pressure control from 400 psi to 3300 psi
- Max. Output = 1.5 GPM
- Cycle Rate = 87 per gallon



PRODUCT #	DESCRIPTION	WT.
T7190	PowrLiner 4955 2-Gun	235 lbs.

*Call for pricing

PowrLiner™ 2855

- Subaru 126cc, OHC engine with low oil alert
- Versatile gun bracket can be positioned to spray on left, right, front or rear of striper
- Available in one gun or two gun configurations
- Precise pressure control from 400 psi to 3300 psi
- Max. Output = .92 GPM



PRODUCT #	DESCRIPTION	WT.
T7170	PowrLiner 2855 1-Gun	160 lbs.
T7175	PowrLiner 2855 2-Gun	165 lbs.

*Call for pricing

PowrLiner™ 850

For Grass And Turf Sports Fields
(Will work for Pavement too!)

- Lightweight design makes striping and stenciling easy and fast
- Perfect for any organization or municipal budget
- Removable gun for stenciling and general painting
- Adjustable pressure from 200-3000 psi
- Max. Output = .33 GPM



ITEM #	DESCRIPTION	WT.
T7180	PowrLiner 850	67 lbs.

*Call for pricing

Titan SC-6 Reversible Line Striping Tip



PRODUCT #	DESCRIPTION
P165A001	Rev. Striping Tip - 2" line .017
P165A002	Rev. Striping Tip - 2" line .019
P165A003	Rev. Striping Tip - 4" line .017
P165A004	Rev. Striping Tip - 4" line .019
P165A005	Rev. Striping Tip - 6" line .017
P165A006	Rev. Striping Tip - 6" line .019
P165A007	Rev. Tip - Stencils - Curb .017


*Call for pricing



Need Help Finding The Right Parts for Your Equipment?

Simply go online and search for your SealMaster® equipment model or search by part listing to find everything from engines to hose reels, hydraulic valves to swivel disc applicators, and thermometers to water pumps. We have the widest range of parts to fit your equipment.

www.sealmasterparts.net



Material Pumps


A.)




C.)



D.)



E.)



B.)



PRODUCT #	DESCRIPTION	WT.	PRICE
A.) ROPER 3617			
P640A071	Steel Gear, 2"	91 lbs.	\$1,411.50
B.) BOWIE 2400, 3300, 3400			
P640A030	Steel Gear, 2" (2400)	150 lbs.	\$2,624.00
P640A005	Rubber Gear, 2" (2400)	150 lbs.	\$2,210.25
P640A059	Steel Gear, 3" (3300)	150 lbs.	\$2,176.50
P640A025	Steel Gear, 3" (3400)	150 lbs.	\$2,972.75
C.) ARO DIAPHRAGM PUMPS			
P640A060	ARO PD10A - 1" outlet	28 lbs.	\$ 698.50
P640A061	ARO PD15A - 1.5" outlet	60 lbs.	\$ 990.50
P640A068	ARO PD20A - 2" outlet	90 lbs.	\$1,054.00
D.) SANDPUMPER II HYD DUAL DIAPHRAGM			
P640A024	2" outlet	195 lbs.	\$4,379.25
E.) ARO ASSEMBLY			
P72000A002	ARO 1 1/2" Pump Assembly	70 lbs.	\$1,780.50
P72000D002	ARO 2" Pump Assembly	150 lbs.	\$1,825.00

PRODUCT #	DESCRIPTION	WT.	PRICE
MATERIAL PUMP REBUILD KITS			
P968A108	Versamatic E1	3 lbs.	\$ 346.75
P968A109	Versamatic E4	4 lbs.	\$ 413.50
P968A110	Versamatic E2	7 lbs.	\$ 446.25
P972A038	Graco 2150 2" - Air Valve	3 lbs.	\$ 98.50
P972A039	Graco 2150 2" - Pump	3 lbs.	\$ 517.75
P971A038	Graco 1590 1 1/2" - Air Valve	3 lbs.	\$ 98.50
P971A039	Graco1590 1 1/2" - Pump	3 lbs.	\$ 433.75
P970A038	Graco 1040 1" - Air Valve	3 lbs.	\$ 98.50
P970A039	Graco 1040 1" - Pump	3 lbs.	\$ 263.50
P741A047	Bowie - Model 400 series	7 lbs.	\$ 694.25
P967A066	Wilden M-2	2 lbs.	\$ 291.50
P967A065	Wilden M-4	4 lbs.	\$ 323.75
P969A031	Wilden M-8	7 lbs.	\$ 349.50
P966A077	SandPumper 1.5" material rebuild kit	9 lbs.	\$ 657.00
P966A076	SandPumper 1.5" hydraulic rebuild kit	2 lbs.	\$ 221.00
P966A090	SandPumper II rebuild kit	11 lbs.	\$1,191.25
P975A059	ARO 1" - Pump	2 lbs.	\$ 399.00
P976A059	ARO 1 1/2" - Pump	3 lbs.	\$ 465.25
P977A059	ARO 2" - Pump	5 lbs.	\$ 465.25
P975A060	ARO 1" - Air Valve Kit	1 lb.	\$ 90.00
P976A058	ARO 1 1/2" - Air Valve Kit	1 lb.	\$ 90.00
P977A058	ARO 2" - Air Valve Kit - A Style	1 lb.	\$ 124.50
P977B058	ARO 2" - Air Valve Kit (2010 to present) - B style	1 lb.	\$ 118.00

Spray Hoses & Wand



PRODUCT #	DESCRIPTION	WT.	PRICE
HOSE WITH FITTINGS (spray wand sold separate).			
P754B025	3/4" x 50'	15 lbs.	\$ 231.50
P754B026	3/4" x 75'	21 lbs.	\$ 292.75
P754B027	3/4" x 100'	28 lbs.	\$ 354.75
SPRAY WAND WITH BALL VALVE & SPRAY TIP			
P50273B	Spray wand with ball valve & spray tip	30 lbs.	\$ 119.75
REPLACEMENT BALL VALVE FOR SPRAY WAND			
P397A010	3/4" carbon steel	3 lbs.	\$ 57.00

Surge Tanks



PRODUCT #	DESCRIPTION	WT.	PRICE
F.) LARGE			
P30003D	SandPup II, M-8 2" male thread	17 lbs.	\$ 127.50
G.) MEDIUM			
P30003C	SP 1.5", M-4 2" male thread	14 lbs.	\$ 117.00
P30003F	Medium, 1 1/2" male thread	14 lbs.	\$ 117.00
H.) SMALL			
P30003E	SandPup, M-2 3/4" female thread	4 lbs.	\$ 55.25

*Oversized parts must ship at 30 lb. rate.

*Oversized parts must ship at 30 lb. rate.

Sprockets



PRODUCT #	DESCRIPTION	WT.	PRICE
P428A003	60B60 - 2" Bore - 4,000 & 6,000 gal bulk tanks	26 lbs.	\$134.00
P428A002	60B13 - 1" Bore - on bulk tanks	3 lbs.	\$ 16.25
P428A011	60B60 - 1 1/4" Bore - on bulk tanks	23 lbs.	\$134.00
P428A012	60B13 - 1 1/4" Bore - on bulk tanks	3 lbs.	\$ 21.50
P429A014	80R60 -10,000 gallon bulk tanks	50 lbs.	\$546.25
P740A012	Bushings - R1 x 2 15/16 for 80R60 and 80R96	8 lbs.	\$134.00
P429A006	80B12 - 1" Bore - 10,000 gallon bulk tank	5 lbs.	\$ 25.75
P429A020	80R96 - HD Bulk Tanks	125 lbs.	\$834.75
P429A019	80B60 - 1 1/2" Bore - 10,000 gallon bulk tanks	50 lbs.	\$375.25
P429A018	80B12 - 1 1/2" Bore - 10,000 gallon bulk tanks	5 lbs.	\$ 33.25
P429A017	80B12 - 1 1/4" Bore - HD Bulk Tanks	5 lbs.	\$ 33.25

Ball Valves



Available with or
without bolts

PRODUCT #	DESCRIPTION	WT.	PRICE
BRASS BALL VALVES			
P397A009	1/2" (manual spray bar)	2 lbs.	\$ 12.75
P397A001	3/4" (SandPups)	3 lbs.	\$ 14.00
P397A013	1" (Hydraulic spray bars)	4 lbs.	\$ 21.00
P397A012	1 1/4" (Return Line Tanks)	2 lbs.	\$ 31.75
P397A002	2" (Material Lines)	6 lbs.	\$ 63.00
P397A008	3" Brass Ball Valve	18 lbs.	\$184.25
CARBON STEEL BALL VALVES			
P397A010	3/4" (wands)	3 lbs.	\$ 57.00
P397A006	1" (Hydraulic spray bars)	4 lbs.	\$ 76.75
P397A003	2" (Material lines)	8 lbs.	\$229.50




Gate Valves

PRODUCT #	DESCRIPTION	WT.	PRICE
P399A004	2" Brass Gate Valve	5 lbs.	\$ 65.25
P399A005	3" Brass Gate Valve	11 lbs.	\$135.25


*Oversized parts must ship at 30 lb. rate.

Bearings, Seals, Plates, & Packing Glands



PRODUCT #	DESCRIPTION	WT.	PRICE
A.) FLANGE BEARINGS			
P434A002	1 1/4", 4-hole, 3 5/8" C to C	5 lbs.	\$ 26.75
P434A003	1 1/2", 4-hole, 4" C to C	6 lbs.	\$ 32.25
P434A004	2", 4-hole, 5 1/8" C to C	10 lbs.	\$ 56.75
P434A006	2 15/16", 4-hole, 6" C to C	29 lbs.	\$230.50
B.) PILLOW BLOCK			
P435A003	1 1/4"	6 lbs.	\$ 25.50
P435A004	1 1/2"	6 lbs.	\$ 32.25
P435A005	2"	10 lbs.	\$ 85.75
C.) RUBBER AGIT. SHAFT SEAL & BEARING PLATES			
P50137B001	2" packing gland seal	4 lbs.	\$ 34.50
P50137B006	2" bearing plate - steel	4 lbs.	\$ 25.25
P50137B007	2" seal bearing plate	4 lbs.	\$ 32.75
P50137B002	1 1/2" seal bearing plate	3 lbs.	\$ 29.00
P50137B003	1 1/2" bearing plate - steel	3 lbs.	\$ 24.25
P50137B004	1 1/4" bearing plate - steel	3 lbs.	\$ 24.25
P50137B005	1 1/4" seal bearing plate	3 lbs.	\$ 29.00
P50137B010	2 15/16" packing gland seal	5 lbs.	\$ 41.00
P50137B011	2 15/16" bearing plate - steel	5 lbs.	\$ 27.75
P50137B012	2 15/16" seal bearing plate	5 lbs.	\$ 41.00
P50137B009	1 1/4" seal bearing plate (SP 300)	1 lb.	\$ 25.75
P50137B008	1 1/4" bearing plate - steel (SP 300)	2 lbs.	\$ 24.25
D.) STEEL PACKING GLAND			
P50138C	2" packing gland weldment	18 lbs.	\$299.00
P50138D	2 15/16" packing gland weldment	20 lbs.	\$350.50
P50139C	2" packing gland kit	35 lbs.	\$377.25
P50139D	2 15/16" packing gland kit	40 lbs.	\$630.75
P638A006	1/4" mechanical packing	1 lb.	\$ 6.00 /ft.

Material Discharge Valves



PRODUCT #	DESCRIPTION	WT.	PRICE
F.) MOLASSES VALVE			
P585A002	3" Molasses Valve	8 lbs.	\$317.25
P586A	2" Molasses Valve	5 lbs.	\$ 69.75
P585B000	2" Molasses Valve (long handle) (SM-30)	5 lbs.	\$ 94.25
P585A004	1 1/2" Molasses Valve (long handle) (SM-10)	5 lbs.	\$ 91.75
G.) BUTTERFLY VALVE			
P398A009	3" Butterfly Valve (All SP Machines)	15 lbs.	\$211.75

PRODUCT #	DESCRIPTION	WT.	PRICE
P50313A	Basket Only - Gallon - 1/8" holes	5 lbs.	\$77.75
P50313B	Basket Only - Quart - 1/8" holes	2 lbs.	\$70.25
P50313BQ	Basket Only - Quart - 1/4" holes	2 lbs.	\$70.25
P50313BXS	Basket Only - Quart - 1/16" holes	2 lbs.	\$70.25
P50313D	Basket Only - Gallon Diamond Mesh	5 lbs.	\$77.75
P50313N	Basket Only - NEAL - 1/8" holes	2 lbs.	\$64.50
P50313NQ	Basket Only - NEAL - 1/4" holes	2 lbs.	\$64.50
P50313Q	Basket Only - Gallon - 1/4" holes	5 lbs.	\$77.75
P50313XL	Basket Only - 3 Gallon - 1/8" holes	7 lbs.	\$90.00
P50313XLD	Basket Only - 3 Gallon DIAMOND	7 lbs.	\$90.00
P50313XLQ	Basket Only - 3 Gallon - 1/4" holes	7 lbs.	\$90.00
P50313XLS	Basket Only - 3 Gallon - 1/16" holes	7 lbs.	\$103.00
P50313XS	Basket Only - 1 Gallon 1/16" holes	5 lbs.	\$81.50
P50313ABQ	Basket Only - Able - 1/4" holes	5 lbs.	\$90.50
P50313AB	Basket Only - Able - 1/8" holes	5 lbs.	\$90.50
P50313SR	Basket Only - SealRite	5 lbs.	\$85.75
P50147I	Locking Handle Assy - Qt	5 lbs.	\$33.75

3 GALLON BASKET STRAINER ASSEMBLY (Complete)*

PRODUCT #	DESCRIPTION	WT.	PRICE
P50147B005	3 Gallon Basket Strainer complete with 3" nipples (6 o'clock and 12 o'clock)	40 lbs.	\$391.25

*NOTE: When ordering Basket Strainer Complete, please specify the hole size for basket.

A.) 1 - 3 GALLON BASKET STRAINER ASSEMBLIES

PRODUCT #	DESCRIPTION	WT.	PRICE
P50147B002	Housing, lid, & basket	30 lbs.	\$337.75
P50119A	Lid gasket for 1-gal. and 3-gal. strainer and 3 Gallon	2 lbs.	\$ 13.50
P50147D	1-gal. and 3-gal. basket lid assembly and 3 Gallon	8 lbs.	\$ 92.00

B.) 1 QUART SIZE BASKET STRAINER ASSEMBLY


PRODUCT #	DESCRIPTION	WT.	PRICE
P50147B004	Housing, lid, & basket	12 lbs.	\$250.75
P50119B	Lid gasket - quart size	2 lbs.	\$ 13.50
P50147J	1-quart basket lid assembly	4 lbs.	\$ 64.25
P50147I	Locking Handle Assy.	5 lbs.	\$ 33.75

Honda Engines



PRODUCT #	DESCRIPTION	WT.	PRICE
P458A022	160 CC	35 lbs.	\$ 437.00
P458A027	160 CC, 6:1 gear reduction	50 lbs.	\$ 633.75
P458A050	240 CC with electric start	75 lbs.	\$ 990.50
P458A023	390 CC with electric start	80 lbs.	\$1,014.50
P458A066	660 CC with electric start	115 lbs.	\$1,710.50
P458A074	160 CC with electric start	40 lbs.	\$ 664.00

Basket Strainers



Dimensions:

	HEIGHT	BOTTOM DIAMETER	TOP DIAMETER
• 1 Quart Basket Only:	3 1/8"	3 3/8"	4 1/2"
• 1 Gallon Basket Only:	6"	6 1/4"	7 1/2"
• 3 Gallon Basket Only:	11 3/4"	6 1/4"	7 1/2"
• Neal Basket Only:	6"	3 3/8"	
• 3 Gallon Basket Complete:	23"	8"	
• SealRite Basket Only:	6 1/4"	6 1/4"	9"
• Able Basket Only:	5 7/8"	6 1/4"	8 1/8"

*Oversized parts must ship at 30 lb. rate.


Traffic & Athletic Field Marking Systems



Stripe Traffic Machine

Designed for Stripe Traffic Paints, this easy-to-use machine applies crisp, even 2" to 4" lines to concrete or asphalt.

PRODUCT #	DESCRIPTION	WT.	PRICE
T6625	Stripe Traffic Machine	18 lbs.	\$131.99



Stripe Athletic Marking Machine

Designed for use with Stripe Athletic Field Paints. Allows application of lines up to 2" to 4" on athletic field or other turf surfaces. Features larger wheels.

PRODUCT #	DESCRIPTION	WT.	PRICE
T6626	Stripe Athletic Marking Machine	19 lbs.	\$179.99



Athletic Field Paint

A specially formulated field marking paint that does not harm grass.

PRODUCT #	DESCRIPTION	WT.	PRICE
P160A020	White - 12 per case	20 lbs.	\$64.99
P160A021	Yellow - 12 per case	20 lbs.	\$64.99

Marking Wand

For use with all Stripe inverted tip marking paints this light-weight tool is ideal for a wide range of marking applications.



PRODUCT #	DESCRIPTION	WT.	PRICE
T6627	Marking Wand	3 lbs.	\$28.99



Marking Gun

Compact and lightweight, this tool is ideal for free-hand marking with any stripe inverted tip marking paint. Two Marking Gun styles are available for Latex Paint or Non-Latex Paint.

PRODUCT #	DESCRIPTION	WT.	PRICE
T6629	A.) Marking Gun - Latex Paint	2 lbs.	\$30.99
T6628	B.) Marking Gun - Non-Latex Paint	2 lbs.	\$21.99



Stripe Latex Traffic Paint

Water-based acrylic paint that can be applied to freshly applied pavement sealers (allow 24 hours for sealer to cure). Available in white, yellow, handicap blue.

PRODUCT #	DESCRIPTION	WT.	PRICE
P160A010	White - 12 per case	18 lbs.	\$63.99
P160A011	Yellow - 12 per case	18 lbs.	\$63.99
P160A012	Handicap Blue - 12 per case	18 lbs.	\$63.99

Stripe Extra Traffic Paint

Formulated for heavy duty application in high traffic areas. Offers maximum adhesion and durability. Ideally suited for asphalt or concrete. Do not apply to fresh sealer.

PRODUCT #	DESCRIPTION	WT.	PRICE
P160A013	White - 12 per case	20 lbs.	\$88.99
P160A014	Yellow - 12 per case	18 lbs.	\$88.99
P160A009	Black - 12 per case	18 lbs.	\$88.99



Stripe Traffic Paint

High solids traffic paint ideally suited for asphalt or concrete. Do not apply to fresh sealer.

PRODUCT #	DESCRIPTION	WT.	PRICE
P160A015	White - 12 per case	18 lbs.	\$59.99
P160A016	Yellow - 12 per case	18 lbs.	\$61.99
P160A017	Handicap Blue - 12 per case	18 lbs.	\$61.99
P160A018	Firelane Red - 12 per case	18 lbs.	\$61.99



Inverted Tip Marking Paint

A heavy duty general purpose construction marking paint available in Fluorescent Red for bright, durable markings.

PRODUCT #	DESCRIPTION	WT.	PRICE
P160A019	Fluorescent Red - 12 per case	15 lbs.	\$41.99

Brushes

Edging Brush


The ideal sealer brush for edging along concrete edges, curbs, light poles, parking blocks, etc. Brush features heavy polypropylene bristles set in heavy duty plastic for added durability.



PRODUCT #	DESCRIPTION	WT.	PRICE
T1260	Edging brush w/handle	2 lbs.	\$24.99
T1265	Edging brush only	1 lb.	\$13.99
T1255	6-foot threaded handle	1 lb.	\$10.99

Wood Sealer Applicator Brush

Quality brush applicator provides the ideal finish for pavement sealers. Available in 24" and 36" widths.



PRODUCT #	DESCRIPTION	WT.	PRICE
T1194	24" Complete	4 lbs.	\$45.99
T1195	36" Complete	4 lbs.	\$49.99
T1191	Brush Holder	1 lb.	\$13.99
T1196	24" Brush only	2 lbs.	\$19.99
T1197	36" Brush only	2 lbs.	\$23.99
T2010	6-foot wood tapered handle	2 lbs.	\$11.99

Aluminum Sealer Applicator Brush

Professional applicator brushes constructed from light-weight durable aluminum. Refills available.



PRODUCT #	DESCRIPTION	WT.	PRICE
T1150	24" Complete	4 lbs.	\$46.99
T1170	36" Complete	5 lbs.	\$49.99
T2030	Applicator Brush Handle	2 lbs.	\$14.99
T2000	Aluminum Brush Holder	1 lb.	\$16.99
T1160	24" Refill	2 lbs.	\$14.99
T1180	36" Refill	3 lbs.	\$17.99



Drag Strip Machine Brush

Professional sealer applicator brushes designed to be attached to sealcoating machines. Provides for uniform sealer application.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1210	48" drag strip brush	4 lbs.	\$ 87.99
T1220	60" drag strip brush	5 lbs.	\$113.99
T1230	72" drag strip brush	5 lbs.	\$111.99
T1240	96" drag strip brush	6 lbs.	\$146.99
T1250	120" drag strip brush	7 lbs.	\$188.99

Note: Brushes 96" and shorter can be shipped UPS. 120" brush must be shipped common carrier.

**Drag Brush Holder sold seperately. For order information visit sealmasterparts.com*


Squeegees




Sealcoating Squeegee

These heavy duty neoprene rubber sealcoating squeegees are available in 24" and 36" widths. Available with or without 6' wood handle. Rubber refills also available.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1040	24" squeegee w/handle	6 lbs.	\$45.99
T1100	36" squeegee w/handle	7 lbs.	\$58.99
T1030	24" squeegee w/out handle	4 lbs.	\$32.99
T1090	36" squeegee w/out handle	5 lbs.	\$46.99
T1050	24" neoprene refill	2 lbs.	\$17.99
T1110	36" neoprene refill	3 lbs.	\$24.99
T2010	6' wood tapered handle	2 lbs.	\$11.99



Lightweight Aluminum Squeegee



The Lightweight Aluminum Squeegee includes a 1 3/8" diameter, 82" handle. Ideal for Tennis Court Coatings (with Sport Blade option).

PRODUCT #	DESCRIPTION	WT.	PRICE
T1270	24" Complete	4 lbs.	\$58.99
T1271	36" Complete	6 lbs.	\$65.99
T1272	36" Sports Squeegee Complete	6 lbs.	\$71.99
T1292	48" Sports Squeegee Complete	8 lbs.	\$84.99
T1291	48" Complete	8 lbs.	\$73.99
T1311	60" Complete	9 lbs.	\$83.99

A.) Rubber Refills:			
T1325	24" neoprene refill	3 lbs.	\$16.99
T1322	36" neoprene refill	3 lbs.	\$21.99
T1323	48" neoprene refill	3 lbs.	\$28.99
T1324	60" neoprene refill	3 lbs.	\$37.99
T1326	36" neoprene Sport Blade refill - softer tapered blade	3 lbs.	\$23.99
T1327	48" Sport Blade refill	3 lbs.	\$34.99

B.) Rubber Refills:			
T1281	36" neoprene refill	3 lbs.	\$24.99
T1301	48" neoprene refill	3 lbs.	\$29.99
T1321	60" neoprene refill	4 lbs.	\$34.99



Steel Spray Tips

These hardened steel spray tips are designed for long lasting performance even with heavy sand loadings. Up to 2 times the life of other steel spray tips. Available in 1/4" and 3/8" thread sizes. Tip size openings from 80/20 to 80/100.

PRODUCT #	DESCRIPTION	WT.	PRICE
P449A011	80/20 - 1/4"	1 lb.	\$6.99
P449A012	80/30 - 1/4"	1 lb.	\$6.99
P449A013	80/50 - 1/4"	1 lb.	\$6.99
P449A015	80/70 - 1/4"	1 lb.	\$6.99
P449A008	80/50 - 3/8"	1 lb.	\$7.99
P449A004	80/70 - 3/8"	1 lb.	\$7.99
P449A018	80/100 - 3/8"	1 lb.	\$7.99
Spray Tip Adaptors:			
P1010A004	1/2" male thread to 3/8" female thread	1 lb.	\$2.99
P1010A003	1/2" male thread to 1/4" female thread	1 lb.	\$2.99
P1010A001	3/8" male thread to 1/4" female thread	1 lb.	\$2.99



Ceramic Spray Tips

Sprays up to 10 times the amount of pavement sealer as regular steel spray tips while maintaining a precision spray pattern. Available with 3/8" thread and 80/50 tip size opening. Replacement inserts sold separately.

PRODUCT #	DESCRIPTION	WT.	PRICE
P449A009	80/50 - 3/8"	2 lbs.	\$25.99
P449A022	Ceramic Replacement Tip Insert	1 lb.	\$17.99

Patching Straightedge



The smoothest patches ever in just one pass of the straightedge. Ideal for patching and filling low spots in tennis courts, parking lots, and driveways. Makes patching a one-man operation. Lightweight yet durable metal construction. Available in 4, 6, 8, and 10 ft. widths. Includes wood handle.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1500	4-foot with handle	12 lbs.	\$116.99
T1510	6-foot with handle	15 lbs.	\$119.99
T1520	8-foot with handle	20 lbs.	\$124.99
T1530	10-foot with handle	25 lbs.	\$129.99
T1490	Straightedge handle	2 lbs.	\$ 13.99


NOTE: The 10-foot straight edge must ship common carrier. Others can ship UPS.

Line Taping Machine



A must tool for striping tennis courts, basketball courts, and other surfaces where precision markings are required. Lays down strips of 1" to 2" wide masking tape from 1 to 4 inches wide.

PRODUCT #	DESCRIPTION	WT.	PRICE
T7600	Line Taping Machine	16 lbs.	\$653.99
T7610	Pole Extension Kit (For 3-point lines and extra large circles)	13 lbs.	\$208.99



Masking Tape

PRODUCT #	DESCRIPTION	WT.	PRICE
T1560	1-inch Green Single Roll	2 lbs.	\$ 6.99
T1570	1-inch Green Case of 36 Rolls	16 lbs.	\$188.99
T1580	2-inch Single Roll	1 lb.	\$ 5.99
T1590	2-inch Case of 24 Rolls	16 lbs.	\$108.99

Crack Filling Tools

The SandLiner™

This unit is hand held by design for ultimate mobility and ease of use. The absence of cumbersome wheels means that you won't track through molten crack filler or struggle with a needlessly awkward or heavy device.

The SandLiner's upright operating position is less stressful to your lower back and shoulders than conventional sanding methods.


This unit weighs just 22 lbs. fully loaded.



PRODUCT #	DESCRIPTION	WT.	PRICE
T7400	SandLiner Handheld 16"	9 lbs.	\$189.99

Backer Rod


Foam bedding material design for backfilling cracks prior to crack sealing. Enables you to control crack sealing material usage. Available in 5/8" and 7/8" widths (ideal for 1/2" and 3/4" cracks). Packaged in 100 foot rolls.



PRODUCT #	DESCRIPTION	WT.	PRICE
T1470	5/8 inch width	1 lb.	\$ 18.99/roll
T1480	7/8 inch width	1 lb.	\$ 32.99/roll

V-Shape Crack Filling Squeegee

Designed for hot or cold applied crack filling materials. Durable one piece construction with wood handle. Flexible neoprene squeegee rubber. Available in push or pull design.



PRODUCT #	DESCRIPTION	WT.	PRICE
T1420	Push Type	4 lbs.	\$61.99
T1430	Pull Type	4 lbs.	\$61.99
T1440	Rubber Refill	2 lbs.	\$12.99
T1445	Hi-Temp Rubber Refill	2 lbs.	\$15.99

Crack Filler Pour Pot

The easy way to apply hot or cold pour crack sealing materials. Pour pot features stand up design, fingertip control valve, and heavy gauge steel construction.



PRODUCT #	DESCRIPTION	WT.	PRICE
T1350	Round Design Pour Pot	8 lbs.	\$94.99

Crack Banding Machine

Ideal for pouring and applying hot pour materials. Steel squeegee design applies even 3" band of crack filling material. Fingertip material control valve. 4-gallon capacity.



PRODUCT #	DESCRIPTION	WT.	PRICE
T7500	Crack Banding Machine	35 lbs.	\$369.99

U-Shape Crack Filling Squeegee

Ideal for applying hot or cold pour crack filling materials. Durable one piece construction with wood handle. Flexible neoprene squeegee rubber follows contour of pavement for professional crack filling results.



PRODUCT #	DESCRIPTION	WT.	PRICE
T1400	U-Shape Squeegee	5 lbs.	\$60.99
T1410	Rubber Refill	2 lbs.	\$ 9.99
T1455	U-Shape Hi-temp refill	2 lbs.	\$14.99



Asphalt Lute


Lightweight magnesium/aluminum alloy. Strong wrap-around bracing system. 82" x 1 3/8" diameter, yellow powder-coated aluminum handle for a greater controlled reach and easier clean-up. Available in 30", 36", and 42" widths.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1605	30-inch Lute with handle	3 lbs.	\$51.99
T1600	36-inch Lute with handle	4 lbs.	\$54.99
T1610	42-inch Lute with handle	5 lbs.	\$57.99

Asphalt Rake

Heavy-duty one piece construction rake designed for tough use with hot asphalt paving mix. Sturdy 7-foot wood handle. The only rake that is double-riveted for added strength.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1620	Asphalt Rake	7 lbs.	\$67.99



Heavy-Duty Hand Tamper

The ideal tool for small patchwork and tamping hard to reach areas. All steel construction with 3/8" x 8" x 8" base plate.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1650	Heavy-Duty Hand Tamper	17 lbs.	\$75.99



Asphalt Shovels

The perfect combination of scoop and traditional shovel. Features hard wood handles. Available with D-handle or straight handle design.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1670	36" D-handle	6 lbs.	\$31.99
T1680	44" Straight handle	7 lbs.	\$30.99

Chapin Sprayer

Quality hand pump sprayer designed for spraying oil spot primers, concrete sealers, curing compounds, and more. Shoulder strap and spray tip included. Holster for nozzles and extension. Available in 3 and 3.5 gallon capacities.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2310	3 Gallon	11 lbs.	\$ 89.99
T2320	3.5 Gallon	11 lbs.	\$122.99




Asphalt Shoes

Keep Your Feet Cool On Pavement And Don't Leave Foot Prints!




PaveMaster Asphalt Shoes are designed to tamp and compact the asphalt mat where power and hand rollers cannot reach. Around the paver or behind it, PaveMaster Shoes spread your weight to avoid gouging the mat.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2045	PaveMaster Asphalt Shoes	4 lbs.	\$81.99



Super Scraper



Ideal for scraping tennis courts and parking lots. Lightweight durable construction for lasting performance. Replacement blades available.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1950	A.) Super Scraper	7 lbs.	\$55.99
T1960	B.) Replacement blades	2 lbs.	\$15.99

Pail Openers



Plastic Pail Opener

Aluminum Combination Pail/Drum Opener

The easy way to remove lids from pails. Simply hook lid and lift off. Available in cast aluminum or plastic.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1905	Cast Aluminum Pail/Drum	1 lb.	\$11.99
T1910	Plastic	1 lb.	\$ 4.99

Carbon Steel Street Broom



Carbon steel bristles for long lasting cleaning power. Built strong to withstand the rigors of driveway and parking lot cleaning.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1730	Broom w/out handle	4 lbs.	\$38.99
T2010	6-foot wood handle	2 lbs.	\$11.99

Polypropylene Street Broom



Extra stiff polypropylene bristles for maximum cleaning power.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1710	Broom w/out handle	4 lbs.	\$24.99
T2010	6-foot wood handle	2 lbs.	\$11.99

Oil Spot Cleaning Broom



The ideal tool for cleaning and scraping oil and grease spots prior to priming and sealing. Broom features steel bristles for optimum cleaning power.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1750	Oil spot cleaning broom w/out handle	3 lbs.	\$40.99
T2010	6-foot wood handle	2 lbs.	\$11.99



A.) The DW-1000 is a 12.5" diameter professional grade measuring wheel. Models measure in ft./10ths or m/dm. Features include:

- Balanced in-line design
- Sealed roller bearings
- Hi-traction tire
- Folding handle with hefty pistol grip
- Belt driven counter for long life and smooth operation


B.) The DW-PRO is a 12.5" diameter heavy duty commercial grade measuring wheel. Model measures in ft./10ths. Features include:

- Lifetime warranty on the counter
- Balanced in-line design
- Trigger brake

U.S. Tape DuraWheel:

PRODUCT #	DESCRIPTION	WT.	PRICE
T2135	A.) DW-1000, Ft./10ths	6 lbs.	\$159.99
T2136	DW-1000, m/dm (metric)	6 lbs.	\$159.99
T2137	B.) DW-PRO without case	6 lbs.	\$174.99

Rolatape Measuring Wheels



Reliable, long distance measuring wheels for indoor and outdoor surfaces.

A.) Model 32-30 RP - Features 11" diameter wheel, telescopic handle, and 1,000 foot counter.

B.) Model 32-300 RP - Steel construction with 11" wheel, fold down handle, and 100,000 foot counter.

Rolatape Measuring Wheels:

PRODUCT #	DESCRIPTION	WT.	PRICE
T2110	A.) Model 32-30 RP	4 lbs.	\$128.99
T2120	B.) Model 32-300 RP	4 lbs.	\$144.99




FastMeasure distance measuring device easily mounts on the dashboard and is designed to help contractors quickly and accurately measure parking lots, roads, utilities and more in the comfort of your car up to highway speeds with unparalleled accuracy. FastMeasure can also be mounted on ATV's, concrete saws, crack routers, striping machines, etc., for reliable job accounting.

- Small footprint - 3"w x 1.5"h x 1.75" d
- Measures in feet or meters
- Displays mph, kph, or feet per minute
- Very accurate at low and high speeds
- Reset count to zero on the fly
- Hold count feature


FastMeasure Distance Device:

PRODUCT #	DESCRIPTION	PRICE
T2165	FastMeasure Distance Device	\$399.99



Keson Measuring Wheels:

PRODUCT #	DESCRIPTION	PRICE
T2170	A.) RoadRunner Measuring Wheel 4"	\$ 42.99
T2175	B.) Road Runner Measuring Wheel 12.5"	\$ 90.99
T2180	C.) Metal Pro Measuring Wheel 11.5"	\$150.99



D.) Giant Chalk Box:

PRODUCT #	DESCRIPTION	PRICE
T4780	150 ft line	\$ 42.99

E.) Marking Chalk: 12 oz. bottle

PRODUCT #	DESCRIPTION	PRICE
T4785W	Chalk - white - 12 oz.	\$ 1.99
T4785Y	Chalk - yellow - 12 oz.	\$ 1.99

Traffic Control Signs



Heavy-duty aluminum traffic signs feature reflective surface for maximum visibility and pre-drilled holes for ease of mounting. Rectangular sign dimensions are 12" x 18". Stop signs are available in three sizes.

PRODUCT #	DESCRIPTION	WT.	PRICE
T8010	Reserved Parking (Handicap)	2 lbs.	\$29.99
T8020	No Parking	2 lbs.	\$29.99
T8025	Reserved Parking	2 lbs.	\$29.99
T8030	Visitor Only	2 lbs.	\$29.99
T8040	Employee Parking Only	2 lbs.	\$29.99
T8050	No Parking Loading Zone	2 lbs.	\$29.99
T8060	Do Not Block Drive	2 lbs.	\$29.99
T8070	No Parking Tow Away Zone	2 lbs.	\$29.99
T8080	No Trucks (24" x 24")	2 lbs.	\$79.99
T8090	No Parking Firelane	2 lbs.	\$29.99
T8100	24" Stop Sign	5 lbs.	\$48.99
T8101	30" Stop Sign	5 lbs.	\$71.99
T8102	36" Stop Sign	5 lbs.	\$78.99
T8110	8 ft. Green U-Channel Post	16 lbs.	\$28.99
T8120	12" x 6" Van Accessible	1 lb.	\$20.99

Safety Signs



Conveniently attaches to top of plastic traffic cones. Bright, highly visible durable plastic. Sign dimensions are 10" x 12".



PRODUCT #	DESCRIPTION	WT.	PRICE
T2250	Men Working	1 lb.	\$15.99
T2260	Wet Tar	1 lb.	\$15.99
T2270	Arrow	1 lb.	\$15.99
T2280	No Thru Traffic	1 lb.	\$15.99



Ideal Shield® Sign Base


- Save time on installation. No core drilling or anchor assembly required.
- No painting, ever.
- Fill with concrete, sand, or water.
- Colors: Yellow, Blue, or Red

PRODUCT #	DESCRIPTION	WT.	PRICE
T2330Y	Yellow Base w/wheels	24 lbs.	\$177.99
T2330B	Blue Base w/wheels	24 lbs.	\$177.99
T2330R	Red Base w/wheels	24 lbs.	\$177.99

Prices are F.O.B. Sandusky, Ohio. Prices are subject to change.

Parking Blocks & Speed Bumps

Easy Rider Speed Bumps



End Caps Sold Separately



Premium quality recycled rubber speed bumps. Easy Rider rubber speed bumps are ideal for effective speed reduction on roads, parking lots, and indoor garages. Easy Rider will not warp, crack, chip, or rot. Polyurethane yellow paint provides high visibility. Light-weight for easy handling and storage.

Installation methods: *Installs with rebar spikes on asphalt surfaces and lag bolts and shields on concrete surfaces. (see below).*

PRODUCT #	DESCRIPTION	WT.	PRICE
T2465	4-foot - 3 hole	40 lbs.	\$108.99
T2475	6-foot - 4 hole	60 lbs.	\$146.99
T2466	Speed Bump End Cap	12 lbs.	\$44.99/set of 2

Parking Block & Speed Bump Lag Bolt Assemblies

Each Lag Bolt Assembly includes one lag bolt, one lag bolt anchor, and two washers. Available in 5.5" length (for speed bumps); and 8" length (for parking blocks).

- For use in Concrete.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2447	5.5-inch Lag Bolt Assembly (speed bumps)	1 lb.	\$7.99 each
T2448	8-inch Lag Bolt Assembly (parking curbs)	1 lb.	\$8.99 each

Park-It Parking Curbs



Premium quality recycled rubber parking curbs. Park-It Curbs are ideal for effective delineation of parking and for use in the protection of walls and vehicles in garages and other parking applications. Park-It will not warp, crack, chip, or rot. Lightweight for easy handling and storage.

Installation methods: *Installs with rebar spikes on asphalt surfaces and lag bolts and shields on concrete surfaces. (see below).*

PRODUCT #	DESCRIPTION	WT.	PRICE
T2430	3-foot - 2 hole (black/yellow)	20 lbs.	\$23.99
T2435	6-foot - 4 hole (black/yellow)	40 lbs.	\$41.99
T2431	3-foot - 2 hole (blue/white)	20 lbs.	\$26.99
T2437	6-foot - 4 hole (blue/white)	40 lbs.	\$53.99

Parking Block & Speed Bump Installation Spikes



- For use in Asphalt.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2441	14-inch Rebar Spikes	1 lb.	\$2.99 each

Ideal Shield® Post Sleeves

- Available in 1/4" and 1/8" Nominal Wall Thickness
- Dome Top - Low Density Thermoplastic Polyethylene (LDPE) with Ultra-Violet and Anti-Static Additives
- Installation Tape Included
- Available for 4 - 4 1/2" and 6 - 6 5/8" pipes



1/4" Nominal Wall Thickness x 4" diameter (*Height 52"):

PRODUCT #	DESCRIPTION	PRICE
T2450Y	1/4" x 4" diameter - Yellow post sleeve	\$54.99
T2450R	1/4" x 4" diameter - Red post sleeve	\$54.99
T2450B	1/4" x 4" diameter - Blue post sleeve	\$54.99
T2450G	1/4" x 4" diameter - Green post sleeve	\$54.99
T2450BK	1/4" x 4" diameter - Black post sleeve	\$54.99
T2450W	1/4" x 4" diameter - White post sleeve	\$54.99
T2450GY	1/4" x 4" diameter - Gray post sleeve	\$54.99

1/4" Nominal Wall Thickness x 6" diameter (*Height 52"):

PRODUCT #	DESCRIPTION	PRICE
T2451Y	1/4" x 6" diameter - Yellow post sleeve	\$54.99
T2451R	1/4" x 6" diameter - Red post sleeve	\$54.99
T2451B	1/4" x 6" diameter - Blue post sleeve	\$54.99
T2451G	1/4" x 6" diameter - Green post sleeve	\$54.99
T2451BK	1/4" x 6" diameter - Black post sleeve	\$54.99
T2451W	1/4" x 6" diameter - White post sleeve	\$54.99
T2451GY	1/4" x 6" diameter - Gray post sleeve	\$54.99



1/8" Nominal Wall Thickness x 4" diameter (*Height 60"):


PRODUCT #	DESCRIPTION	PRICE
T2455Y	1/8" x 4" diameter - Yellow post sleeve	\$34.99
T2455R	1/8" x 4" diameter - Red post sleeve	\$34.99
T2455W	1/8" x 4" diameter - White post sleeve	\$34.99
T2455B	1/8" x 4" diameter - Blue post sleeve	\$34.99

1/8" Nominal Wall Thickness x 6" diameter (*Height 60"):

PRODUCT #	DESCRIPTION	PRICE
T2456Y	1/8" x 6" diameter - Yellow post sleeve	\$34.99
T2456R	1/8" x 6" diameter - Red post sleeve	\$34.99
T2456W	1/8" x 6" diameter - White post sleeve	\$34.99
T2456B	1/8" x 6" diameter - Blue post sleeve	\$34.99

*Custom lengths are available. Call for pricing and additional information.

Traffic Cones



Control traffic flow with these durable P.V.C. bright orange traffic cones. Available in 12 and 18 inch sizes.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2200	12-inch cone	3 lbs.	\$8.99
T2210	18-inch cone	4 lbs.	\$9.99

Caution Tape



This bright yellow caution tape secures job site from pedestrians and entry prior to completion. Unique box spool design packaging keeps tape protected during storage and allows for easy use. Packaged in 1,000 foot rolls.

PRODUCT #	DESCRIPTION	WT.	PRICE
T2300	1,000 ft. roll	3 lbs.	\$16.99

Ply-Nine Protective Skin Gel



Excellent barrier to coal tar sealer. Simply rub on skin prior to sealcoating. 5.5 oz. tube

PRODUCT #	DESCRIPTION	WT.	PRICE
T4900	Ply-Nine	1 lb.	\$10.99

Plyothol



Soothes and refreshes skin. Ease the discomfort of dry skin. 5 oz. tube.

PRODUCT #	DESCRIPTION	WT.	PRICE
T4910	Plyothol Cream	1 lb.	\$12.99

Disposable Coveralls, Pants, & Shoe Covers



Lightweight design for added comfort. Economical, disposable. Saves on clothing costs. Neat, professional appearance.

PRODUCT #	DESCRIPTION	WT.	PRICE
T4815	Pants w/elastic waist band - XL	1 lb.	\$3.99
T4816	Pants w/elastic waist band - XXL	1 lb.	\$4.99
T4810	Coveralls - XL	1 lb.	\$7.99
T4820	Coveralls - XXL	1 lb.	\$8.99
T4825	Shoe Covers	1 lb.	\$4.99



Parking Lot Protractor

The quick and easy way to lay out striping angles.

PRODUCT #	DESCRIPTION	WT.	PRICE
T4795	Protractor	1 lb.	\$66.99

Pre-Marked Layout Tape

The ideal tool for fast and easy parking lot striping layout. Five pre-marked layouts include: 8'-6", 9'-0", and 10'-0" straight in parking; along with 60 degree parking of 9'-10" and 10'-0". Total length: 300 ft.



PRODUCT #	DESCRIPTION	WT.	PRICE
T4790	Layout Tape	5 lbs.	\$269.99

Word Stencils

Any wording available - i.e. NO PARKING - RESERVED - FIRE LANE - STOP - etc., -- including mix of two sizes or letters/numbers.

For PRICING count number of letters in the desired wording and multiply times the price shown for the size letters you need. (EXAMPLE: a 12" NO PARKING stencil = 9 letters x \$11.99 per letter = \$107.91 for that stencil).

NOTE: For pricing DO NOT COUNT space between words, comma, period, hyphen, or slash.

PRODUCT #	DESCRIPTION	PRICE
T2700	3"	\$ 5.99
T2710	4"	\$ 5.99
T2720	5"	\$ 6.99
T2730	6"	\$ 6.99
T2740	8"	\$ 8.99
T2750	10"	\$10.99
T2760	12"	\$11.99
T2770	15"	\$12.99
T2780	18"	\$12.99
T2790	24" x 9"	\$14.99
T2800	24" x 12"	\$20.99
T2810	24" x 16"	\$26.99
T2820	30" x 9"	\$19.99
T2830	30" x 12"	\$23.99
T2840	30" x 16"	\$30.99
T2850	36" x 9"	\$20.99
T2860	36" x 12"	\$25.99
T2870	36" x 16"	\$32.99
T2880	42" x 12"	\$37.99
T2890	42" x 16"	\$37.99
T2900	48" x 12"	\$33.99
T2910	48" x 16"	\$43.99
T2920	60" x 12"	\$40.99
T2930	60" x 16"	\$52.99
T2940	72" x 16"	\$58.99
T2950	84" x 16"	\$68.99
T2960	96" x 16"	\$75.99

SPECIAL: D.O.T. double lane "SCHOOL" - letter size 120"h x 32"w (6 individual letters) \$123.99 per letter. \$743.99 for entire word.

Word stencils in size 48" thru 96" come as individual characters. Stencils 15" thru 96" are ELONGATED lettering, designed to be read at a DRIVING ANGLE, as per DOT where applicable.

Stencils

Pavement Marking Stencils



Small Parking Lot



Large Parking Lot



3-Piece Intersection Combination Straight/Curved




2-Piece Intersection Curved Arrow Kit



1-Piece Intersection Straight Arrow Kit

These stencils are made of heavy duty plastic, thick enough to withstand the daily use required by professionals in the pavement marking industry, yet light enough to "flow" with the pavement to obtain sharp lines every time. Easy maintenance, virtually no build-up due to the smooth non-stick surface. When paint dries, just flex and peel paint away.

PRODUCT #	DESCRIPTION	PRICE
HANDICAP SYMBOLS		
T2500	Small, 21 1/2" H. (to DOT)	\$ 41.99
T2510	Medium, 34" H. (to DOT)	\$ 76.99
T2520	Large, 39" H. (standard-most areas) (to DOT)	\$ 91.99
T2530	Intl & Calif./Alaska 53 1/2" H. (to DOT)	\$119.99
T2540	63" H. (to DOT)	\$139.99
T2550	72" H. (to DOT)	\$158.99
BICYCLE LANE SYMBOL		
T2560	48" H. (to FHWA Standard)	\$ 89.99
T2570	78" H. (to FHWA Standard)	\$128.99
PEDESTRIAN CROSSING SYMBOLS		
T2580	52" H.	\$100.99
ARROW KIT		
T2590	Small (2 pieces) 1-straight, 1curved; 42" O.A.L. ea.	\$ 93.99
T2600	Medium (3 pieces) 62" O.A.L., 1-head-30", 1-straight tail 32", 1-curved tail 32"	\$115.99
T2610	Large (3 pieces) 84" O.A.L., 1-head 42", 1-straight tail 42", 1-curved tail 42"	\$141.99
T2620	Arrow - straight 60" long (1 piece)	\$100.99
T2630	Arrow - curved 60" long (1 piece)	\$100.99
T2640	Arrow - straight 72" (1 piece)	\$122.99
T2650	Arrow - curved 72" long (1 piece)	\$122.99
T2690	McDonald's Kit - 6 pc kit includes 34" THANK, YOU, DRIVE, THRU, and an Arrow with a Circle Around it	\$644.99
FEDERAL SPEC. ARROW STENCILS - For highways and roads.		
T2660	Straight 10' long (1 piece) (to DOT-MUTCD)	\$231.99
T2670	Curved 8'4" long (2 pieces)(to DOT-MUTCD)	\$250.99
T2680	Combination straight/curved (3 pieces) 12'9" long (to DOT-MUTCD)	\$404.99




Alphabet Stencil Sets

- Letters A-Z in several sizes.
- The 39-piece set consists of: AA, B, CC, D, EE, F, G, H, II, J, K, L, M, NN, OO, P, Q, RR, SS, T, U, V, W, X, Y, Z, 2-spacers, 2-end pieces.
 - The 29 piece set consists of A-Z, 1-spacer, 2-end pieces.
 - The alphabet sets are interlocking and may also be used in combination with numbers (only up to 42", 48" and up do not.).

ITEM #	DESCRIPTION	PRICE
4" high, 2 1/2" width, 5/8" stroke size		
T3080	39-piece set	\$133.99
T3090	29-piece set	\$110.99
5" high, 3 1/4" width, 3/4" stroke size		
T3110	39-piece set	\$158.99
T3120	29-piece set	\$130.99
6" high, 3 3/4" width, 1" stroke size		
T3140	39-piece set	\$198.99
T3150	29-piece set	\$162.99
8" high, 5" width, 1 1/4" stroke size		
T3170	39-piece set	\$280.99
T3180	29-piece set	\$233.99
10" high, 6" width, 1 5/8" stroke size		
T3200	39-piece set	\$350.99
T3210	29-piece set	\$295.99
12" high, 9" width, 2" stroke size		
T3230	39-piece set	\$400.99
T3240	29-piece set	\$349.99
15" high, 9" width, 2" stroke size		
T3260	39-piece set	\$462.99
T3270	29-piece set	\$403.99
18" high, 9" width, 2" stroke size		
T3290	39-piece set	\$527.99
T3300	29-piece set	\$459.99
24" high, 9" width, 2" stroke size		
T3320	39-piece set	\$655.99
T3330	29-piece set	\$571.99
24" high, 12" width, 3" stroke size		
T3350	39-piece set	\$847.99
T3360	29-piece set	\$740.99
24" high, 16" width, 4" stroke size		
T3380	39-piece set	\$1,089.99
T3390	29-piece set	\$ 956.99

ITEM #	DESCRIPTION	PRICE
30" high, 9" width, 2" stroke size		
T3410	39-piece set	\$794.99
T3420	29-piece set	\$689.99
30" high, 12" width, 3" stroke size		
T3440	39-piece set	\$1,022.99
T3450	29-piece set	\$ 895.99
30" high, 16" width, 4" stroke size		
T3470	39-piece set	\$1,309.99
T3480	29-piece set	\$1,152.99
36" high, 9" width, 2" stroke size		
T3500	39-piece set	\$918.99
T3510	29-piece set	\$803.99
36" high, 12" width, 3" stroke size		
T3530	39-piece set	\$1,192.99
T3540	29-piece set	\$1,065.99
36" high, 16" width, 4" stroke size		
T3560	39-piece set	\$1,529.99
T3570	29-piece set	\$1,342.99
42" high, 12" width, 3" stroke size		
T3590	39-piece set	\$1,419.99
T3600	29-piece set	\$1,244.99
42" high, 16" width, 4" stroke size		
T3620	39-piece set	\$1,822.99
T3630	29-piece set	\$1,601.99
48" high, 12" width, 3" stroke size		
T3650	39-piece set	\$1,579.99
T3660	29-piece set	\$1,384.99
48" high, 16" width, 4" stroke size		
T3680	39-piece set	\$2,029.99
T3690	29-piece set	\$1,773.99



Number Stencil Sets

- The 18-piece set consists of: 00, 11, 22, 33, 44, 55, 6, 7, 8, 9, 2-end pieces.
- The 12-piece set consists of: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 2-end pieces.
- The number sets are interlocking and may be used in combination with letters (only up to 42", 48" and up do not.).

ITEM #	DESCRIPTION	PRICE
4" high, 2 1/2" width, 5/8" stroke size		
T3930	18-piece set	\$65.99
T3940	12-piece set	\$50.99
5" high, 3 1/4" width, 3/4" stroke size		
T3960	18-piece set	\$80.99
T3970	12-piece set	\$61.99
6" high, 3 3/4" width, 1" stroke size		
T3990	18-piece set	\$98.99
T4000	12-piece set	\$75.99
8" high, 5" width, 1 1/4" stroke size		
T4020	18-piece set	\$156.99
T4030	12-piece set	\$109.99
10" high, 6" width, 1 5/8" stroke size		
T4050	18-piece set	\$166.99
T4060	12-piece set	\$129.99
12" high, 9" width, 2" stroke size		
T4080	18-piece set	\$195.99
T4090	12-piece set	\$149.99
15" high, 9" width, 2" stroke size		
T4110	18-piece set	\$238.99
T4120	12-piece set	\$171.99
18" high, 9" width, 2" stroke size		
T4140	18-piece set	\$279.99
T4150	12-piece set	\$192.99
24" high, 9" width, 2" stroke size		
T4170	18-piece set	\$334.99
T4180	12-piece set	\$237.99
24" high, 12" width, 3" stroke size		
T4200	18-piece set	\$397.99
T4210	12-piece set	\$283.99
24" high, 16" width, 4" stroke size		
T4230	18-piece set	\$481.99
T4240	12-piece set	\$343.99

ITEM #	DESCRIPTION	PRICE
30" high, 9" width, 2" stroke size		
T4260	18-piece set	\$399.99
T4270	12-piece set	\$284.99
30" high, 12" width, 3" stroke size		
T4290	18-piece	\$450.99
T4300	12-piece	\$320.99
30" high, 16" width, 4" stroke size		
T4320	18-piece set	\$574.99
T4330	12-piece set	\$410.99
36" high, 9" width, 2" stroke size		
T4350	18-piece set	\$466.99
T4360	12-piece set	\$330.99
36" high, 12" width, 3" stroke size		
T4380	18-piece set	\$522.99
T4390	12-piece set	\$371.99
36" high, 16" width, 4" stroke size		
T4410	18-piece set	\$667.99
T4420	12-piece set	\$474.99
42" high, 12" width, 3" stroke size		
T4440	18-piece set	\$621.99
T4450	12-piece set	\$443.99
42" high, 16" width, 4" stroke size		
T4470	18-piece set	\$797.99
T4480	12-piece set	\$571.99
48" high, 12" width, 3" stroke size		
T4500	18-piece set	\$686.99
T4510	12-piece set	\$496.99
48" high, 16" width, 4" stroke size		
T4530	18-piece set	\$916.99
T4540	12-piece set	\$633.99


Playground Stencils



BASKETBALL COURT KIT
12' X 25'



HOPSCOTCH KITS
7'6" X 24" 108" X 40"



SHUFFLEBOARD KIT
10' X 6' 3 PC.

(see bottom of page for pricing information)



U.S. MAP KIT
19" X 30" 1/16" RE-USEABLE POLYETHYLENE
2" WIDE SEGMENTED LINES

PRODUCT #	DESCRIPTION	PRICE
T2505	Basketball Court Kit - Key Only 6-pc	\$ 436.99
T2515	Basketball Court Kit - 19', 3 Point Arc 5-pc	\$ 496.99
T2525	Hopscotch Kit 7' 6" x 24"	\$ 137.99
T2535	Hopscotch Kit 108" x 40"	\$ 182.99
T2555	U.S. Map Kit 19' x 30' - 2" Wide Segmented Lines	\$1,834.99



Shuffle Board Stencils

Made to Official National Standard.

- 10' x 6' (3 pieces)

PRODUCT #	DESCRIPTION	PRICE
T3010	Shuffle Board Marking Kit	\$428.99



Running Track Stencils

Running Track Marking Kit includes:

- Roman style numbers 1 thru 8, 36" h x 24" w
- Start, Hurdle, Exchange, Acceleration

PRODUCT #	DESCRIPTION	PRICE
T3000	Running Track Marking Kit	\$505.99

ColorPlus™ System



FOREST GREEN

LIGHT GREEN
LEED CREDIT *SRI=31

DARK GREEN

BEIGE

BROWN

RED
LEED CREDIT *SRI=36

MAROON

TOURNAMENT PURPLE

GRAY

BLUE

LIGHT BLUE

DOVE GRAY
LEED CREDIT *SRI=33

ICE BLUE
LEED CREDIT *SRI=62

SANDSTONE
LEED CREDIT *SRI=46

ORANGE

YELLOW

NOTE: Colors will vary somewhat due to printing limitations. Ask your SealMaster® Representative for a color chip card for more accurate representation.

*Solar Reflectance Index (SRI) is the percentage of solar energy that is reflected by a surface. These specific colors qualify for the LEED (Leadership in Energy and Environmental Design) program under Section SS Credit 7.1: Heat Island Effect: Non-Roof. For more information visit www.usgbc.org or contact a LEED accredited professional.



SportMaster® SPORT SURFACES



A 100% Acrylic, Sport Surfacing System for Tennis, Basketball, and Multipurpose Court Surfaces. Ideal for application on Asphalt, Concrete, and existing acrylic surfaces.

Uses:

- Tennis Courts, Pickleball & Other Racquet Sports
- Basketball Courts
- Playgrounds & Game Courts
- Asphalt or Concrete Recreational Areas
- Multipurpose Courts

ColorPlus™ System

Thickness:

Approx. 35-40 mils

1 Coat - Acrylic Resurfacer

2 Coats of Color

HOW THE SYSTEM WORKS: The ColorPlus™ System consists of a 100% acrylic Neutral Concentrate™ (available with or without sand) and the ColorPlus™ Pigment Dispersion. What is truly remarkable about the ColorPlus™ System is the fact that only 2 gallons of ColorPlus™ Pigment are needed to colorize an entire 30 gallon keg of Neutral Concentrate™.


EASE OF MIXING: ColorPlus™ is a highly concentrated pigment dispersion that disperses readily in Neutral Concentrate™. Our proprietary technology enables ColorPlus™ to disperse completely with minimal mixing.



ColorPlus™ Pigment Dispersion

A highly concentrated pigment dispersion designed to disperse readily and completely in Neutral Concentrate™.

PRODUCT #	DESCRIPTION	WT.	PRICE
C1374G	Forest Green, 1-gal. pail	17 lbs.	\$ 61.99
C1372G	Light Green, 1-gal. pail	17 lbs.	\$ 61.99
C1373G	Dark Green, 1-gal. pail	17 lbs.	\$ 61.99
C1378G	Beige, 1-gal. pail	17 lbs.	\$ 55.99
C1382G	Brown, 1-gal. pail	17 lbs.	\$ 55.99
C1370G	Red, 1-gal. pail	17 lbs.	\$ 55.99
C1386G	Maroon, 1-gal. pail	17 lbs.	\$ 55.99
C1388G	Tournament Purple, 1-gal. pail	17 lbs.	\$160.99
C1380G	Gray, 1-gal. pail	17 lbs.	\$ 55.99
C1384G	Blue, 1-gal. pail	17 lbs.	\$ 55.99
C1385G	Light Blue, 1-gal. pail	17 lbs.	\$ 55.99
C1399G	Dove Gray, 1-gal. pail	17 lbs.	\$ 55.99
C1383G	Ice Blue, 1-gal. pail	17 lbs.	\$ 55.99
C1389G	Sandstone, 1-gal. pail	17 lbs.	\$ 55.99
C1379G	Orange, 1-gal. pail	17 lbs.	\$130.99
C1390G	Yellow, 1-gal. pail	17 lbs.	\$ 59.99



Neutral Concentrate™

A premium 100% acrylic emulsion designed for maximum performance and weather resistance. Neutral Concentrate™ is available with or without sand. Neutral Concentrate™ can also be used as an acrylic resurfacer filler coat.



PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1360K	30-gal. keg	5400	305 lbs.	\$ 342.99
C1360D	55-gal. drum	9900	570 lbs.	\$ 537.99
C1360T	275-gal. tote	49500	2,875 lbs.	\$2,688.99
C1360B	Bulk pricing available on request.			

Mixing Procedures:

For use as a color coat:

Neutral Concentrate™	55 gals.
Water	28-33 gals.
ColorPlus™ Pigment Dispersion	4 gals.
Sand (80-100 mesh fine sand)	400 lbs.

For use as an acrylic resurfacer:

Neutral Concentrate™	55 gals.
Water	30-33 gals.
Sand (50-60 mesh fine sand)	up to 600 lbs.

Material Requirements (coverage - 180 sf/gal):

For use as a color coat:

- .05 to .07 gallon per square yard per coat.

For use as an acrylic resurfacer:

- .07 to .09 gallon per square yard per coat.

Neutral Concentrate™ with Sand

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1365K	30-gal. keg	3750	390 lbs.	\$342.99
C1365D	55-gal. drum	6875	660 lbs.	\$537.99
Note: Neutral Concentrate™ w/Sand is not available in 275 gal. totes.				
C1365B	Bulk pricing available on request.			

Mixing Procedures:

For use as a color coat:

Neutral Concentrate™ with Sand	30 gals.
Water	12 gals.
ColorPlus™ Pigment Dispersion	2 gals.

Material Requirements (coverage - 125 sf/gal):

For use as a color coat:

- .07 to .09 gallon per square yard per coat.

ProCushion System



- FOREST GREEN
- LIGHT GREEN
LEED CREDIT *SRI=31
- DARK GREEN
- BEIGE
- BROWN
- RED
LEED CREDIT *SRI=36
- MAROON
- TOURNAMENT PURPLE
- GRAY
- BLUE
- LIGHT BLUE
- DOVE GRAY
LEED CREDIT *SRI=33
- ICE BLUE
LEED CREDIT *SRI=62
- SANDSTONE
LEED CREDIT *SRI=46
- ORANGE
- YELLOW

NOTE: Colors will vary somewhat due to printing limitations. Ask your SealMaster® Representative for a color chip card for more accurate representation.

*Solar Reflectance Index (SRI) is the percentage of solar energy that is reflected by a surface. These specific colors qualify for the LEED (Leadership in Energy and Environmental Design) program under Section SS Credit 7.1: Heat Island Effect: Non-Roof. For more information visit www.usgbc.org or contact a LEED accredited professional.




SportMaster® SPORT SURFACES



A 100% Acrylic, cushioned sport surfacing system for tennis, basketball, and other recreational areas.

CushionMaster I & II contain post-consumer, recycled rubber.



Uses:

- Tennis & Basketball Courts
- Recreational areas or game courts with tennis shoe traffic
- Walking and jogging trails
- Asphalt, Concrete, or existing acrylic surfaces

The SportMaster ProCushion System consists of multiple coats of flexible acrylic layers, filled with rubber granules for shock absorption and a cushioned effect, without disrupting ball bounce. SportMaster utilizes elastomeric acrylics which reduce hardening of the coatings. This ensures that you will still feel the cushion after many years and resurfacing cycles.

The ProCushion System adds multiple coats of two unique components between the Acrylic Resurfacer and the colored surface coatings:

CushionMaster II - Base layers filled with coarse rubber particles to provide the build, or thickness of the system.

CushionMaster I - Top layers fortified with small rubber particles, to fill and smooth out the coarse rubber texture, and prepare to accept the colored surface coatings.

CushionMaster Neutral Base - Elastomeric acrylic surfacing layers. Mix with ColorPlus Pigment Dispersion to achieve desired color. Contains proprietary acrylic resin to match the flexibility of the CushionMaster layers.

There are multiple ProCushion alternative systems to meet your needs:

ProCushion - Economy	ProCushion - Standard	ProCushion - Premium
Thickness: Approx. 75-80 mils	Thickness: Approx. 105-110 mils	Thickness: Approx. 140-145 mils
1 Coat - Acrylic Resurfacer	1 Coat - Acrylic Resurfacer	1 Coat - Acrylic Resurfacer
2 Coats - CushionMaster II	3 Coats - CushionMaster II	5 Coats - CushionMaster II
1 Coat - CushionMaster I	2 Coats - CushionMaster I	2 Coats - CushionMaster I
2 Coats - CushionMaster Color	2 Coats - CushionMaster Color	2 Coats - CushionMaster Color

CushionMaster™ I

- Fine Rubber



PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1450P	5-gal. pail	450	50 lbs.	\$ 72.99
C1450K	30-gal. keg	2700	290 lbs.	\$447.99
C1450D	55-gal. drum	4950	550 lbs.	\$729.99

Mixing Procedures:

CushionMaster™ I
Water
10 gals.
3 gals.

Material Requirements (coverage - 90 sf/gal):

- .10 gallons per square yard per coat (.20 gallon per square yard for two coats).

CushionMaster™ II

- Coarse Rubber



PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1460P	5-gal. pail	300	50 lbs.	\$ 72.99
C1460K	30-gal. keg	1800	290 lbs.	\$447.99
C1460D	55-gal. drum	3300	550 lbs.	\$729.99

Mixing Procedures:

CushionMaster™ II
Water
10 gals.
3 gals.

Material Requirements (coverage - 60 sf/gal):

- .15 gallons per square yard per coat (.45 gallon per square yard for three coats).

CushionMaster™ Neutral Base

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1455P	5-gal. pail	900	48 lbs.	\$ 68.99
C1455K	30-gal. keg	5400	305 lbs.	\$427.99
C1455D	55-gal. drum	9900	570 lbs.	\$702.99

Mixing Procedures:

CushionMaster™ Neutral Base
Water
ColorPlus™ Pigment Dispersion
Sand
55 gals.
28-33 gals.
4 gals.
400 lbs.

Material Requirements (coverage - 180 sf/gal):

- .05 to .07 gallons per square yard per coat. A minimum of two coats are recommended.

Sys-SportMaster®



FOREST GREEN

LIGHT GREEN
LEED CREDIT *SRI=31

DARK GREEN

BEIGE

BROWN

RED
LEED CREDIT *SRI=36


MAROON

GRAY

BLUE

NOTE: Colors will vary somewhat due to printing limitations. Ask your SealMaster® Representative for a color chip card for more accurate representation.


*Solar Reflectance Index (SRI) is the percentage of solar energy that is reflected by a surface. These specific colors qualify for the LEED (Leadership in Energy and Environmental Design) program under Section SS Credit 7.1: Heat Island Effect: Non-Roof. For more information visit www.usgbc.org or contact a LEED accredited professional.



SportMaster® SPORT SURFACES




100% Acrylic Color Coatings For Tennis Courts, Running Tracks, & Multi-Purpose Sport Surfaces.



Uses:

- Tennis & Basketball Courts
- Recreational areas or game courts with tennis shoe traffic
- Walking and jogging trails
- Asphalt, Concrete, or existing acrylic surfaces



Ready-Mix Color

Ready-Mix Color is ideal for maintenance crews and do-it-yourselfers. The proper sand and water is already added. Simply stir, pour, and apply by soft rubber squeegee. Available in 9 standard colors.



PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1230P	Forest Green	375	60 lbs.	\$61.99
C1250P	Light Green	375	60 lbs.	\$61.99
C1282P	Dark Green	375	60 lbs.	\$61.99
C1200P	Beige	375	60 lbs.	\$59.99
C1220P	Brown	375	60 lbs.	\$59.99
C1270P	Red	375	60 lbs.	\$59.99
C1260P	Maroon	375	60 lbs.	\$59.99
C1240P	Gray	375	60 lbs.	\$59.99
C1210P	Blue	375	60 lbs.	\$59.99

NOTE: Colors will vary somewhat due to printing limitations. Ask your SealMaster Representative for a color chip card for more accurate representation.

Mixing Procedures:

Use as is. Do not dilute. Simply stir, pour, and apply.

Material Requirements (coverage - 75 sf/gal):

.12 to .15 gallon of Ready-Mix Color per square yard per coat. Two coats are recommended.

Color Concentrate™

A 100% acrylic emulsion coating designed for on-site mixing with silica sand and water. Ideal for color coating tennis courts, basketball courts, and other pavement surfaces. Two coats minimum are recommended. The sand used for mixing with color concentrate should be an 80-100 mesh ultra fine sand. Apply by soft rubber squeegee.

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1030P	Forest Green	900	48 lbs.	\$ 70.99
C1030K	Forest Green	5400	305 lbs.	\$441.99
C1030D	Forest Green	9900	570 lbs.	\$716.99
C1050P	Light Green	900	48 lbs.	\$ 70.99
C1050K	Light Green	5400	305 lbs.	\$441.99
C1050D	Light Green	9900	570 lbs.	\$716.99
C1082P	Dark Green	900	48 lbs.	\$ 70.99
C1082K	Dark Green	5400	305 lbs.	\$441.99
C1082D	Dark Green	9900	570 lbs.	\$716.99
C**P	5-gal pail	900	48 lbs.	\$ 68.99
C**K	30-gal keg	5400	305 lbs.	\$425.99
C**D	55-gal drum	9900	570 lbs.	\$692.99

****Product numbers and colors:**

- Beige - C1000
- Brown - C1020
- Red - C1070
- Maroon - C1060
- Gray - C1040
- Blue - C1010

Mixing Procedures:

Color Concentrate™	55 gallons
Water	28-33 gallons
Sand	400 lbs.

Material Requirements (coverage - 180 sf/gal):

.05 to .07 gallon of concentrate per square yard per coat. Two coats are recommended.



Color Concentrate™ with Sand

Similar to our standard Concentrate but with sand already added. Color Concentrate™ with Sand takes the guesswork out of choosing the right type of sand. Easy to use, just add water and apply by soft rubber squeegee. Available in 9 standard colors. Packaged in 5, 30, and 55 gallon containers.

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1130P	Forest Green	625	66 lbs.	\$ 70.99
C1130K	Forest Green	3750	390 lbs.	\$441.99
C1130D	Forest Green	6875	660 lbs.	\$716.99
C1150P	Light Green	625	66 lbs.	\$ 70.99
C1150K	Light Green	3750	390 lbs.	\$441.99
C1150D	Light Green	6875	660 lbs.	\$716.99
C1182P	Dark Green	625	66 lbs.	\$ 70.99
C1182K	Dark Green	3750	390 lbs.	\$441.99
C1182D	Dark Green	6875	660 lbs.	\$716.99
C**P	5-gal pail	625	66 lbs.	\$ 68.99
C**K	30-gal keg	3750	390 lbs.	\$425.99
C**D	55-gal drum	6875	660 lbs.	\$692.99

****Product numbers and colors:**

- Beige - C1100
- Brown - C1120
- Red - C1170
- Maroon - C1160
- Gray - C1140
- Blue - C1110

Mixing Procedures:

Color Concentrate™ with Sand	30 gallons
Water	12 gallons

Material Requirements (coverage - 125 sf/gal):


.07 to .09 gallon of concentrate per square yard per coat. Two coats are recommended.



SportMaster® Resurfacers

Designed To Smooth & Level Pavement Prior To Color Coating.

Available in 100% acrylic and asphaltic formulations. SportMaster® Resurfacers can be used for both coating and patching.



BLACK RESURFACER

Acrylic Resurfacer

THE ULTIMATE TENNIS COURT RESURFACER!

- 100% acrylic.
- Available in both black and neutral colors.
- Can be used as a coating or patching material.
- Also available with sand already added (Acrylic Resurfacer w/Sand).

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1300P	Black 5-gal. pail	625	48 lbs.	\$ 62.99
C1300K	Black 30-gal. keg	3750	280 lbs.	\$385.99
C1300D	Black 55-gal. drum	6875	525 lbs.	\$616.99
C1300B	Bulk pricing available on request.			
C1310P	Neutral 5-gal. pail	625	48 lbs.	\$ 62.99
C1310K	Neutral 30-gal. keg	3750	280 lbs.	\$385.99
C1310D	Neutral 55-gal. drum	6875	525 lbs.	\$616.99
C1310B	Bulk pricing available on request.			

Mixing Procedures:

Acrylic Resurfacer	55 gallons
Water	33 gallons
Sand (50-60 mesh)	800 lbs.

Material Requirements (coverage - 125 sf/gal):

.07 to .09 gallon per square yard per coat.



NEUTRAL RESURFACER

Acrylic Resurfacer with Sand

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1330P	Black 5-gal. pail	400	73 lbs.	\$ 62.99
C1330K	Black 30-gal. keg	2400	435 lbs.	\$385.99
C1330D	Black 55-gal. drum	4400	785 lbs.	\$616.99

Mixing Procedures:

Acrylic Resurfacer with Sand	30 gallons
Water	12 gallons

Material Requirements (coverage - 80 sf/gal):

.11 to .13 gallon per square yard per coat.

LevelMaster™

ASPHALT BASED RESURFACER

- Can be used as a coating or patching material.
- IMPORTANT: LevelMaster™ should not be used on sport surfaces that are exposed to freezing temperatures (i.e. Northern Climates).
- Not recommended for previously coated tennis courts.

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1400P	5-gal. pail	450	58 lbs.	\$ 34.99
C1400D	55-gal. drum	4400	590 lbs.	\$329.99
C1400B	Bulk pricing available on request.			

Mixing Procedures:

LevelMaster™	55 gallons
Water	16 gallons
Sand (50-60 mesh)	300 lbs.

Material Requirements (coverage - 90 sf/gal):

.10 to .13 gallon per square yard per coat.

SportMaster® Patching & Crack Filling Materials



Acrylic Patch Binder

A 100% acrylic liquid binder designed for on-site mixing with sand and cement. Ideal for leveling and repairing low spots and depressions up to 1/2" deep on tennis court and other sport surface pavements. **NOTE: Patching Straightedges available on page 84.**

PRODUCT #	DESCRIPTION	WT.	PRICE
C1480P	5-gallon pail	47 lbs.	\$ 111.99
C1480K	30-gallon keg	280 lbs.	\$ 682.99
C1480D	55-gallon drum	500 lbs.	\$1,159.99

Mixing Procedures:

Acrylic Patch Binder	3.5 gallons
Sand	100 lbs.
Cement	15-20 lbs.
Water	up to .5 gallon if needed

NOTE: Thoroughly mix dry sand and cement together first before adding to Acrylic Patch Binder.

Material Requirements (coverage):

One gallon will produce enough patch mix (when mixed with sand and cement) to fill .86 square yard (approximately 7.75 square feet) at 1/4" depth.

CrackMagic™

Premium grade heavy-bodied 100% acrylic elastomeric crack filler. Remains flexible at temperatures below zero. Available in neutral, green and red. Packaged four pails to a box or sold individually.



PRODUCT #	DESCRIPTION	WT.	PRICE
See Below**	1-gallon pail	10 lbs.	\$45.99

**Product numbers and colors:

- Neutral - C1590G
- Green - C1570G
- Red - C1580G

Mixing Procedures:

Use as is. Do not dilute.

Material Requirements (coverage):

Typically, one gallon will fill approximately 75-150 feet of cracks depending on depth and width of crack.



Acrylic Crack Patch

A 100% acrylic trowel grade crack filler. Fortified with sand for filling cracks up to 1" wide on tennis courts and other sport surface pavements. Available in red, green, blue or neutral. Packaged in four 1-gallon pails to a box or sold individually.

PRODUCT #	DESCRIPTION	WT.	PRICE
See Below**	1-gallon pail	17 lbs.	\$ 19.99

**Product numbers and colors:

- Neutral - C1520G
- Green - C1500G
- Red - C1510G
- Blue - C1515G

NEW COLOR:

Mixing Procedures:

Use as is. Do not dilute.

Material Requirements (coverage):

Typically, one gallon will fill approximately 75-150 feet of cracks depending on depth and width of crack.

CourtFlex™ Crack Sealant

A 100% acrylic elastomeric crack sealant designed for filling cracks up to 1/2" wide. Flexible down to -10°F. Available in red, green or neutral. Packaged six jugs to a box or sold individually.



PRODUCT #	DESCRIPTION	WT.	PRICE
See Below**	1-gallon jug	10 lbs.	\$25.99

**Product numbers and colors:

- Neutral - C1560G
- Green - C1540G
- Red - C1550G

Mixing Procedures:

Use as is. Do not dilute.

Material Requirements (coverage):

Typically, one gallon will fill approximately 75-150 feet of cracks depending on depth and width of crack.



T/C White Line Paint

A 100% acrylic water base line paint highly pigmented for one coat coverage. Packaged in easy-to-use 1-gallon jugs with pour spouts, and 5-gallon pails. Available without or with sand (textured). **NOTE: See Line Taping Machine on page 83.**

PRODUCT #	DESCRIPTION	WT.	PRICE
C1600G	1-gallon jug	12 lbs.	\$ 29.99
C1600P	5-gallon pail	60 lbs.	\$114.99
C1620G	Textured 1-gallon jug	13 lbs.	\$ 29.99
C1620P	Textured 5-gallon pail	65 lbs.	\$114.99

Mixing Procedures:
Use as is. Do not dilute.

Material Requirements (coverage):
500-600 feet of 2" line per gallon.



Stripe Rite™

FOR SHARP LINES! A 100% acrylic clear drying emulsion primer that is applied prior to T/C line paint to fill the minor voids between the masking tape and court surface. Assures crisp, razor-sharp lines.

PRODUCT #	DESCRIPTION	WT.	PRICE
C1610G	1-gallon jug	10 lbs.	\$20.99
C1610P	5-gallon pail	47 lbs.	\$79.99

Mixing Procedures:
Use as is. Do not dilute.

Material Requirements (coverage):
500-600 feet of 2" line per gallon.

Acrylic Adhesion Promoter



100% acrylic emulsion primer designed to promote the adhesion of repair products and coatings. Apply by spray, roller, or brush. Ready-to-use.

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1650P	5-gallon pail	1250	46 lbs.	\$ 63.99
C1650K	30-gallon keg	7500	270 lbs.	\$392.99
C1650D	55-gallon drum	13750	510 lbs.	\$640.99

Mixing Procedures:
Use as is. Do not dilute.

Material Requirements (coverage - 250 sf/gal):
200-300 square feet per gallon.

Black Dispersion

Formulated for tinting latex used in installation of latex and rubber layered running track systems. For colors other than black, use ColorPlus™ Pigment Dispersions (page 71).

PRODUCT #	DESCRIPTION	WT.	PRICE
C1660G	Black - 1-gallon pail	11 lbs.	\$ 14.99
C1660P	Black - 5-gallon pail	53 lbs.	\$ 59.99
C1660D	Black - 55-gallon drum	590 lbs.	\$583.99

Mixing Procedures:
1-gallon of pre-dispersed pigment per 55-gallons of latex.

Material Requirements (coverage):
1-gallon per 55-gallons of latex

SportWax™ Clear Coat

Clear drying 100% acrylic top coat for tennis courts, basketball courts, and more. Extends the life of surface coatings. Apply by squeegee, lambswool applicator, or spray. SportWax Clear Coat is a ready-to-use product.

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1850P	5-gal. pail	1250	46 lbs.	\$ 80.99
C1850K	30-gal. keg	7500	270 lbs.	\$495.99
C1850D	55-gal. drum	13750	510 lbs.	\$812.99

Mixing Procedures:
Use as is. Do not dilute.

Material Requirements (coverage - 250 sf/gal):
200-300 square feet per gallon.



- Uses:**
- Rollerblading, Skateboarding, and Other Roller Sports
 - Shuffleboard Courts
 - Playgrounds, Game Courts, Basketball, etc.
 - Multipurpose or Heavy Use Areas

SkateMaster
Thickness: Approx. 40-45 mils
1 Coat - Acrylic Resurfacer
2 Coats - SkateMaster



A 100% acrylic, specialized surfacing system for inline roller hockey, skateboarding, or high traffic recreational areas where additional durability is desired.

The SkateMaster System is comprised of the following products:

Acrylic Resurfacer - (Neutral)™
(1-2 coats) to fill voids in pavement and provide texture to ensure thorough coverage of the SkateMaster Coating.

SkateMaster™
(2-3 coats) SkateMaster comes in a neutral colored base, and is mixed with ColorPlus Pigment Dispersion to achieve any of the standard ColorPlus colors.

Neutral SkateMaster™

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1800K	30-gallon keg	4500	305 lbs.	\$486.99
C1800D	55-gallon drum	8250	520 lbs.	\$802.99

Mixing Procedures:
Neutral SkateMaster™ 55 gallons
ColorPlus™ Pigment Dispersion 4 gallons
(see page 71)

Material Requirements (coverage - 150 sf/gal):
.06 to .08 gallons per square yard per coat (.12 to .16 gallons per square yard for two coats).

Note: Up to 8 lbs. per gallon of sand (80-100 mesh) can be added to SkateMaster™ for a customized multipurpose surface.

High Performance Surface Coating

Designed For In-Line Skating

FOREST GREEN

LIGHT GREEN
LEED CREDIT SRI=31

DARK GREEN

BEIGE

BROWN

RED
LEED CREDIT SRI=36

MAROON

TOURNAMENT PURPLE

GRAY

BLUE

LIGHT BLUE

DOVE GRAY
LEED CREDIT SRI=33

ICE BLUE
LEED CREDIT SRI=62

SANDSTONE
LEED CREDIT SRI=46

ORANGE

YELLOW

NOTE: Colors will vary somewhat due to printing limitations. Ask your SealMaster® Representative for a color chip card for more accurate representation.

SkateMaster™ System

Running Track Products

FOREST GREEN

LIGHT GREEN
LEED CREDIT SRI=31

DARK GREEN

BEIGE

BROWN

RED
LEED CREDIT SRI=36

MAROON

TOURNAMENT PURPLE

GRAY

BLUE

LIGHT BLUE

DOVE GRAY
LEED CREDIT SRI=33

ICE BLUE
LEED CREDIT SRI=62

SANDSTONE
LEED CREDIT SRI=46

ORANGE

BLACK


NOTE: Colors will vary somewhat due to printing limitations. Ask your SealMaster® Representative for a color chip card for more accurate representation.



SportMaster® SPORT SURFACES



A 100% Acrylic Coatings
for Running Track & other
Recreational Surfaces.



- Uses:**
- Walking path, jogging trails, middle and high school running tracks
 - Coatings for rubberized asphalt tracks
 - Asphalt, Concrete, or existing acrylic surfaces

TrackMaster Plus
Thickness: Approx. 50-55 mils
1 Coat - Acrylic Resurfacer
2 Coats - TrackMaster Plus

TrackMaster™



A polymer modified asphalt emulsion fortified with rubber particles designed for coating asphalt running tracks. Beautifies tracks and provides superior protection against oxidation, ravelling, and moisture penetration. **Available in black only.**

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1700K	30-gal. keg	1500	300 lbs.	\$260.99
C1700D	55-gal. drum	2750	575 lbs.	\$353.99
C1700B	Bulk pricing available on request			

Mixing Procedures:

TrackMaster™ 55 gallons
Water 15-17 gallons
Mix and apply with soft rubber squeegee or spray.

Material Requirements (coverage - 50 sf/gal):

Approximately .15 to .20 gallon per square yard per coat depending on surface porosity.

Lane One™



A 100% acrylic trowel grade patching material fortified with sand and rubber. Ideal for repairing running lanes and field event runways and pads. Also used for filling cracks up to 1" wide. Lane One is Black, but can be coated with TrackMaster Plus to match surface color of track area.

PRODUCT #	DESCRIPTION	WT.	PRICE
C1750P	5-gal. pail	51 lbs.	\$ 58.99
C1750K	30-gal. keg	305 lbs.	\$366.99
C1750D	55-gal. drum	545 lbs.	\$584.99

Mixing Procedures:

Use as is. Do not dilute. Apply with soft rubber squeegee.

Material Requirements (coverage):

Approximately 1 gallon per square yard at 1/8" depth. Ultimate coverage will be dependent upon depth of repair.

TrackFlex™ Crack Sealant



Acrylic elastomeric pourable crack sealant designed for sealing cracks up to 1/2" wide in asphalt or latex/rubber track surfaces. TrackFlex is black, but can be coated with TrackMaster Plus to match surface color of track area.

PRODUCT #	DESCRIPTION	WT.	PRICE
C1760G	1-gal. jug	10 lbs.	\$ 29.99
C1760P	5-gal. pail	47 lbs.	\$118.99

Mixing Procedures:

Apply as is. Do not dilute. Smooth flush with rubber squeegee.

Material Requirements (coverage):

Typically, one gallon will fill approximately 75-150 feet of cracks depending on depth and width of crack.

TrackMaster Plus™

Premium quality 100% acrylic emulsion fortified with rubber particles designed for coating asphalt and latex/ rubber running track surfaces. TrackMaster Plus™ is available in attractive colors using the SportMaster® ColorPlus™ System. TrackMaster Plus™ contains rubber granules. Squeegee, brush or spray application.

PRODUCT #	DESCRIPTION	Sq. Ft. COVERAGE	WT.	PRICE
C1740K	Neutral 30-gal. keg	1500	290 lbs.	\$359.99
C1740D	Neutral 55-gal. drum	2750	550 lbs.	\$555.99
C1709K	Red 30-gal. keg	1500	290 lbs.	\$460.99
C1709D	Red 55-gal. drum	2750	550 lbs.	\$731.99

Mixing Procedures:

Neutral TrackMaster Plus™ 55 gallons
Water 13-14 gallons
ColorPlus™ Pigment Dispersion 4 gallons
(see page 71)

Mix and apply with soft rubber squeegee.

Material Requirements (coverage - 50 sf/gal):

Approximately .15 to .20 gallon per square yard per coat depending on surface porosity.

Tennis Court Tools/Accessories



ROYALE



DHS

ROYALE TIDYFIT-TAPERED


Tennis Nets:

COURTMASTER ROYALE - 3mm braided body, double (2) layer vinyl headband, double top 6 mesh body, fiberglass dowels, 42' x 3 1/4'.

ROYALE TIDYFIT - 42" high at the posts. Tapers to 36" high at the center strap. 3mm net body, double layer headband, fiberglass dowels.

COURTMASTER DHS - DHS-3mm braided body, 42' x 3 1/4', double (2) layer vinyl headband, coated cable, dowels: also available in 33' and 36' lengths for single courts.

PRODUCT #	DESCRIPTION	WT.	PRICE
T4905	CourtMaster Royale	24 lbs.	\$212.99
T5210	Royale TidyFit-Tapered Net	26 lbs.	\$212.99
T4915	CourtMaster DHS	22 lbs.	\$200.99



ROYALE - Round

ROYALE - Square

ROYALE - Wind

Post Sleeves


Net Posts:

PRODUCT #	DESCRIPTION	WT.	PRICE
COURTMASTER ROYALE NET POSTS - ROUND - Round internal wind net posts - 3" O.D.			
T4970G	Net Posts - Green	70 lbs.	\$388.99 pr.
T4970B	Net Posts - Black	70 lbs.	\$388.99 pr.
T4955	PVC Net Post Sleeves	6 lbs.	\$ 42.99 pr.
T4960	Galvanized Net Post Sleeves	20 lbs.	\$ 88.99 pr.
COURTMASTER ROYALE NET POSTS - SQUARE - Square internal wind net posts - 3" sq.			
T5170G	Net Posts - Green	70 lbs.	\$400.99 pr.
T5170B	Net Posts - Black	70 lbs.	\$400.99 pr.
T5175	Galvanized Net Post Sleeves	30 lbs.	\$109.99 pr.
COURTMASTER ROUND EXTERNAL WIND NET POSTS - 2 7/8" O.D.			
T5000G	Net Posts - Green	63 lbs.	\$293.99 pr.
T5000B	Net Posts - Black	63 lbs.	\$293.99 pr.
T5005	PVC Net Post Sleeves	5 lbs.	\$ 50.99 pr.

Net Posts Sleeve Caps:




PRODUCT #	DESCRIPTION	WT.	PRICE
T5015	Aluminum Sleeve Caps - Round 3" O.D. (set of 2)	2 lbs.	\$30.99 pr.
T5016	Aluminum Sleeve Caps - Square (set of 2)	2 lbs.	\$28.99 pr.




Center Strap 2 Styles:

PRODUCT #	DESCRIPTION	WT.	PRICE
T4935	A.) Polypropylene and Slides Center Strap	1 lb.	\$16.99
T4945	B.) Polypropylene, Velcro, Snap Center Strap	1 lb.	\$16.99
T5010	Pipe Anchor, Galvanized Aluminum	2 lbs.	\$13.99


*Oversized parts must ship at 30 lb. rate.



ROYALE



PVC VINYL



AIR MASTER

Windscreens:

PRODUCT #	DESCRIPTION	WT.	PRICE
ROYALE SCREEN / OPEN MESH - Available in 6' and 9' heights.			
T5020G	6' Green	12 sq. ft./lb.	\$1.06 sq. ft.
T5021G*	9' Green	12 sq. ft./lb.	\$1.22 sq. ft.
T5020B	6' Black	12 sq. ft./lb.	\$1.06 sq. ft.
T5021B*	9' Black	12 sq. ft./lb.	\$1.22 sq. ft.
PVC VINYL COATED POLYESTER / OPEN MESH - Available in 6' and 9' heights.			
T5030G	6' Green	20 sq. ft./lb.	\$.93 sq. ft.
T5031G*	9' Green	20 sq. ft./lb.	\$.98 sq. ft.
T5030B	6' Black	20 sq. ft./lb.	\$.93 sq. ft.
T5031B*	9' Black	20 sq. ft./lb.	\$.98 sq. ft.
AIR MASTER I / OPEN MESH - Leno polypropylene open mesh. Available in 6' and 9' heights.			
T5040G	6' Green	26 sq. ft./lb.	\$1.06 sq. ft.
T5041G*	9' Green	26 sq. ft./lb.	\$1.10 sq. ft.
T5040B	6' Black	26 sq. ft./lb.	\$1.06 sq. ft.
T5041B*	9' Black	26 sq. ft./lb.	\$1.10 sq. ft.



CISSEL SNAPS



TY-RAPS



LACING CORD

Windscreen Accessories:

PRODUCT #	DESCRIPTION	PRICE
T5060	Extra Bound 6" x 12" windows	\$15.99 ea.
T5070	Bound half moon vent w/flap	\$15.99 ea.
T5100	Cissel Snaps box of 100 (install every 15 inches)	\$45.99/box
T5110	Ty-Raps case of 100 (install every 15 inches)	\$10.99/bag
T5160	Nylon Rope Cord roll of 500 ft. black or green (fastens windscreens)	\$61.99/500 ft.


*Oversized parts must ship at 30 lb. rate.



Line Taping Machine

A must tool for striping tennis courts, basketball courts, and other surfaces where precision markings are required. Lays down strips of 1" to 2" wide masking tape from 1 to 4 inches wide. Metric tape guides also available.

PRODUCT #	DESCRIPTION	WT.	PRICE
T7600	Line Taping Machine	16 lbs.	\$653.99
T7610	Pole Extension Kit (For 3-point lines and extra large circles)	13 lbs.	\$208.99



Masking Tape:

PRODUCT #	DESCRIPTION	WT.	PRICE
T1560	1-inch Green Single Roll	2 lbs.	\$ 6.99
T1570	1-inch Green Case of 36 Rolls	16 lbs.	\$188.99
T1580	2-inch Single Roll	1 lb.	\$ 5.99
T1590	2-inch Case of 24 Rolls	16 lbs.	\$108.99



Available in 24" and 30" cleaning widths

Ideal for Flat Surface and Vertical Cleaning!

Features:

- Available in 24" and 30" cleaning widths
- Housing is aircraft aluminum and powder-coated steel
- Pneumatic, adjustable front casters
- Siphon tube chemical injection system
- Professional spray wand with five quick-connect tips

PRODUCT #	DESCRIPTION	WT.
T6011	MW24 24" Cleaning Path	200 lbs.
T6012	MW30 30" Cleaning Path	200 lbs.

*Call for pricing



Patching Straightedge

The smoothest patches ever in just one pass of the straightedge. Ideal for patching and filling low spots in tennis courts, parking lots, and driveways. Makes patching a one-man operation. Lightweight yet durable metal construction. Available in 4, 6, 8, and 10 ft. widths. Includes wood handle.

PRODUCT #	DESCRIPTION	WT.	PRICE
T1500	4-foot with handle	12 lbs.	\$116.99
T1510	6-foot with handle	15 lbs.	\$119.99
T1520	8-foot with handle	20 lbs.	\$125.99
T1530	10-foot with handle	25 lbs.	\$129.99
T1490	Straightedge handle	2 lbs.	\$ 13.99

NOTE: The 10-foot straight edge must ship common carrier. Others can ship UPS.

Sport Squeegee



The Lightweight Aluminum Squeegee includes a 1 3/8" diameter, 82" handle. Ideal for Tennis Court Coatings (with Sport Blade option).



PRODUCT #	DESCRIPTION	WT.	PRICE
T1272	36" Sports Squeegee Complete	6 lbs.	\$74.99
T1292	48" Sports Squeegee Complete	8 lbs.	\$87.99
A.) Rubber Refills:			
T1326	36" neoprene Sport Blade refill - softer tapered blade	3 lbs.	\$24.99
T1327	48" Sport Blade refill	3 lbs.	\$32.99
B.) Rubber Refills:			
T1281	36" neoprene refill	3 lbs.	\$24.99
T1301	48" neoprene refill	3 lbs.	\$29.99
T1321	60" neoprene refill	4 lbs.	\$34.99



Drill Paddle Mixer:

PRODUCT #	DESCRIPTION	WT.	PRICE
T9000	Drill Paddle Mixer	4 lbs.	\$47.99

*Oversized parts must ship at 30 lb. rate.

SMAF

The Best Surface for the World to Play On...



www.sportmaster.net

SportMaster® Bulk Tank System



Features:

- Designed for material storage and dispensing of Neutral Concentrate (with or without sand).
- Minimize the usage and disposal costs of drums.
- Receive bulk shipments at a lower price per gallon (eliminate packaging costs).
- Multiple tank sizes available.

Visit www.sportmaster.net to view the SportMaster ColorPlus Bulk System video.

Specifications:

- Dimensions (for pictured tanks).....95" w x 109" h
- Fill Opening.....10"
- Drain Fitting.....2"
- Capacity.....3,000 gals.

PRODUCT #	DESCRIPTION
E1807	Dual Tank System* - This system requires a compressor to drive the pump (30 CFM recommended), see option below. Includes kits E1808 and P50279
E1808	Dual Tank Kit - Includes (2) 3,000 gallon poly tanks, fill fittings, and decals
P50279	Bulk Tank Pump Kit - includes 1 1/2" ARO pump system with basket strainer assy., connections, and hoses
E1806	Single Tank with Fittings - Includes (1) 3,000 gallon poly tank, fill fittings, bottom exit fittings, and decals
Option:	
P458A044	13 H.P. Rol-Air 30 Gallon Gas Air Compressor
P735A047	Filter/Regulator with gauge

*Call for pricing



SM-11
SealMaster® Mailer

A 3-fold, single page mailer with detachable return card that is ideal for direct mail campaigns.

PRODUCT #	DESCRIPTION	PRICE
A1220	SM-11, 4" x 9"	\$46.95/100



SM-14
SealMaster® Doorknob Hanger

Explains the benefits of sealcoating.

PRODUCT #	DESCRIPTION	PRICE
A1230	SM-14, 4.5" x 10"	\$30.95/100



SM-21
Hot Pour Crack Filler Brochure

Describes our four grades of CrackMaster hot pour crack fillers and the benefits of each.


PRODUCT #	DESCRIPTION	PRICE
A1260	SM-21, 8.5" x 11"	\$ 15.95/100



SM-180
Cold Pour Crack Filler Brochure

A 4-page brochure describing the benefits of using cold-applied crack fillers.

PRODUCT #	DESCRIPTION	PRICE
A1275	SM-180, 8.5" x 11"	\$32.95/100



SM-113
ColorPave™ HD Tri-Fold

Tri-fold with actual color chips attached.

PRODUCT #	DESCRIPTION	PRICE
A1414	SM-113, 8.5" x 3.75"	\$2.50 ea.



SM-202
Property Manager Brochure

A 3-fold, single page mailer for pavement maintenance solutions for today's property manager.

PRODUCT #	DESCRIPTION	PRICE
A1236	SM-202, 4.5" x 8.5"	\$27.95/100

Promotional Literature & DVD's

DVD
SealMaster® Pavement Maintenance Training

Outlines repair and sealer mixing application techniques. Includes bonus section on sales and marketing your pavement maintenance business.



PRODUCT #	DESCRIPTION	PRICE
A1015	DVD - SealMaster	\$20.00

DVD
SportMaster® Tennis Court Surfacing Training

Learn repair and color coating techniques for asphalt tennis courts.



PRODUCT #	DESCRIPTION	PRICE
A1025	DVD - SportMaster	\$20.00

CM-2
Tennis Court Color Chart

A 4-page brochure containing textured color chips for tennis coatings and in-line skate coatings. Contains description and benefits.



PRODUCT #	DESCRIPTION	PRICE
A1410	CM-2, 8.5" x 11"	\$2.60 each

Prices are F.O.B. Sandusky, Ohio. Prices are subject to change.

SM-233
SealMaster® PMB Brochure



4-page brochure, explains the benefits of PMB pavement sealer.

PRODUCT #	DESCRIPTION	PRICE
A1216	SM-233, 7.5" x 9.5"	\$29.95/100

SM-220
Liquid Road™ Brochure



4-page brochure, explains the benefits of Liquid Road.

PRODUCT #	DESCRIPTION	PRICE
A1221	SM-220, 7.5" x 9.5"	\$29.95/100

SM-226
SealMaster® Coal Tar Brochure



4-page brochure, explains the benefits of SealMaster Coal Tar Sealer.

PRODUCT #	DESCRIPTION	PRICE
A1214	SM-226, 7.5" x 9.5"	\$29.95/100

SM-221
MasterSeal® Brochure



4-page brochure, explains the benefits of MasterSeal.

PRODUCT #	DESCRIPTION	PRICE
A1213	SM-221, 7.5" x 9.5"	\$29.95/100

SM-231
SealMaster® LV Brochure



4-page brochure, explains the benefits of SealMaster LV.

PRODUCT #	DESCRIPTION	PRICE
A1215	SM-231, 7.5" x 9.5"	\$29.95/100

SM-223
AsPen™ AC Brochure



4-page brochure, explains the benefits of AsPen AC.

PRODUCT #	DESCRIPTION	PRICE
A1218	SM-223, 7.5" x 9.5"	\$29.95/100

SM-26
SealMaster® PMB Tri-Fold



Describes the benefits of PMB. Includes actual sample with sand.

PRODUCT #	DESCRIPTION	PRICE
A1225	SM-26, 8.5" x 3.75"	\$57.00 /100


SM-29
Liquid Road™ Tri-Fold



Describes the benefits of Liquid Road. Includes actual sample with sand.

PRODUCT #	DESCRIPTION	PRICE
A1226	SM-29, 8.5" x 3.75"	\$57.00 /100


SM-31
SealMaster® Coal Tar Sealer Tri-Fold



Describes the benefits of SealMaster Coal Tar Sealer. Includes actual sample with sand.

PRODUCT #	DESCRIPTION	PRICE
A1227	SM-31, 8.5" x 3.75"	\$57.00 /100

SM-33
MasterSeal Sealer Tri-Fold



Describes the benefits of MasterSeal. Includes actual sample with sand.

PRODUCT #	DESCRIPTION	PRICE
A1228	SM-33, 8.5" x 3.75"	\$57.00 /100

SM-35
SealMaster® LV Tri-Fold



Describes the benefits of SealMaster LV. Includes actual sample with sand.

PRODUCT #	DESCRIPTION	PRICE
A1229	SM-35, 8.5" x 3.75"	\$57.00 /100


SM-149
PMM Tri-Fold



Describes the benefits of Polymer Modified MasterSeal. Includes actual sample with sand.

PRODUCT #	DESCRIPTION	PRICE
A1234	SM-149, 8.5" x 3.75"	\$57.00 /100


SM-41
SealMaster® Acrylic Pavement Sealer Tri-Fold



Describes the benefits of SealMaster Acrylic Pavement Sealer. Includes actual sample card.

PRODUCT #	DESCRIPTION	PRICE
A1231	SM-41, 8.5" x 3.75"	\$57.00 /100


SM-147
PMCTS Tri-Fold



Describes the benefits of Polymer-Modified Coal Tar Sealer. Includes actual sample card.

PRODUCT #	DESCRIPTION	PRICE
A1232	SM-147, 8.5" x 3.75"	\$57.00 /100

SM-38
ColorPave Brochure



1-page brochure, explains the benefits of ColorPave.

PRODUCT #	DESCRIPTION	PRICE
A1217	SM-38, 8.5" x 11"	\$16.95 /100

SM-224
SealMaster® Acrylic Pavement Sealer Brochure



4-page brochure, explains the benefits of SealMaster Acrylic Pavement Sealer.

PRODUCT #	DESCRIPTION	PRICE
A1222	SM-224, 7.5" x 9.5"	\$29.95/100

SM-222
PMM Brochure



4-page brochure, explains the benefits of Liquid Road.

PRODUCT #	DESCRIPTION	PRICE
A1235	SM-222, 7.5" x 9.5"	\$29.95/100

SM-19
SealMaster® Proposal Folder

Full color high gloss proposal folder for making professional sales presentations.



PRODUCT #	DESCRIPTION	PRICE
A1270	SM-19, 9" x 12"	\$1.25 ea.

SM-232
PMCTS Brochure



4-page brochure, explains the benefits of Polymer Modified Coal Tar Sealer.

PRODUCT #	DESCRIPTION	PRICE
A1233	SM-232, 7.5" x 9.5"	\$29.95/100

SM-101
SealMaster® Specification Cover Sheet

1-page cover sheet used in conjunction with SealMaster Technical Data Sheets.



PRODUCT #	DESCRIPTION	PRICE
A1224	SM-101, 8.5" x 11"	\$15.95/100

SM-230
SealMaster® Advantage Brochure

4-page brochure, explains the benefits of SealMaster and our products.



PRODUCT #	DESCRIPTION	PRICE
A1212	SM-230, 8.5" x11"	\$32.95/100

SealMaster® Logo Merchandise

All SealMaster® Clothing is embroidered and made of high quality materials.
IMPORTANT: Please state size and color when ordering SealMaster® Clothing items. NOTE: Add \$2.00 to all XXL-XXXL sizes.
NOTE: Styles and designs are subject to change.



SealMaster® & SportMaster® Polo-Style Shirt

- SealMaster colors: white, black and red. Size: S, M, L, XL, (XXL-XXXL - add \$2)
- SportMaster colors: green, white. Size: L, XL, (XXL-XXXL - add \$2)

ITEM #	DESCRIPTION	PRICE
A1770	SealMaster polo	\$34.95
A1790	SportMaster polo	\$34.95

SealMaster® Safety Yellow T-Shirt & Gloves

- Size: S, M, L, XL, (XXL-XXXL - add \$2)

ITEM #	DESCRIPTION	PRICE
A1775	Safety Yellow t-shirt	\$19.95
A1777	Safety Yellow Gloves	\$10.00



SealMaster® & SportMaster® Jackets

- Color: black
- Size: M, L, XL, (XXL - add \$2)



Heavy Fleece Lined Coat

Wind Half-Zip Jacket

ITEM #	DESCRIPTION	PRICE
A1925	SportMaster - Heavy Fleece Lined Coat	\$66.95
A1920	SealMaster - Heavy Fleece Lined Coat	\$66.95
A1926	SealMaster Wind Half-Zip Jacket	\$47.95

SealMaster® & SportMaster® T-Shirt w/front pocket

- SealMaster colors: gray. Size: S, M, L, XL, (XXL-XXXL - add \$2)
- SportMaster colors: white. Size: L, XL,

ITEM #	DESCRIPTION	PRICE
A1800	SealMaster t-shirt	\$19.95
A1810	SportMaster t-shirt	\$19.95



SportMaster® Hat

ITEM #	DESCRIPTION	PRICE
A1740	SportMaster white hat	\$9.95



SealMaster® Hats

- Color: black, camouflage



ITEM #	DESCRIPTION	PRICE
A1730B	SealMaster black hat	\$9.95
A1735	SealMaster camo hat	\$9.95

SealMaster® Die-Cast Truck

- Moveable Parts
- Total Length Assembled: 19 5/16"



ITEM #	DESCRIPTION	PRICE
A6315	Die-Cast Truck	\$99.99



SealMaster® & SportMaster® Coffee Cups



ITEM #	DESCRIPTION	PRICE
A1710	SealMaster coffee cup	\$5.95
A1720	SportMaster coffee cup	\$5.95

SealMaster® & SportMaster® Bumper Stickers



ITEM #	DESCRIPTION	PRICE
A2595	SealMaster bumper	\$3.99
A2596	SportMaster bumper	\$3.99

SealMaster® & SportMaster® Logo Pens



ITEM #	DESCRIPTION	PRICE
A1760	SportMaster pen	\$1.50
A1750	SealMaster pen	\$1.50



SealMaster® Child Romper

- SealMaster colors: pink or blue. Size: 18-24 mos.

ITEM #	DESCRIPTION	PRICE
A1860	Pink SealMaster romper	\$19.95
A1862	Blue SealMaster romper	\$19.95

SMAF

SealMaster® Pavement Sealer Additives

Improve The Performance Of Pavement Sealers With Polymer Additives From SealMaster®.

Top Tuff™ - "The Industry Workhorse"

- Toughens sealer film
- Speeds up dry time
- Suspends sand in sealer mixes
- Sealer dries blacker
- Reduces power steering marks
- Enhances fuel resistance
- Anchors in sand for greater durability

Sealer VM™ - Viscosity Modifier For Coal Tar Sealer

- Meets FAA Specifications
- Improves Flexibility
- Toughens dried sealer film
- Suspends Sand
- Reduces power steering marks
- Enhances fuel resistance
- Sealer dries blacker

Zetac™ - Enhances Sealer Durability

- Promotes greater adhesion to pavement
- Suspends sand in sealer mixes
- Greatly improves sealer durability by increasing water resistance



CALL TODAY! 800-395-7325
Available at SealMaster® locations nationwide.
www.sealmaster.net



SealMaster®
Pavement Products & Equipment

SealMaster® Traffic Paints

100% Acrylic Water-Based Formulas For Outstanding Performance & Durability. Designed For Traffic Marking Professionals.

Tough enough for highways, roads, streets, intersections, legends and cross walks.

Liquid Thermoplastic:

- Cold spray-applied Liquid Thermoplastic featuring hot-applied Thermoplastic performance. Liquid Thermoplastic Traffic Marking Paint can be applied with standard airless spray equipment.

Fast Dry Traffic Paint:

- High solids 100% acrylic traffic paint. Dries in less than 5 minutes. Available in white or yellow. Meets TTP-1952D and TTP-1952E.

SealMaster® Traffic Paint:

- High Performance 100% acrylic emulsion paint designed for bright, durable traffic markings on asphalt or concrete roadways and parking lots. Available in white or yellow



CALL TODAY! 800-395-7325

Available at SealMaster® locations nationwide.

www.sealmaster.net



SealMaster®
Pavement Products & Equipment

SealMaster® ...

The One-Stop-Source For All Your Pavement Maintenance Needs.




(Fold here and tape closed)

Call (800) 395-7325 - Locations Nationwide!




SealMaster®
Pavement Products & Equipment

www.sealmaster.net



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 28000 SANDUSKY, OH

POSTAGE WILL BE PAID BY ADDRESSEE

SealMaster®

PO Box 2277

Sandusky, OH 44871-9824



(Fold here)

CREDIT TERMS & CONDITIONS:

Credit terms are net 30 days (unless otherwise indicated). Any amount remaining unpaid after such date will incur a service charge of 1.5% (monthly) on the unpaid balance, until paid in full, plus any and all collection costs and attorney fees incurred to collect unpaid balances.

RETURNED MATERIAL POLICY:

We will normally accept returned material under the following conditions:

1. Prior written authorization from SealMaster® is obtained.
2. A copy of the invoice is furnished.
3. The material is returned within 60 days from date of invoice.
4. The material is in new resaleable condition.
5. The material is normal stock for us (not a special or custom order).
6. A 15% restocking fee plus applicable freight will be imposed on all returns. Returned material, like all other purchased material, should be paid for when due.

SECURITY:

The buyer hereby grants SealMaster® a purchase money security interest in the equipment/materials described in the invoices. To secure the debtor's payment for equipment/materials it shall remain the seller's until payment in full is made by the buyer. If the buyer defaults in such payment, the seller may declare all sums payable by the buyer hereunder immediately due payable and the seller may repossess the equipment/materials and or exercise all the rights and remedies of a secured party under the Uniform Commercial Code.



ACCOUNT APPLICATION

It's easy to open your SealMaster® Account
Enjoy the convenience of purchasing SealMaster® pavement products with 30 day credit terms. Simply fill out this form, detach, and mail. (Subject to credit approval).

TRADE NAME/LEGAL BUSINESS NAME: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____ COUNTRY: _____

CONTACT: _____ PHONE: _____ FAX: _____

E-MAIL: _____

_____ CORPORATION _____ PARTNERSHIP _____ PROPRIETORSHIP

SOCIAL SECURITY #: _____

TYPE/NATURE OF BUSINESS: _____ ESTABLISHED IN: _____

IN ABOVE ADDRESS SINCE: _____

NUMBER OF EMPLOYEES: _____ CREDIT LIMIT DESIRED: _____

FED ID#: _____

THE PRINCIPAL OFFICERS - PARTNERS ARE:		
NAME	HOME ADDRESS/PHONE	TITLE

TRADE REFERENCES:

NAME: _____	NAME: _____
ADDRESS: _____	ADDRESS: _____
CITY/STATE/ZIP: _____	CITY/STATE/ZIP: _____
PHONE: _____	PHONE: _____
FAX: _____	FAX: _____
CONTACT: _____	CONTACT: _____

BANK REFERENCE:

NAME OF BANK: _____ CONTACT: _____

PHONE #: _____ ACCOUNT #: _____

SAVINGS: _____ CHECKING: _____

FINANCIAL RESPONSIBILITY:

In consideration of the extension of credit to your company, the undersigned agree(s) to be personally responsible for such indebtedness, as may be incurred from time to time, together with collection costs and reasonable attorney's fees. I (we) hereby certify the information provided SealMaster® is true and correct to the best of my (our) knowledge and authorize the release of information on this account to SealMaster® for the purpose of extending credit.

SIGNATURE: _____ PRINT: _____ DATE: _____

SIGNATURE: _____ PRINT: _____ DATE: _____



ORDER FORM

Order by phone, fax, or mail this form today!

STEP 1 ORDERED BY:

COMPANY: _____

NAME: _____

ADDRESS: _____

CITY: _____

STATE: _____ ZIP: _____

FAX: _____

PHONE: _____

E-MAIL: _____

STEP 2 SHIP TO:

COMPANY: _____

NAME: _____

ADDRESS: _____

CITY: _____

STATE: _____ ZIP: _____

FAX: _____

PHONE: _____

E-MAIL: _____

ITEM #	DESCRIPTION	QTY	PRICE PER ITEM	TOTAL PRICE
SUBTOTAL				
*ADD SALES TAX				
**SHIPPING & HANDLING				
TOTAL				

STEP 3 PAYMENT:

_____ CHECK ENCLOSED (Payable to SealMaster)

_____ CHARGE MY CREDIT CARD:

_____ VISA _____ MASTERCARD _____ AMEX

CARDHOLDER NAME: _____

ACCOUNT #: _____

EXPIRATION DATE: _____ SECURITY CODE: _____

_____ SHIP ON OPEN ACCOUNT

If you do not have an established account with us, please call 1-800-395-7325 to receive information on opening your SealMaster® Account. Or fill out and mail the credit application on opposite page. (Subject to credit approval).

Thank you for your order!

*Please add appropriate sales tax for the following states:
AL, AK, AZ, CA, CO, DE, FL, GA, HI, IL, IN, KY, MA, MD, MI, MN, MO, MS, NC, NJ, NM, NV, NY, OH, OK, PA, SC, TN, TX, VA, WI, WV

**Shipping & Handling charges are additional. Please call for the freight rate.

FOR FASTER SERVICE CALL -
(800) 395-7325
or FAX: (877) 825-9226

Detach, fold, and mail using postage paid form on back.

SealMaster®...

The One-Stop-Source For All Your Pavement Maintenance Needs.



(Fold here and tape closed)

Call (800) 395-7325 - Locations Nationwide!




SealMaster®




Pavement Products & Equipment

www.sealmaster.net



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 28000 SANDUSKY, OH

POSTAGE WILL BE PAID BY ADDRESSEE

SealMaster®

PO Box 2277

Sandusky, OH 44871-9824



(Fold here)

**Do You Know Anyone Who Would Like To Receive Our Catalog?
Fill in below and we'll send them a FREE copy. Thanks!**

COMPANY: _____

NAME: _____

ADDRESS: _____

CITY: _____

STATE: _____ ZIP: _____

FAX: _____

PHONE: _____

E-MAIL: _____

COMPANY: _____

NAME: _____

ADDRESS: _____

CITY: _____

STATE: _____ ZIP: _____


FAX: _____

PHONE: _____

E-MAIL: _____

SealMaster®
P.O. Box 2277
Sandusky, OH 44870

PRSR STD
US POSTAGE
PAID
Permit No.43
Berne, IN 46711



SportMaster®
SPORT SURFACES

www.sportmaster.net

Stores Nationwide - Call Today! (800) 395-7325