SAFETY DATA SHEET



Issuing Date 15-Dec-2014	Revision Date29-July-2015Revision Number1	
1. IDENTIFICATION	OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING	
GHS Product Identifier		
Product Name:	AsPen Surface Sealer	
Other Means of Identification		
Product Code(s):	S1040	
Synonyms	None	
Recommended Use of the Chemical	and Restrictions on Use	
Recommended Use:	No Information Available	
Uses Advised Against:	No Information Available	
Supplier's Details		
Supplier Address SealMaster Locations Nationwide <u>www.sealmaster.net</u> 1-800-341-7325 <u>Emergency Telephone Number</u> Emergency Telephone Number	Manufacturer Address SealMaster Locations Nationwide <u>www.sealmaster.net</u> 1-800-341-7325 Chemtrec 1-800-424-9300	
2. HAZARDS IDENTIFICATION		

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label Elements, Including Precautionary Statements

Emergency Overview

Signal Word	Warning	
•Harmful if s •May cause	swallowed skin irritation	
Appearance: Black	Physical State: Liquid	Odor: Asphaltic

Precautionary Statements

Prevention	Inhalation:	May cause irritation of respiratory tract.
	Eye Contact:	Contact with eyes may cause irritation.
	Skin Contact:	May cause irritation.
	Ingestion:	Ingestion may cause stomach discomfort.
General Advice	●None	č
Storage	 Keep container tight 	ly closed
Disposal	 Dispose of material/ 	containers in accordance with the appropriate state

• Dispose of material/containers in accordance with the appropriate state, regional, or local regulations.

Hazard Not Otherwise Classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
	CAS Nulliber	weight %	Trade Secret
Asphalt	8052-42-4	20-40	*
Kaolin	1332-58-7	<10	*

*The exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES **Description of Necessary First-Aid Measures** Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician. Skin Contact Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions, see a physician. Move to fresh air. If symptoms persist, call a physician. Inhalation Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an Ingestion unconscious person. Consult a physician if necessary. Most Important Symptoms/Effects, Acute and Delayed Most Important Symptoms/Effects No information available Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon Dioxide (CO₂). Dry Chemical. Foam. Water Fog.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions:	Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.	
Environmental Precautions		
Environmental Precautions:	See Section 12 for additional Ecological Information	
Methods and Materials for Containment and Cleaning Up		
Methods for Containment:	Prevent further leakage or spillage if safe to do so.	
Methods for Cleaning Up:	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.	

7. HANDLING AND STORAGE		
Precautions for Safe Handling		
Handling:	Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact v skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling.	
Conditions for Safe Storage, Includi	ng Any Incompatibilities	
Storage:	Keep container tightly closed	
Incompatible Products:	Strong oxidizing agents. Acids.	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Asphalt 8052-42-4	TWA: 0.5 mg/m ³ benzene soluble aerosol fume, inhalable fraction	-	Ceiling: 5 mg/m³ fume 15 min.
Kaolin 1332-58-7	-	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA 5 mg/m ³ respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable dust

Appropriate Engineering Controls

Engineering Measures:	Showers
	Eyewash Stations
	Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: Skin and Body Protection: Respiratory Protection:	If splashes are likely to occur, wear: Safety glasses with side shields. Impervious gloves. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: Odor:	Liquid Asphaltic		Appearance: Odor Threshold:	Black No Information Available
Property pH Melting Point/Ran Boiling Point/Boil Flash Point Evaporation Rate Flammability (soli Flammability Limi Upper flammat Lower flammat Vapor Pressure Vapor Density Specific Density Specific Density Water Solubility Solubility in other Partition coefficie Autoignition Tem Decomposition Tem	ing Range d, gas) ts in Air bility limit bility limit solvents nt: n-octanol/water perature	Values No data available No data available 100° C No data available No data available	Remark None kn None kn	own own own own own own own own own own
Flammable Prope	rties	Not Flammable		
Explosive Propert Oxidizing Propert		No data available No data available		
Other Information	1			
VOC Content		Less than 15 g/L		

	10. STABILITY AND REACTIVITY		
Reactivity:	No data available		
Chemical Stability:	Stable under recommended storage conditions.		
Possibility of Hazardous Reactions:	None under normal processing.		
Hazardous Polymerization:	Hazardous polymerization does not occur.		
Conditions to Avoid:	None known		
Incompatible Materials:	Strong oxidizing agents. Acids.		

Hazardous Decomposition Products: Carbon Monoxide (CO), Carbon Dioxide (CO²), Hydrogen Sulfide, Nitrogen Dioxide

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation:	May cause irritation of respiratory tract.
Eye Contact:	Contact with eyes may cause irritation.
Skin Contact:	May cause irritation.
Ingestion:	Ingestion may cause stomach discomfort.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Asphalt	5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

Symptoms:

No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization: Mutagenic Effects: Carcinogenicity:	No informa The table The IARC, polycyclic shale oil a	ation available. ation available. below indicates whether eac NTP, and OSHA do not list aromatic hydrocarbons destr sphalts, and coal tars show o tal animals.	asphalt as a carcinogen. I over their carcinogenic pote	In general, the oxidation of ential. Petroleum asphalt,
Chaminal Nama			NTD	00114

Chemical Name	ACGIH	IARC	NTP	OSHA
Asphalt	A3	Group 2B	Reasonably Anticipated	Х

ACGIH: (American Conference of Governmental Industrial Hygienists) A3 – Animal Carcinogen IRAC: (International Agency for Research on Cancer) Group 2B – Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Reasonably Anticipated – Reasonably Anticipated to be a Human Carcinogen

OSHA: (Occupational Safety & Health Administration) X – Present

Reproductive Toxicity:	No information available.
STOT - Single Exposure:	No information available.
STOT – Repeated Exposure:	No information available.
Aspiration Hazard:	No information available.

Numerical Measures of Toxicity – Product

The following values are calculated based on Chapter 3.1 of the GHS document

LD50 Oral:	12542 mg/kg; Acute toxicity estimate
LD50 Dermal	6181 mg/kg, Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability: No information available.

Bioaccumulation

Chemical Name		Log Pow	
Asph	alt	6006	
Other Adverse Effects:	No information available.		
	13. DISPOSA	L CONSIDERATIONS	
Waste Disposal Methods:	ds: This material, as supplied, is not a hazardous waste according to Fede CFR 261). This material could become a hazardous waste if it is mixed comes in contact with a hazardous waste, if chemical additions are ma or if the material is processed or otherwise altered. Consult 40 CFR 26 whether the altered material is a hazardous waste. Consult the approp or local regulations for additional requirements.		
Contaminated Packaging:	Do not re-use empty conta	ainers.	
	14. TRANSPOR		

DOT:

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA – Complies **DSL/NDSL** – Complies

Legend TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Asphalt	8052-42-4	20-40	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65: This product does not contain any Proposition 65 chemicals.

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Asphalt	Х	Х	Х		Х
Kaolin	Х	Х	Х		Х
Carbon Black	Х	Х	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number:

Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-
<u>HMIS</u>	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X

Revision Date:	29-July-2015
Revision Note:	Supersedes 15-December-2014.

<u>General Disclaimer</u>

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.