

SAFETY DATA SHEET

Issuing Date 22-Feb-2016 Revision Date 31-Mar-2023

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier Product Name:

SealMaster Acrylic Traffic Paint- White

Other Means of Identification Product Code(s): Synonyms

M1200 None

Recommended Use of the Chemical and Restrictions on Use Recommended Use: No Information Available Uses Advised Against: No information Available

Supplier's Details Manufacturer Address ThorWorks Industries, Inc. 2520 S. Campbell St. Sandusky, OH 44870 www.sealmaster.net

<u>www.seaimaster</u> 1-800-326-1994

Emergency Telephone Number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Acute Oral Toxicity

Category 4

GHS Label Elements, Including Precautionary Statements

Emergency Overview

Signal Word • Harmful if swallowed	Warning	
Appearance: White	Physical State: Liquid	Odor: Mild
Precautionary Statements		
Prevention	 Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink, or smoke when using this product. 	
General Advice Ingestion	 None If SWALLOWED; Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth 	

Page 1

 Storage
 • None

 Disposal
 • Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Calcium Carbonate	1317-65-3	20-60	*
Methyl Alcohol	67-56-1	1-5	*
Titanium Dioxide	13463-67-7	1-40	*
Texanol	25265-77-4	1-5	*

*The exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of Necessary First-Aid Measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a	
	physician.	
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions, see a physician.	
Inhalation	Move to fresh air. If symptoms persist, call a physician.	
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.	

Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects No information available

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon Dioxide (CO₂). Dry Chemical. Foam. Water Spray. Water Fog.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available

Explosion Data	
Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precaut	ions, Protective Equipment, and Emergency Procedures Personal
Precautions:	Use personal protective equipment.

Environmental Precautions

Environmental Precautions:

See Section 12 for additional Ecological Information. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

Methods and Materials for Containment and Cleaning Up

Methods for Containment:	Prevent further leakage or spillage if safe to do so.	
Methods for Cleaning Up:	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled	
	containers. Clean contaminated surface thoroughly.	

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling. Conditions for Safe Storage, Including Any Incompatibilities

Storage:	Keep container tightly closed	Keep container tightly closed		
Incompatible Products:	Strong oxidizing agents. Strong Bases.			
	8. EXPOSURE CONTROLS / PERSONAL PROTECTION			

<u>Control Parameters</u> Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate 1317-65-3	-	TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³	TWA: 5 mg/m³ respirable dust TWA 10 mg/m³ total dust
Methyl Alcohol 67-56- 1	STEL = 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

Appropriate Engineering Controls

Engineering Measures:

Showers Eyewash Stations Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

Information on Dasis Division and Chaminal Dranautics

Eye/Face Protection: Skin and Body Protection: Respiratory Protection:	If splashes are likely to occur, wear: Safety glasses with side shields. Impervious gloves. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
--	---

Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on B	asic Physical an	d Chemical Properties			
Physical State:	Liquid		Appearance:	White	
Odor:	Mild		Odor Threshold:	No Information Available	
Property		<u>Values</u>	<u>Remarks</u>	s/Method	
рН		No data available	None kn	own	
Melting Point/Rai	nge	No data available	None kn	own	
Boiling Point/Boiling Range		100° C	None kn	None known	
Flash Point		No data available	None kn	own	
Evaporation Rate		No data available	None known		
Flammability (solid, gas)		No data available	None known		
Flammability Lim	its in Air				
Upper flamma	bility limit	No data available			
Lower flamma	bility limit	No data available			
Vapor Pressure		No data available	None kn	own	
Vapor Density		No data available	None kn	own	

Specific Density	1.39 @ 77 F
Water Solubility	Easily dispersible
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Flammable Properties	Not Flammable
Explosive Properties	No data available
Oxidizing Properties	No data available
VOC Content	<100 g/l

None known None known None known None known None known None known

10. STABILITY AND REACTIVITY

Reactivity:No data availableChemical Stability:Stable under recommended storage conditions.Possibility of Hazardous Reactions:None under normal processing.Hazardous Polymerization:Hazardous polymerization does not occur.Conditions to Avoid:Incompatible products.Incompatible Materials:Strong oxidizing agents. Strong bases.Hazardous Decomposition Products:Carbon Monoxide (CO), Carbon Dioxide (CO²), and unburned hydrocarbons (smoke)

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation:May cause irritation of respiratory tract.Eye Contact:Contact with eyes may cause irritation.Skin Contact:May cause irritation.Ingestion:Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Methyl Alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	83.2 mg/L (Rat) 4h
			64000 ppm (Rat) 4h
Texanol	3200 mg/kg (Rat)	-	3.55 mg/L (Rat) 6h

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics Symptoms: No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

 Sensitization:
 No information available. Mutagenic

 Effects:
 No information available.

 Carcinogenicity:
 The table below indicates whether each agency

 This product contains crystalling silica (quartz) & 1

The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains crystalline silica (quartz) & Titanium Dioxide in a non-respirable form. Inhalation of either material is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide		Group 2B		

IRAC: (International Agency for Research on Cancer)

Group 2B – Possibly Carcinogenic to Humans

le.
le.
le. le.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methyl Alcohol 67-56-1		LC50 96 h: 13500-17600 mg/L flowthrough (Lepomis macrochirus) LC50 96 h: 18-20 ml/L static (Oncorhynchus mykiss) LC50 96 h: = 19500-20700 mg/L flowthrough (Oncorhynchus mykiss) LC50 96 h: = 28200 mg/L flow-through (Pimephales promelas) LC50 96 h: = 100 mg/L static (Pimephales promelas)	EC50 = 10000 mg/L 16h EC50 = 620 mg/L 30 min. EC50 = 620.0 mg/L 30 min.	

Persistence and Degradability:	No information available.
Bioaccumulation:	No information available
Other Adverse Effects:	No information available.

13. DISPOSAL CONSIDERATIONS

US EPA Waste Number:

Chemical Name	RCRA	RCRA- Basis for Listing	RCRA D-Series Wastes	RCRA U-Series Waste
Methyl Alcohol		Included in the waste		U154
		stream: F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste
Methyl Alcohol	Toxic, Ignitable

14. TRANSPORTATION INFORMATION

DOT:

Not regulated

15. REGULATORY INFORMATION

International Inventories TSCA – Complies DSL/NDSL – Complies

Page 5

Legend TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Methyl Alcohol	67-56-1	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances Extremely Hazardous RQs Substances RQs		RQ
Methyl Alcohol	5000 lb.		RQ 5000 lb. final RQ
			RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65: None

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcium Carbonate	Х	Х	Х	-	Х
Methyl Alcohol	Х	Х	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number:

Not applicable

	16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-	
<u>HMIS</u>	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X	
Revision Date: Revision Note:	31-Mar-2023 22-Feb-2016				

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.