

Issuing Date 22-Feb-2016

# SAFETY DATA SHEET

**Revision Number** 0

Odor: Mild

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**Revision Date** 

<u>GHS Product Identifier</u> Product Name:	Handicap Blue Traffic Paint
<u>Other Means of Identification</u> Product Code(s): Synonyms	<b>M1230</b> None
Recommended Use of the Chemical a Recommended Use: Uses Advised Against:	and Restrictions on Use No Information Available No information Available
Supplier's Details Manufacturer Address ThorWorks Industries, Inc. 2520 S. Campbell St. Sandusky, OH 44870 www.sealmaster.net 1-800-326-1994	
Emergency Telephone Number	Chemtrec 1-800-424-9300
	2. HAZARDS IDENTIFICATION
<u>Classification</u>	
This product is considered hazardou	s according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).
Acute Oral Toxicity	Category 4
GHS Label Elements, Including Preca	autionary Statements
	Emergency Overview
Signal Word Wa ● Harmful if swallowed	rning

Physical State: Liquid **Precautionary Statements** • Wash face, hands, and any exposed skin thoroughly after handling. Prevention • Do not eat, drink, or smoke when using this product. **General Advice**  None • If SWALLOWED; Call a POISON CENTER or doctor/physician if you feel unwell. • Rinse mouth None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Appearance: Blue

Ingestion

Storage

Disposal

• Dispose of contents/container to an approved waste disposal plant.

### **COMPOSITION/INFORMATION ON INGREDIENTS** 3.

Chemical Name	CAS Number	Weight %	Trade Secret
Calcium Carbonate	1317-65-3	20-60	*
Methyl Alcohol	67-56-1	1-5	*
Titanium Dioxide	13463-67-7	1-40	*
Texanol	25265-77-4	1-5	*

nct percentage of composition has been withheid as a trade secret.

### 4. FIRST AID MEASURES

### **Description of Necessary First-Aid Measures**

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a
physician.
Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic
reactions, see a physician.
Move to fresh air. If symptoms persist, call a physician.
Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an
unconscious person. Consult a physician if necessary.

Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects No information available

### Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

### 5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Carbon Dioxide (CO<sub>2</sub>). Dry Chemical. Foam. Water Spray. Water Fog.

### Unsuitable Extinguishing Media None

### Specific Hazards Arising from the Chemical

No information available

### Explosion Data

Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES	
Personal Precautions Protective F	quipment, and Emergency Procedures	
Personal Precautions:	Use personal protective equipment.	
Environmental Precautions Environmental Precautions:	See Section 12 for additional Ecological Information. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.	
Methods and Materials for Contain	ment and Cleaning Up	
Methods for Containment: Methods for Cleaning Up:	Prevent further leakage or spillage if safe to do so. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.	
	7. HANDLING AND STORAGE	
Precautions for Safe Handling	Llandle is accordance with good industrial bugins and offer practice. Avoid contact with	
Handling:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Do not eat, drink, or smoke	
when using this product. Wash thoroughly after handling. Conditions for Safe Storage, Including Any Incompatibilities		
Storage: Incompatible Products:	Keep container tightly closed Strong oxidizing agents. Strong Bases.	

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### <u>Control Parameters</u> Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate 1317-65-3	-	TWA: 15 mg/m³ TWA: 5 mg/m³ (vacated) TWA: 15 mg/m³ (vacated) TWA: 5 mg/m³	TWA: 5 mg/m³ respirable dust TWA 10 mg/m³ total dust
Methyl Alcohol 67-56-1	STEL = 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

### Appropriate Engineering Controls Engineering Measures:

Showers Eyewash Stations Ventilation Systems

### Individual Protection Measures, such as Personal Protective Equipment

Skin and Body Protection:	If splashes are likely to occur, wear: Safety glasses with side shields. Impervious gloves. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
---------------------------	---

Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and C Physical State: Liquid Odor: Mild	hemical Properties	Appearance: Odor Threshold:	Blue No Information Available
<u>Property</u> pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (solid, gas)	Values No data available No data available 100° C No data available No data available No data available	None kn None kn None kn None kn None kn	own own own own
Flammability Limits in Air Upper flammability limit Lower flammability limit Vapor Pressure Vapor Density Specific Density Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Flammable Properties Explosive Properties Oxidizing Properties VOC Content	No data available No data available No data available No data available 1.34 @ 77 F Easily dispersible No data available No data available	None known None known None known None known None known None known None known None known None known	

## **10. STABILITY AND REACTIVITY**

Reactivity:
Chemical Stability:
Possibility of Hazardous Reactions:
Hazardous Polymerization:

No data available Stable under recommended storage conditions. None under normal processing. Hazardous polymerization does not occur.

- Page 3 -

### 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

Product Information	
Inhalation:	May cause irritation of respiratory tract.
Eye Contact:	Contact with eyes may cause irritation.
Skin Contact:	May cause irritation.
Ingestion:	Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Methyl Alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	83.2 mg/L (Rat) 4h 64000 ppm (Rat) 4h
Texanol	3200 mg/kg (Rat)	-	3.55 mg/L (Rat) 6h

# Symptoms Related to the Physical, Chemical, and Toxicological Characteristics Symptoms: No information available.

### Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization:	No information available.
Mutagenic Effects:	No information available.
Carcinogenicity:	The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains crystalline silica (quartz) & Titanium Dioxide in a non-respirable form. Inhalation of either material is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide		Group 2B		

### IRAC: (International Agency for Research on Cancer)

Group 2B – Possibly Carcinogenic to Humans

Reproductive Toxicity:	No information available.
STOT - Single Exposure:	No information available.
STOT – Repeated Exposure:	No information available.
Aspiration Hazard:	No information available.

### **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methyl Alcohol 67-56-1		LC50 96 h: 13500-17600 mg/L flow- through (Lepomis macrochirus) LC50 96 h: 18-20 ml/L static (Oncorhynchus mykiss) LC50 96 h: = 19500-20700 mg/L flow- through (Oncorhynchus mykiss) LC50 96 h: = 28200 mg/L flow-through (Pimephales promelas) LC50 96 h: = 100 mg/L static (Pimephales promelas)	EC50 = 10000 mg/L 16h EC50 = 620 mg/L 30 min. EC50 = 620.0 mg/L 30 min.	

Persistence and Degradability:No information available.Bioaccumulation:No information available

Other Adverse Effects: No information available.

 Waste Disposal Methods:
 This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

 Contaminated Packaging:
 Do not re-use empty containers.

 US EPA Waste Number:
 U154

**13. DISPOSAL CONSIDERATIONS** 

 
 Chemical Name
 RCRA
 RCRA- Basis for Listing
 RCRA D-Series Wastes
 RCRA U-Series Waste

 Methyl Alcohol
 Included in the waste stream: F039
 U154

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste
Methyl Alcohol	Toxic, Ignitable

### 14. TRANSPORTATION INFORMATION

DOT:

Not regulated

### **15. REGULATORY INFORMATION**

### International Inventories

TSCA – Complies DSL/NDSL – Complies

### Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Methyl Alcohol	67-56-1	1-5	1.0

### SARA 311/312 Hazard Categories

### Clean Water Act

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Methyl Alcohol	5000 lb.		RQ 5000 lb. final RQ RQ 2270 kg final RQ

### U.S. State Regulations

California Proposition 65: None

U.S. State Right-To-Know Regulations "X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcium Carbonate	Х	Х	Х	-	Х
Methyl Alcohol	Х	Х	Х	Х	Х

### U.S. EPA Label Information

EPA Pesticide Registration Number:		Not applicable			
		16. OTHER INF	ORMATION		
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-	
HMIS	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X	
Povicion Data:	22 Eab 2016				

Revision Date:	22-Feb-2016
Revision Note:	No information available

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.