

SAFETY DATA SHEET

Issuing Date 15-Dec-2014 Revision Date 17-Apr-2023 Revision Number 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier

Product Name: PatchMaster Pothole Patch

Other Means of Identification

Product Code(s): M1150 Synonyms None

Recommended Use of the Chemical and Restrictions on Use

Recommended Use: No Information Available Uses Advised Against: No information Available

Supplier's Details
Manufacturer Address
ThorWorks Industries, Inc.

2520 S. Campbell St.

Sandusky, OH 44870 <u>www.sealmaster.net</u>

1-800-326-1994

Emergency Telephone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This product is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label Elements, Including Precautionary Statements

Emergency Overview

Signal Word	Warning		
	Harmful if swallowed		
Appearance: Black	Physical S	State: Liquid/Solid Mix	Odor: Hydrocarbon

Precautionary Statements

Prevention •None

General Advice •None Storage

•Store in a well-ventilated place.

• Disposal • Dispose of according to the appropriate state, regional, or local regulations. See Section 13.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Page 1

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Limestone	1317-65-3	80-98	*
Asphalt	8052-42-4	2-10	*
Fuels, Diesel, No. 2	68476-34-6	<3	*
Additives	N/A	<3	*

^{*}The exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of Necessary First-Aid Measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin Contact Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic

reactions, see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects No information available

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon Dioxide (CO₂). Dry Chemical. Foam. Water Fog.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may scatter and spread fire.

Specific Hazards Arising from the Chemical

Fire may produce corrosive, irritating and/or toxic gases.

Explosion Data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment.

Environmental Precautions

Environmental Precautions: See Section 12 for additional Ecological Information

Methods and Materials for Containment and Cleaning Up

Methods for Containment: Prevent further spillage if safe to do so.

Methods for Cleaning Up: Collect spillage. Pick up and transfer to properly labeled containers. Clean contaminated surface

thoroughly. Do not contaminate water.

Page	2

7. HANDLING AND STORAGE

Precautions for Safe Handlin

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after

handling. Do not heat above 120° F when using.

Including Any Incompatibilities

Storage: Keep container tightly closed. Store away from incompatible materials. Incompatible

Products: Strong oxidizing agents. Acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

Chemical Name ACGIH TLV		OSHA PEL	NIOSH IDLH
Asphalt 8052-42- 4	TWA: 0.5 mg/m³ benzene soluble aerosol fume, inhalable fraction	-	Ceiling: 5 mg/m³ fume 15 min.
Fuels, Diesel, No. 2 68476- 34-6	TWA: 100 mg/m ³ Inhalable fraction and vapor	-	-

Appropriate Engineering Controls

Engineering Measures: Showers

Eyewash Stations Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment Eye/Face Protection:

Safety glasses with

side shields.

Skin and Body Protection: Impervious gloves.

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice. Do not smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

 Physical State:
 Liquid/Solid Mix
 Appearance:
 Black

 Odor:
 Hydrocarbon
 Odor Threshold:
 No Information Available

Property Values Remarks/Method

pHNo data availableNone knownMelting Point/RangeNo data availableNone knownBoiling Point/Boiling Range200° CNone knownFlash Point>200° FCleveland Open Cup

Evaporation Rate No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

Upper flammability limit No data available Lower flammability limit No data available

Vapor PressureNo data availableNone knownVapor DensityNo data availableNone knownSpecific Density2.433

Solubility

No data available

None known

Partition coefficient: n-octanol/water No data available

None known

Page 3

Autoignition TemperatureNo data availableNone knownDecomposition TemperatureNo data availableNone knownViscosityNo data availableNone known

Flammable Class

Explosive PropertiesNo data availableOxidizing PropertiesNo data availableVOC ContentLess than 100 g/l

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: Heat, Sparks, Flame. Avoid high temperatures.

Incompatible Materials: Strong oxidizing agents. Acids.

Hazardous Decomposition Products: Carbon Monoxide (CO), Carbon Dioxide (CO2), Hydrogen Sulfide, Nitrogen Dioxide

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation: Inhalation of fumes/vapors may cause irritation of respiratory tract.

Eye Contact: Contact with eyes may cause irritation.

Skin Contact: May cause irritation.

Ingestion: Ingestion may cause stomach discomfort.

Chemical Name	Chemical Name LD50 Oral		LD50 Inhalation	
Asphalt	Asphalt 5000 mg/kg (Rat)		-	

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

Symptoms: No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization: No information available. Mutagenic Effects:

No information available.

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

The IARC, NTP, and OSHA do not list asphalt as a carcinogen. In general, the oxidation of polycyclic aromatic hydrocarbons destroys their carcinogenic potential. Petroleum asphalt, shale oil asphalts, and coal tars show distinct variation in their relative carcinogenicity for

experimental animals.

Chemical Name	ACGIH	IARC	NTP	OSHA
Asphalt	А3	Group 2B	Reasonably Anticipated	Х
Fuels, Diesel, No. 2		Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IRAC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 – Not Classifiable as to Carcinogenicity to Humans

NTP: (National Toxicity Program)

Reasonably Anticipated – Reasonably Anticipated to be a Human Carcinogen OSHA:

(Occupational Safety & Health Administration)

X - Present

Page 4

Reproductive Toxicity: No information available.
STOT - Single Exposure: No information available.
STOT - Repeated Exposure: No information available.
Aspiration Hazard: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product has no know eco-toxicological effects.

Persistence and Degradability: No information available.

Bioaccumulation

Chemical Name	Log Pow
Asphalt	6.006

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods:

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional,

or local regulations for additional requirements.

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORTATION INFORMATION

DOT: Not regulated

15. REGULATORY INFORMATION

International Inventories TSCA

- Complies

DSL/NDSL - Complies

Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Safe Drinking Water Act (SDWA) Not Regulated

CERCLA

P	ag	e	5

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65: This product does not contain any Proposition 65 chemicals.

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Limestone	Х	Х	X		X
Asphalt	Х	X	X		X
Fuels, Diesel, No. 2	Х		Х		

U.S. EPA Label Information

EPA Pesticide Registration Number: Not applicable

16. OTHER INFORMATION

NFPA Health Hazard: 1 Flammability: 1 Instability: 0 Physical and Chemical Hazards-

HMISHealth Hazard: 1Flammability: 1Physical Hazard: 0PersonalProtection: X

Revision Date: 17-Apr-2023

Revision Note: Supersedes 8-Nov-2021

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.