



Issuing Date 13-Oct-20	16 Revision Date 3-Aug-201	8 Revision Number 1
1. IDENTIFICA	TION OF THE SUBSTANCE/PREPARATION	AND THE COMPANY/UNDERTAKING
GHS Product Identifier		
Product Name:	Coal Tar Ultra	
Other Means of Identification		
Product Code(s):	S1001	
Synonyms	None	
Recommended Use of the Che	emical and Restrictions on Use	
Recommended Use:	No Information Available	
Jses Advised Against:	No Information Available	
Supplier Address	Manufacturer Address	
SealMaster	SealMaster	
Locations Nationwide	Locations Nationwide	
www.sealmaster.net	www.sealmaster.net	
1-800-341-7325	1-800-341-7325	
Emergency Telephone Numbe	r Chemtrec 1-800-424-9300	
	2. HAZARDS IDENTIFICA	TION
Classification		
Carcinogenicity		Category 1B
		Category 15
GHS Label Elements, Includin	g Precautionary Statements	
	Emergency Overview	
Signal Word	Danger	
-		
May cause cancer		
<ul> <li>Harmful if swallowed</li> <li>May cause skin irritation</li> </ul>		
• May cause skin initation		

Appearance: Black Odor

Physical State: Liquid

Odor: Coal Tar

**Precautionary Statements** 

Prevention

- Obtain special instructions before use. • Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
  Inhalation:
   May cause irritation of respiratory tract.
  Eye Contact:
   Contact with eyes may cause irritation. May cause irritation. Ingestion may cause stomach discomfort. Skin Contact: Ingestion:

Page 1 -

**General Advice** • If exposed or concerned: Get medical attention/advice. Storage

• Store locked up.

• Dispose of contents/container to an approved waste disposal plant.

# Hazard Not Otherwise Classified (HNOC)

Disposal

Not applicable

## **COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS Number	Weight %	Trade Secret
Coal Tar Pitches	65996-93-2	20-40	*
Quartz	14808-60-4	<20	*
Kaolin	1332-58-7	10-30	*
Bentonite	1302-78-9	<10	*

\*The exact percentage of composition has been withheld as a trade secret.

3.

#### 4. **FIRST AID MEASURES**

Description of Necessary I	First-Aid Measures
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions, see a physician.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

# Most Important Symptoms/Effects, Acute and Delayed

#### Most Important Symptoms/Effects No information available

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

# 5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Carbon Dioxide (CO<sub>2</sub>). Dry Chemical. Foam. Water Fog.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific Hazards Arising from the Chemical

No information available

### **Explosion Data**

Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

#### ACCIDENTAL RELEASE MEASURES 6.

Personal Precautions, Protective Eq	uipment, and Emergency Procedures
Personal Precautions:	Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.
Environmental Precautions Environmental Precautions:	See Section 12 for additional Ecological Information.
Methods and Materials for Containm	ent and Cleaning Up
Methods for Containment:	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up:	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

Precautions for Safe Handling Handling:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities			
Storage: Keep container tightly closed			
Incompatible Products: Strong oxidizing agents. Acid			

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control Parameters Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Coal Tar Pitches 65996-93-2	TWA: 0.2 mg/m³benzene soluble aerosol	TWA: 0.2 mg/m <sup>3</sup> benzene soluble fraction (vacated) TWA: 0.2 mg/m <sup>3</sup> benzene soluble fraction	IDLH: 80 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Cyclohexane-extractable fraction
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	30/(%SiO2+2) mg/m <sup>3</sup> TWA, Total Dust; 250/(%SiO2+5) mppcf TWA, respirable fraction; 10/(%SiO2+2) mg/m <sup>3</sup> TWA, respirable TWA: 0.1 mg/m <sup>3</sup> (vacated)	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust
Kaolin 1332-58-7	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA 5 mg/m <sup>3</sup> respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Bentonite 1302-78-9	TWA 1 mg/m <sup>3</sup> respirable fraction	-	-

### **Appropriate Engineering Controls**

Engineering Measures:

Showers Eyewash Stations Ventilation Systems

 Individual Protection Measures, such as Personal Protective Equipment

 Eye/Face Protection:
 If splashes are likely to occur, wear: Safety glasses with side shields.

 Skin and Body Protection:
 Impervious gloves.

 Respiratory Protection:
 No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

 Hygiene Measures:
 Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Ba Physical State: Odor:	asic Physical and ( Liquid Coal Tar Odor	Chemical Properties	Appearance: Odor Threshold:	Black No Information Available
Property pH Melting Point/Rar Boiling Point/Boil Flash Point Evaporation Rate Flammability (sol Flammability Lim Upper flammal Lower flamma	ing Range id, gas) its in Air bility limit	Values No data available No data available 100° C No data available No data available No data available No data available	<b>Remark:</b> None kn None kn None kn None kn None kn	own own own own

Vapor Pressure	No data available
Vapor Density	No data available
Specific Density	1.08-1.32 @ 77 F
Water Solubility	Easily dispersible
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Flammable Properties	Not Flammable
Explosive Properties	No data available
Oxidizing Properties	No data available
VOC Content	No data available

None known None known

### **10. STABILITY AND REACTIVITY**

**Reactivity:** No data available **Chemical Stability:** Stable under recommended storage conditions. Possibility of Hazardous Reactions: None under normal processing. Hazardous Polymerization: Hazardous polymerization does not occur. Conditions to Avoid: **Incompatible Materials:** 

# Incompatible Products. Strong oxidizing agents. Acids. Hazardous Decomposition Products: Carbon Oxides, Nitrogen Oxides (NOx), Sulfur Oxides

# **11. TOXICOLOGICAL INFORMATION**

### Information on Likely Routes of Exposure

Product Information	
Inhalation:	May cause irritation of respiratory tract.
Eye Contact:	Contact with eyes may cause irritation.
Skin Contact:	May cause irritation.
Ingestion:	Ingestion may cause stomach discomfort.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Bentonite	>5000 mg/kg (Rat)	-	-
Quartz	500 mg/kg (Rat)		

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics Symptoms: No information available.

### Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization: Mutagenic Effects: Carcinogenicity:

### No information available. No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. The IARC, NTP, and OSHA do not list asphalt as a carcinogen. In general, the oxidation of polycyclic aromatic hydrocarbons destroys their carcinogenic potential. Petroleum asphalt, shale oil asphalts, and coal tars show distinct variation in their relative carcinogenicity for experimental animals. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Coal Tar Pitches	A1	Group 1	Known	Х
Quartz	A2	Group 1	Known	Х

### ACGIH: (American Conference of Governmental Industrial Hygienists) A1 – Known Human Carcinogen A2 - Suspected Human Carcinogen IRAC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen **OSHA:** (Occupational Safety & Health Administration) X - Present **Reproductive Toxicity:** No information available. STOT - Single Exposure: No information available. STOT - Repeated Exposure: No information available.

Aspiration Hazard: No information available.

### Numerical Measures of Toxicity - Product

The following values are calculated based on Chapter 3.1 of the GHS document

LD50 Oral:

75299 mg/kg; Acute toxicity estimate

## **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Bentonite 1302-78-9		LC50 96 h: 8.0-19.0 g/L (Salmo gairdneri) LC50 96 h: = 19000 mg/L static (Oncorhynchus mykiss)		

**12. ECOLOGICAL INFORMATION** 

### Persistence and Degradability:

No information available.

**Bioaccumulation** 

Chemical Name	Log Pow
Coal Tar Pitches	6.04

**Other Adverse Effects:** 

No information available.

13. DISPOSAL CONSIDERATIONS		
Waste Disposal Methods:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.	
Contaminated Packaging:	Do not re-use empty containers.	
14. TRANSPORTATION INFORMATION		
DOT:	Netropulated	

DOT:

Not regulated

## **15. REGULATORY INFORMATION**

### International Inventories

TSCA – Complies **DSL/NDSL** – Complies

Legend TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

# U.S. State Regulations

California Proposition 65:

Chemical Name	CAS Number	California Prop. 65
Quartz	14808-60-7	Carcinogen

### U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Coal Tar Pitches	Х	Х	Х	Х	
Quartz	Х	Х	Х	-	Х
Kaolin	Х	Х	Х		Х

# U.S. EPA Label Information

EPA Pesticide Registration Number:

Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-
<u>HMIS</u>	Health Hazard: 1*	Flammability: 0	Physical Hazard: 0	Personal Protection: X

\*Indicates a chronic health hazard.

Revision Date:	3-Aug-2018
Revision Note:	No information available.

## General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.