SAFETY DATA SHEET

Issuing Date 23-June-2014 Revision Date 30-Sept-2016 **Revision Number** 2

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier

Product Name: Polymer Modified Coal Tar Sealer (PMCTS)

Other Means of Identification

Product Code(s): **Synonyms** None

Recommended Use of the Chemical and Restrictions on Use Recommended Use: No Information Available **Uses Advised Against:** No Information Available

Supplier Address Manufacturer Address

SealMaster SealMaster

Locations Nationwide Locations Nationwide www.sealmaster.net www.sealmaster.net 1-800-341-7325 1-800-341-7325

Emergency Telephone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Carcinogenicity Category 1B

GHS Label Elements, Including Precautionary Statements

Emergency Overview

Signal Word

- Danger
- May cause cancer
- Harmful if swallowed • May cause skin irritation



Physical State: Liquid Odor: Coal Tar Appearance: Black Odor

Precautionary Statements

Prevention

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.

• Use personal protective equipment as required.

Inhalation: May cause irritation of respiratory tract. Eye Contact: Contact with eyes may cause irritation.

Skin Contact: May cause irritation.

Ingestion: Ingestion may cause stomach discomfort. General Advice • If exposed or concerned: Get medical attention/advice.

Storage • Store locked up.

• Disposal • Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Coal Tar Pitches	65996-93-2	20-40	*
Kaolin	1332-58-7	10-30	*
Bentonite	1302-78-9	<10	*

^{*}The exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of Necessary First-Aid Measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic

reactions, see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects No information available

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon Dioxide (CO₂). Dry Chemical. Foam. Water Fog.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment.

Environmental Precautions

Environmental Precautions: See Section 12 for additional Ecological Information

Methods and Materials for Containment and Cleaning Up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up: Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Storage: Keep container tightly closed Incompatible Products: Strong oxidizing agents. Acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Control Parameters</u> Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Coal Tar Pitches 65996-93-2	TWA: 0.2 mg/m³benzene soluble aerosol	TWA: 0.2 mg/m³benzene soluble fraction (vacated) TWA: 0.2 mg/m³benzene soluble fraction	IDLH: 80 mg/m³ TWA: 0.1 mg/m³ Cyclohexane-extractable fraction
Kaolin 1332-58-7	-	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA 5 mg/m³ respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Bentonite 1302-78-9	TWA 1 mg/m³ respirable fraction	-	-

Appropriate Engineering Controls

Engineering Measures:

Showers

Eyewash Stations Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: If splashes are likely to occur, wear: Safety glasses with side shields.

Skin and Body Protection: Impervious gloves.

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: Liquid Appearance: Black

Odor: Coal Tar Odor Odor Threshold: No Information Available

Property
pHValues
No data availableRemarks/Method
None knownMelting Point/RangeNo data availableNone known

Boiling Point/Boiling Range 100° C None known

Flash Point No data available None known Evaporation Rate No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

Upper flammability limit

Lower flammability limit

No data available

No data available

Vapor Pressure No data available None known Vapor Density No data available None known Specific Density 1.17 @ 77 F None known Water Solubility Easily dispersible None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known

 Autoignition Temperature
 No data available
 None known

 Decomposition Temperature
 No data available
 None known

 Viscosity
 No data available
 None known

Flammable Properties
Explosive Properties
Oxidizing Properties
VOC Content

Not Flammable
No data available
No data available
Less than 50 g/l

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: Incompatible Products.

Incompatible Materials: Strong oxidizing agents. Acids.

Hazardous Decomposition Products: Carbon Oxides, Nitrogen Oxides (NOx), Sulfur Oxides

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation:May cause irritation of respiratory tract.Eye Contact:Contact with eyes may cause irritation.

Skin Contact: May cause irritation.

Ingestion: Ingestion may cause stomach discomfort.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Bentonite	>5000 mg/kg (Rat)	-	-

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

Symptoms: No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization: No information available.

Mutagenic Effects: No information available.

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

The IARC, NTP, and OSHA do not list asphalt as a carcinogen. In general, the oxidation of polycyclic aromatic hydrocarbons destroys their carcinogenic potential. Petroleum asphalt, shale oil asphalts, and coal tars show distinct variation in their relative carcinogenicity for

experimental animals.

Chemical Name	ACGIH	IARC	NTP	OSHA
Coal Tar Pitches	A1	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 – Known Human Carcinogen

IRAC: (International Agency for Research on Cancer)

Group 1 – Carcinogenic to Humans NTP: (National Toxicity Program) Known – Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity: No information available.
STOT - Single Exposure: No information available.
STOT - Repeated Exposure: No information available.
Aspiration Hazard: No information available.

Numerical Measures of Toxicity - Product

The following values are calculated based on Chapter 3.1 of the GHS document

LD50 Oral: 75299 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Bentonite 1302-78-9		LC50 96 h: 8.0-19.0 g/L (Salmo gairdneri) LC50 96 h: = 19000 mg/L static (Oncorhynchus		

Persistence and Degradability:

No information available.

Bioaccumulation

Chemical Name	Log Pow
Coal Tar Pitches	6.04

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional,

or local regulations for additional requirements.

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORTATION INFORMATION

DOT: Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA - Complies DSL/NDSL - Complies

<u>Legend</u>
TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard No **Chronic Health Hazard** Yes Fire Hazard No **Sudden Release of Pressure Hazard** Nο **Reactive Hazard** No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65: This product does not contain any Proposition 65 chemicals.

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Coal Tar Pitches	X	X	X	X	
Kaolin	X	X	X		X

U.S. EPA Label Information

EPA Pesticide Registration Number: Not applicable

	INFORMATION	

NFPA Health Hazard: 1 Flammability: 0 Instability: 0 Physical and Chemical Hazards-HMIS Health Hazard: 1* Flammability: 0 Physical Hazard: 0 Personal Protection: X

Revision Date: 30-Sept-2016

Revision Note: Supersedes 29-July-2015

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

^{*}Indicates a chronic health hazard.