SAFETY DATA SHEET



Issuing Date 9-April-2015

Revision Date 3-AUG-2016

Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier Product Name:

Asphalt Binder

Other Means of Identification Product Code(s): Synonyms

M1140 None

Recommended Use of the Chemical and Restrictions on UseRecommended Use:No Information AvailableUses Advised Against:No Information Available

Manufacturer's Details Manufacturer Address ThorWorks Industries, Inc. 2520 S. Campbell St. Sandusky, OH 44870 www.sealmaster.net

1-800-326-1994

Emergency Telephone Number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This product is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label Elements, Including Precautionary Statements

		Emergency Overview	
Signal Word	Warning nful if swallowed		
Appearance: Black	r cause skin irritation	Physical State: Mastic	Odor: Asphaltic
••		2	•
Precautionary Statements			
••	Inhalation:	May cause irritation of respiratory tract.	
Precautionary Statements	Inhalation: Eye Contact:	Contact with eyes may cause irritation.	· · · ·
Precautionary Statements	Inhalation: Eye Contact: Skin Contact:	Contact with eyes may cause irritation. May cause irritation.	
Precautionary Statements Prevention	Inhalation: Eye Contact: Skin Contact: Ingestion:	Contact with eyes may cause irritation.	·
recautionary Statements Prevention General Advice	Inhalation: Eye Contact: Skin Contact: Ingestion: •None	Contact with eyes may cause irritation. May cause irritation. Ingestion may cause stomach discomfort.	
Precautionary Statements Prevention	Inhalation: Eye Contact: Skin Contact: Ingestion: •None • Keep container tight	Contact with eyes may cause irritation. May cause irritation. Ingestion may cause stomach discomfort.	

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

			-	
Chemical Name	CAS Number	Weight %	Trade Secret	
Asphalt *The exact percentage of compose	8052-42-4 ition has been withheld as a tra	50-70	*	
*The exact percentage of composition has been withheld as a trade secret.				
	4. FIRS	ST AID MEASURES		
Description of Necessary First-	Aid Measures			
Eye Contact		enty of water, also under the eye	elids. If symptoms persist, call a	
Skin Contact	Wash off immediately w reactions, see a physicia		the case of skin irritation or allergic	
Inhalation	Move to fresh air. If syn	nptoms persist, call a physician.		
Ingestion		o NOT induce vomiting. Never g onsult a physician if necessary.	give anything by mouth to an	
Most Important Symptoms/Effe	cts, Acute and Delayed			
Most Important Symptoms/Effe	cts No information available	•		
Indication of Immediate Medica	Attention and Special Treat	ment Needed, If Necessary		
Notes to Physician	Treat Symptomatically.	May cause sensitization by skin	contact.	
	5. FIRE-F	IGHTING MEASURES		
Suitable Extinguishing Media Carbon Dioxide (CO ₂). Dry Chemi	cal. Foam. Water Fog.			
Unsuitable Extinguishing Me	dia CAUTION: Use of water s	pray when fighting fire may be ir	nefficient.	
Specific Hazards Arising from t No information available	he Chemical			
Explosion Data Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None				
Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.				
	6. ACCIDENT	AL RELEASE MEASURES		
Personal Precautions, Protectiv	e Equipment, and Emergenc	y Procedures		
Personal Precautions:	Ensure adequate ventila protective equipment.	ation. Avoid contact with skin, ey	es and clothing. Use personal	
Environmental Precautions				
Environmental Precautions:	See Section 12 for addit	ional Ecological Information		
Methods and Materials for Containment and Cleaning Up				
Methods for Containment:	Prevent further leakage	or spillage if safe to do so.		
Methods for Cleaning Up:		nert absorbent material. Pick up aminated surface thoroughly.	and transfer to properly labeled	

7. HANDLING AND STORAGE

Precautions for Safe Handling Handling:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities			
Storage:	Keep container tightly closed		
Incompatible Products:	Strong oxidizing agents. Acids.		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Control Parameters</u> Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Asphalt 8052-42-4	TWA: 0.5 mg/m³ benzene soluble aerosol fume, inhalable fraction	-	Ceiling: 5 mg/m³ fume 15 min.

Appropriate Engineering Controls

Engineering Measures:

Showers Eyewash Stations Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: Skin and Body Protection:	If splashes are likely to occur, wear: Safety glasses with side shields. Impervious gloves.
Respiratory Protection:	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: Odor:	Liquid Asphaltic		Appearance Odor Thresh		Black No Information Available
<u>Property</u> pH Melting Point/Ran Boiling Point/Boili Flash Point Evaporation Rate Flammability (soli	ing Range d, gas)	Values No data available No data available 100° C No data available 1.8 No data available	No No No No	marks one kno one kno one kno one kno one kno one kno	wn wn wn wn
Flammability Limi Upper flammat Lower flammat Vapor Pressure Vapor Density Specific Density Water Solubility Solubility in other Partition coefficie Autoignition Tem Decomposition Tem Decomposition Tem Viscosity Flammable Propert Oxidizing Propert	solvents nt: n-octanol/water perature emperature rties	No data available No data available No data available <1 1.03 @ 77 F Easily dispersible No data available No data available	No No No No No No No	one kno one kno one kno one kno one kno one kno one kno	wn wn wn wn wn wn
Other Information VOC Content		No data available			

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	None under normal processing.
Hazardous Polymerization:	Hazardous polymerization does not occur.
Conditions to Avoid:	None known
Incompatible Materials:	Strong oxidizing agents. Acids.
Hazardous Decomposition Products	: Carbon Monoxide (CO), Carbon Dioxide (CO ²), Hydrogen Sulfide, Nitrogen Dioxide

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure Product Information

roduct information	
Inhalation:	May cause irritation of respiratory tract.
Eye Contact:	Contact with eyes may cause irritation.
Skin Contact:	May cause irritation.
Ingestion:	Ingestion may cause stomach discomfort.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Asphalt	5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics Symptoms: No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization:	No information available.		
Mutagenic Effects:	No information available.		
Carcinogenicity:	The table below indicates whether each agency has listed any ingredient as a carcinogen. The IARC, NTP, and OSHA do not list asphalt as a carcinogen. In general, the oxidation of polycyclic aromatic hydrocarbons destroys their carcinogenic potential. Petroleum asphalt, shale oil asphalts, and coal tars show distinct variation in their relative carcinogenicity for experimental animals.		

Chemical Name	ACGIH	IARC	NTP	OSHA
Asphalt	A3	Group 2B	Reasonably Anticipated	х

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 – Animal Carcinogen

IRAC: (International Agency for Research on Cancer)

Group 2B – Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Reasonably Anticipated – Reasonably Anticipated to be a Human Carcinogen

OSHA: (Occupational Safety & Health Administration)

X – Present

Reproductive Toxicity:	No information available.
STOT - Single Exposure:	No information available.
STOT – Repeated Exposure:	No information available.
Aspiration Hazard:	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability: Bioaccumulation

ability: No information available.

Chemical Name	Log Pow
Asphalt	6006
Other Advance Effects No information of	

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS					
Waste Disposal Methods:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.				
Contaminated Packaging: Do not re-use empty containers.					
14. TRANSPORTATION INFORMATION					
DOT:	Not regulated				
ICAO/IATA	Not regulated as a hazardous material or dangerous goods for transportation.				

15. REGULATORY INFORMATION

International Inventories

TSCA – Complies DSL/NDSL – Complies

<u>Legend</u>

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Asphalt	8052-42-4	20-40	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65:

This product does not contain any Proposition 65 chemicals.

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Asphalt	Х	Х	Х		Х

U.S. EPA Label Information

EPA Pesticide Registration Number: Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-
<u>HMIS</u>	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X
Revision Date: Revision Note:	3-AUG-2016 Supersedes 4-	-JAN-2016.		

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.