

# SAFETY DATA SHEET

Issuing Date 15-Dec-2014 Revision Date- N/A Revision Number- N/A

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS Product Identifier** 

Product Name: Light Green SportMaster Ready-Mix Color

**Other Means of Identification** 

Product Code(s): C1250 Synonyms None

Recommended Use of the Chemical and Restrictions on Use
Recommended Use:

No Information Available
Uses Advised Against:

No information Available

Supplier's Details

Manufacturer Address ThorWorks Industries, Inc. 2520 S. Campbell St. Sandusky, OH 44870

TEL: 800-326-1994 www.sealmaster.net

Emergency Telephone Number Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

## Classification

Acute Oral Toxicity Category 4

#### **GHS Label Elements, Including Precautionary Statements**

#### **Emergency Overview**

Signal Word

Harmful if swallowed

Warning



Appearance:GreenPhysical State:LiquidOdor:Mild

**Precautionary Statements** 

Prevention

• Wash face, hands, and any exposed skin thoroughly after handling.

• Do not eat, drink, or smoke when using this product.

General Advice

None

Ingestion

• If SWALLOWED; Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth

Storage

None

Disposal

• Dispose of contents/container to an approved waste disposal plant.

#### **Hazard Not Otherwise Classified (HNOC)**

Not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Quartz	14808-60-7	35-60	*
Chromium (III) Oxide	1308-38-9	0-10	*
Cellulose	9004-34-6	0-5	*
Ethylene Glycol	107-21-1	0-5	*

<sup>\*</sup>The exact percentage of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

**Description of Necessary First-Aid Measures** 

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

**Skin Contact** Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic

reactions, see a physician.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

**Ingestion** Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects No information available

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

#### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon Dioxide (CO<sub>2</sub>). Dry Chemical. Foam. Water Spray. Water Fog.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available

**Explosion Data** 

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

**Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protective equipment.

**Environmental Precautions** 

**Environmental Precautions:** See Section 12 for additional Ecological Information. Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

Methods and Materials for Containment and Cleaning Up

**Methods for Containment:** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up: Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

**Precautions for Safe Handling** 

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes, and clothing. Wear personal protective equipment. Do not eat, drink, or smoke

when using this product. Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Storage: Keep container tightly closed

**Incompatible Products:** Strong oxidizing agents. Strong Bases.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	30/(%SiO2+2) mg/m³ TWA, Total Dust; 250/(%SiO2+5) mppcf TWA, respirable fraction; 10/(%SiO2+2) mg/m³ TWA, respirable TWA: 0.1 mg/m³ (vacated)	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust
Chromium (III) Oxide 1308-38-9	TWA: 0.5 mg/m³ Cr	TWA: 0.5 mg/m³ Cr (vacated) TWA: 0.5 mg/m³ Cr	IDLH: 25 mg/m³ Cr (III) TWA: 0.5 mg/m³ Cr
Ethylene Glycol 107-21-1	Ceiling: 100 mg/m³ aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m³	-

**Appropriate Engineering Controls** 

Engineering Measures: Showers

Eyewash Stations Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection:** If splashes are likely to occur, wear: Safety glasses with side shields.

Skin and Body Protection: Impervious gloves.

**Respiratory Protection:** No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: Liquid Appearance: Green

Odor: Mild Odor Threshold: No Information Available

Property<br/>pHValues<br/>No data availableRemarks/Method<br/>None knownMelting Point/RangeNo data availableNone known

Boiling Point/Boiling Range 100° C None known

Flash Point No data available None known
Evaporation Rate No data available None known
Flammability (solid, gas) No data available None known

Flammability Limits in Air

Upper flammability limit
Lower flammability limit
No data available
No data available

**Vapor Pressure** No data available None known Vapor Density No data available None known **Specific Density** 1.321 @ 77 F None known Water Solubility Easily dispersible None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known None known

 Viscosity
 No data available

 Flammable Properties
 Not Flammable

 Explosive Properties
 No data available

 Oxidizing Properties
 No data available

VOC Content No data available

## 10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: Incompatible products.

Incompatible Materials: Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products: Carbon Monoxide (CO), Carbon Dioxide (CO2), and unburned hydrocarbons (smoke)

#### 11. TOXICOLOGICAL INFORMATION

## Information on Likely Routes of Exposure

**Product Information** 

Inhalation:May cause irritation of respiratory tract.Eye Contact:Contact with eyes may cause irritation.

**Skin Contact:** May cause irritation. **Ingestion:** Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Quartz	500 mg/kg (Rat)	-	-
Ethylene Glycol	4000 mg/kg (Rat)	9530 μL/kg (Rabbit)	-

## Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

**Symptoms:** No information available.

## Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization: No information available.

Mutagenic Effects: No information available.

**Carcinogenicity:** The table below indicates whether each agency has listed any ingredient as a carcinogen.

This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of

crystalline silica is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
Chromium (III) Oxide		Group 3		

## ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 – Suspected Human Carcinogen

IRAC: (International Agency for Research on Cancer)

Group 1 – Carcinogenic to Humans

Group 3 – Not Classifiable as to its Carcinogenicity to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity:
STOT - Single Exposure:
STOT - Repeated Exposure:
Aspiration Hazard:
No information available.
No information available.
No information available.

#### **Numerical Measures of Toxicity - Product**

The following values are calculated based on Chapter 3.1 of the GHS document

**LD50 Oral:** 1066 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
		LC50 96 h: 14-18 mL/L static	EC50 = 10000	
	EC50 96h: 6500-13000	(Oncorhynchus mykiss)	mg/L 16h	EC50 48h: = 46300
Ethylene Glycol	mg/L	LC50 96 h: 40000-60000 mg/L	EC50 = 620 mg/L	mg/L (Daphnia
107-21-1	(Pseudokirchneriella	static (Pimephales promelas)	30 min.	J , ,
	subcapitata)	LC50 96 h: = 16000 mg/L static	EC50 = 620.0  mg/L	magna)
i		(Poecilia reticulata)	30 min.	

LC50 96 h: = 27540 mg/L static (Lepomis macrochirus)	
LC50 96 h: = 40761 mg/L static	
(Oncorhynchus mykiss) LC50 96 h: = 41000 mgL static	
(Oncorhynchus mykiss)	

Persistence and Degradability: No information available.

#### Bioaccumulation

Chemical Name	Log Pow
Ethylene Glycol	-1.93

Other Adverse Effects: No information available.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional,

or local regulations for additional requirements.

**Contaminated Packaging:** Do not re-use empty containers.

## 14. TRANSPORTATION INFORMATION

**DOT:** Not regulated

## 15. REGULATORY INFORMATION

## **International Inventories**

TSCA - Complies
DSL/NDSL - Complies

#### <u>Legend</u>

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

#### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Chromium (III) Oxide	1308-38-9	0-10	1.0
Ethylene Glycol	107-21-1	0-5	1.0

#### SARA 311/312 Hazard Categories

11/012 Hazara Gategories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA – Reportable	CWA – Toxic	CWA – Priority	CWA – Hazardous
	Quantities	Pollutants	Pollutants	Substances
Chromium (III) Oxide		X		

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ethylene Glycol	5000 lb.		RQ 5000 lb. final RQ RQ 2270 kg final RQ

#### **U.S. State Regulations**

California Proposition 65:

Chemical Name	CAS Number	California Prop. 65
Quartz	14808-60-7	Carcinogen

<u>U.S. State Right-To-Know Regulations</u>
"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Quartz	X	X	X	=	Х
Chromium (III) Oxide	Х	×	×	×	X
Ethylene Glycol	Χ	X	X	X	X

## U.S. EPA Label Information

**EPA Pesticide Registration Number:** 

Not applicable

16. OTHI	ER INFORMA	TION

**NFPA** Health Hazard: 1 Flammability: 0 Instability: 0 Physical and **Chemical Hazards-**

**HMIS** Health Hazard: 1 Flammability: 0 Physical Hazard: 0 Personal

Protection: X

**Revision Date:** 15-Dec-2014

**Revision Note:** N/A

General Disclaimer
The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.