

SAFETY DATA SHEET

Issuing Date 31-Aug-2016

Revision Date- N/A

Revision Number- N/A

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier Product Name:

Neutral CourtFlex

C1560

None

Other Means of Identification Product Code(s): Synonyms

Recommended Use of the Chemical and Restrictions on UseRecommended Use:No Information AvailableUses Advised Against:No information Available

Supplier's Details Supplier Address ThorWorks Industries, Inc. 2520 S. Campbell St. Sandusky, OH 44870 TEL: 800-326-1994 www.sealmaster.net

ThorWorks Industries, Inc. 2520 S. Campbell St. Sandusky, OH 44870 TEL: 800-326-1994 www.sealmaster.net

Manufacturer Address

Emergency Telephone Number

2. HAZARDS IDENTIFICATION

Category 4

Classification

This product is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Chemtrec 1-800-424-9300

Acute Oral Toxicity

GHS Label Elements, Including Precautionary Statements

	Emergency Overview	
Signal Word • Harmful if swallowed	Warning	
Appearance: Tan / Milky	Physical State: Liquid	Odor: Mild
Precautionary Statements		
Prevention	 Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink, or smoke when using this product. 	
General Advice	None	
Ingestion	 If SWALLOWED; Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth 	
Storage	None	
Disposal	 Dispose of contents/container to an approved waste disposal plant. 	

Hazard Not Otherwise Classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret		
			*		
Proprietary Latex	Proprietary	40-70	*		
Quartz	14808-60-7	0-5	*		
Ethylene Glycol	107-21-1	0-5	^		
*The exact percentage of compos	sition has been withheld as a trad	e secret.			
	4. FIRS	AID MEASURES			
	4. 1110				
Description of Necessary First-	Aid Measures				
Eye Contact		nty of water, also under the eyelic	ds. If symptoms persist, call a		
	physician.	,,	···· · · · · · · · · · · · · · · · · ·		
Skin Contact		soap and plenty of water. In the	e case of skin irritation or allergic		
	reactions, see a physician				
Inhalation	Move to fresh air. If symp	toms persist, call a physician.			
Ingestion		NOT induce vomiting. Never giv	e anvthing by mouth to an		
5		sult a physician if necessary.	3 ., 3		
Most Important Symptoms/Effe	cts, Acute and Delayed				
Most Important Symptoms/Effe					
Indication of Immediate Medica					
Notes to Physician		lay cause sensitization by skin co	ontact.		
-					
	5. FIRE-FIG	GHTING MEASURES			
Suitable Extinguishing Media					
Carbon Dioxide (CO ₂). Dry Chem	ical. Foam. Water Sprav. Water	Fog.			
(<u>2</u>))		- 3			
Unsuitable Extinguishing Me	edia None				
5 1 5					
Specific Hazards Arising from t	he Chemical				
No information available					
Explosion Data					
Sensitivity to Mechanical Im	pact None				
Sensitivity to Static Discharge None					
Protective Equipment and Prec	autions for Firefighters				
As in any fire, wear self-contained	d breathing apparatus pressure- d	lemand MSHA/NIOSH (approved	l or equivalent) and full protective		
gear.					
6. ACCIDENTAL RELEASE MEASURES					
Personal Precautions, Protectiv					
Personal Precautions:	Use personal protective e	quipment.			
	-				
Environmental Precautions					
Environmental Precautions:	See Section 12 for additio	nal Ecological Information. Prev	ent product from entering drains.		
	Do not flush into surface v	vater or sanitary sewer system.	-		
		-			
Methods and Materials for Con	tainment and Cleaning Up				
Methods for Containment:	Prevent further leakage or				
Methods for Cleaning Up:		ert absorbent material. Pick up a	nd transfer to properly labeled		
		inated surface thoroughly.			
	7. HANDL	ING AND STORAGE			
Precautions for Safe Handling					
Handling:	Handle in accordance with	n good industrial hygiene and saf	ety practice. Avoid contact with		
			ent. Do not eat, drink, or smoke		
		Wash thoroughly after handling.			
		in the second seco			
Conditions for Safe Storage, In	cluding Any Incompatibilities				
Storage:	Keep container tightly close	sed			
Incompatible Products:	Strong oxidizing agents.				
	energ endering agonto.				

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	30/(%SiO2+2) mg/m ³ TWA, Total Dust; 250/(%SiO2+5) mppcf TWA, respirable fraction; 10/(%SiO2+2) mg/m ³ TWA, respirable TWA: 0.1 mg/m ³ (vacated)	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust		
Ethylene Glycol 107-21-1	Ceiling: 100 mg/m ³ aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m ³	_		
Appropriate Engineering Controls Showers Engineering Measures: Showers Eyewash Stations Ventilation Systems					
Individual Protection Measure	sures, such as Personal I	Protective Equipment			
Eye/Face Protection: Skin and Body Protection Respiratory Protection:	Impervious gl No protective	If splashes are likely to occur, wear: Safety glasses with side shields. Impervious gloves. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.			
Hygiene Measures:	Handle in acc	Handle in accordance with good industrial hygiene and safety practice.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: Liquid Odor: Mild		Appearance: Odor Threshold:	Tan / Milky No Information Available
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limits in Air	Values No data available No data available 100° C No data available No data available No data available	<u>Remark</u> None kn None kn None kn None kn None kn	own own own own
Upper flammability limit Lower flammability limit Vapor Pressure Vapor Density Specific Density Water Solubility Solubility in other solvents Partition coefficient: n-octan Autoignition Temperature Decomposition Temperature Viscosity Flammable Properties Explosive Properties Oxidizing Properties VOC Content	No data available	None known None known None known None known None known None known None known	

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	None under normal processing.
Hazardous Polymerization:	Hazardous polymerization does not occur.
Conditions to Avoid:	Incompatible products.
Incompatible Materials:	Strong oxidizing agents. Strong bases.
Hazardous Decomposition Products	: Carbon Monoxide (CO), Carbon Dioxide (CO ²), and unburned hydrocarbons (smoke)

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information Inhalation: Eve Contact: Skin Contact:

Ingestion:

May cause irritation of respiratory tract. Contact with eyes may cause irritation. May cause irritation. Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Quartz	500 mg/kg (Rat)	-	-
Ethylene Glycol	4000 mg/kg (Rat)	9530 μL/kg (Rabbit)	-

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics No information available. Symptoms:

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization:	No information available
Sensitization:	No information available.
Mutagenic Effects:	No information available.
Carcinogenicity:	The table below indicates whether each agency has listed any ingredient as a carcinogen.
	This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of
	crystalline silica is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х

ACGIH: (American Conference of Governmental Industrial Hygienists) A2 – Suspected Human Carcinogen IRAC: (International Agency for Research on Cancer) Group 1 – Carcinogenic to Humans Group 3 – Not Classifiable as to its Carcinogenicity to Humans NTP: (National Toxicity Program) Known - Known Carcinogen **OSHA: (Occupational Safety & Health Administration)** X - Present

Reproductive Toxicity:	No information available.
STOT - Single Exposure:	No information available.
STOT – Repeated Exposure:	No information available.
Aspiration Hazard:	No information available.

Numerical Measures of Toxicity - Product

The following values are calculated based on Chapter 3.1 of the GHS document

LD50 Oral:

1066 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u> The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethylene Glycol 107-21-1	EC50 96h: 6500-13000 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: 14-18 mL/L static (Oncorhynchus mykiss) LC50 96 h: 40000-60000 mg/L static (Pimephales promelas) LC50 96 h: = 16000 mg/L static (Poecilia reticulata) LC50 96 h: = 27540 mg/L static (Lepomis macrochirus) LC50 96 h: = 40761 mg/L static (Oncorhynchus mykiss) LC50 96 h: = 41000 mgL static (Oncorhynchus mykiss)	EC50 = 10000 mg/L 16h EC50 = 620 mg/L 30 min. EC50 = 620.0 mg/L 30 min.	EC50 48h: = 46300 mg/L (Daphnia magna)

Persistence and Degradability:

No information available.

Bioaccumulation

Chemical	Name	Log Pow
Ethylene	Glycol	-1.93
Other Adverse Effects: No information availabl		AL CONSIDERATIONS
Waste Disposal Methods:	CFR 261). This material comes in contact with a h or if the material is proces	I, is not a hazardous waste according to Federal regulations (40 could become a hazardous waste if it is mixed with or otherwise azardous waste, if chemical additions are made to this material, sed or otherwise altered. Consult 40 CFR 261 to determine ial is a hazardous waste. Consult the appropriate state, regional, ditional requirements.
Contaminated Packaging:	Do not re-use empty containers.	
	14. TRANSPOR	TATION INFORMATION
DOT:	Not regulated	

15. REGULATORY INFORMATION

International Inventories TSCA – Complies

DSL/NDSL - Complies

Legend TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Ethylene Glycol	107-21-1	0-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

<u>Clean Water Act</u> This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ethylene Glycol	5000 lb.		RQ 5000 lb. final RQ RQ 2270 kg final RQ

U.S. State Regulations California Proposition 65:

Chemical Name	Chemical Name CAS Number	
Quartz	14808-60-7	Carcinogen

U.S. State Right-To-Know Regulations "X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Quartz	Х	Х	Х	-	Х
Ethylene Glycol	Х	Х	Х	Х	Х

U.S. EPA Label Information EPA Pesticide Registration Number:

Not applicable

	16. OTHER INFORMATION			
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-
<u>HMIS</u>	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X
Revision Date: Revision Note:	31-Aug-2016 N/A			

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.