



# SAFETY DATA SHEET

Issuing Date 30-April-2015

Revision Date

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS Product Identifier

Product Name: CrackMaster CJA

### Other Means of Identification

Product Code(s): M1061

Synonyms None

### Recommended Use of the Chemical and Restrictions on Use

Recommended Use: Sealant

Uses Advised Against: No information Available

### Supplier's Details

Supplier Address  
ThorWorks Industries, Inc  
2520 S. Campbell St.  
Sandusky, OH 44870  
1-800-326-1994

### Emergency Telephone Number

Emergency Telephone Number Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

Classification in accordance to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200) = 1B H350

### GHS Label Elements, Including Precautionary Statements

#### Emergency Overview

|   |               |  |
|---|---------------|--|
| <b>Signal Word</b>  | <b>Danger</b> |  |
| <p>H350 May Cause Cancer<br/> P201 Obtain special instructions before use<br/> P202 Do not handle until all safety precautions have been read and understood<br/> P280 Wear eye protection, face protection, protective clothing, protective gloves<br/> P308 + P313 If exposed or concerned: Get medical attention<br/> P405 Store locked up<br/> P501 Dispose of contents/container to an authorized waste collection point</p> |               |  |
| <b>Describe any hazards-</b> Hot material will burn skin.   |               |  |
| <b>Appearance:</b> Black/Dark Brown <b>Physical State:</b> Solid at room temperature, liquid above softening point. <b>Odor:</b> Petroleum  |               |  |

### Hazard Not Otherwise Classified (HNOC)

Not applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name   | CAS Number  | %      | GHS-US classification |
|---|-------------|--------|-----------------------|
| Extracts (petroleum), heavy paraffinic distillate solvent | 64742.-04-7 | 0.1-20 | Carc. 1B, H350        |
| Carbon Black  | 1333-86-4   | 0-5    | Carc. 2, H351 **      |

\*\*Bound, not available to inhale as dust. Full text of H-phrases; see section 16.

### 4. FIRST AID MEASURES

#### Description of Necessary First-Aid Measures

|                     |  |
|---------------------|--|
| <b>General</b>      | Never give anything by mouth of an unconscious person. If exposed or concerned: Get medical advice/attention.    |
| <b>Eye Contact</b>  | Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart.                   |
| <b>Skin Contact</b> | Drench affected area with water for at least 15 minutes.   |
| <b>Inhalation</b>   | Remove victim to fresh air and keep at rest in position comfortable for breathing. Get medical attention/advice. |
| <b>Ingestion</b>    | Get Medical attention/advice if you feel unwell.   |

#### Most Important Symptoms/Effects, Acute and Delayed

|  |   |
|--|---|
| <b>Most Important Symptoms/Effects</b> | May cause cancer<br>Inhalation of vapors may cause respiratory irritation.<br>Heated product causes burns to skin and eyes. |
|--|---|

#### Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

|                           |   |
|---------------------------|---|
| <b>Notes to Physician</b> | Treat Symptomatically and supportively. |
|---------------------------|---|

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Class B. Carbon dioxide. Dry chemical. Foam. Water spray

**Unsuitable Extinguishing Media** Do not use a heavy water stream.

#### Specific Hazards Arising from the Chemical

Fire hazard- When heated, material emits irritating fumes. Burning produces irritating, toxic, and noxious fumes.

Explosion hazard- Product is not explosive.

Reactivity- No dangerous reactions known.

#### Protective Equipment and Precautions for Firefighters

Full protective equipment, including self-contained breathing apparatus to be worn. Do not allow run-off from fire fighting to enter drains/water courses. Exercise caution when fighting any chemical fire.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment, and Emergency Procedures

|                                     |   |
|-------------------------------------|---|
| <b>Personal Precautions:</b>        | Avoid all eye and skin contact and do not breathe vapor and mist. Keep upwind.                                    |
| <b>For non-emergency personnel:</b> | Chemical goggles or safety glasses. Wear suitable protective clothing and gloves. Evacuate unnecessary personnel. |
| <b>For emergency responders:</b>    | Chemical goggles or safety glasses. Wear suitable protective clothing and gloves. Stop leak if safe to do so.     |

#### Environmental Precautions

**Environmental Precautions:** Do not discharge into drains or the environment.

#### Methods and Materials for Containment and Cleaning Up

|                                 |   |
|---------------------------------|---|
| <b>Methods for Containment:</b> | Stop the flow of material, if this is without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.                          |
| <b>Methods for Cleaning Up:</b> | Allow the molten material to cool. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. |

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

**Handling:** Avoid breathing vapors. Avoid contact with skin and eyes. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink, or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking when leaving work.

### Conditions for Safe Storage, Including Any Incompatibilities

**Storage:** Store in properly closed and labeled containers away from sources of ignition. Store containers in a well-ventilated, clean, and dry area.

**Incompatible Products:** Strong oxidizing agents.

**Specific end use:** Sealant.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control Parameters

#### Exposure Guidelines

| Chemical Name  | ACGIH TLV                                       | OSHA PEL              |
|--|---|-----------------------|
| Extracts (petroleum), heavy paraffinic distillate solvent (64742-04-7) | Not applicable                                  | Not applicable        |
| Carbon black (1333-86-4)   | TWA 3.5 mg/m <sup>3</sup><br>Remark; Bronchitis | 3.5 mg/m <sup>3</sup> |

### Appropriate Engineering Controls

**Engineering Measures:** Avoid creating mist or spray. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Use only outdoors or in a well-ventilated area.

### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection:** Chemical goggles or safety glasses. Contact with hot material- risk of serious burns. Face shield.

**Skin and Body Protection:** Long sleeved protective clothing. Foot protection. Insulated gloves.

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection. Appropriate self-contained breathing apparatus may be required.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

**Physical State:** Solid at 77° F/ Liquid above softening point.  
**Odor:** Petroleum

**Appearance:** Black/Dark Brown  
**Odor Threshold:** No Information Available

| Property                    | Values                      |
|-----------------------------|-----------------------------|
| pH                          | No data available           |
| Melting Point/Range         | 150-250° F (65.5-121.1 ° C) |
| Boiling Point/Boiling Range | >600° F (>315.6° C)         |
| Flash Point                 | >400° F (>204.4° C)         |
| Evaporation Rate            | No data available           |
| Flammability (solid, gas)   | No data available           |

| Property                     | Values            |
|------------------------------|-------------------|
| Flammability Limits in Air   |                   |
| Upper flammability limit     | No data available |
| Lower flammability limit     | No data available |
| Vapor Pressure               | No data available |
| Vapor Density                | No data available |
| Specific Gravity             | 1.0-1.9           |
| Solubility                   | No data available |
| Solubility in other solvents | No data available |
| Density                      | 8-16 lbs/gal      |

**Partition coefficient: n-octanol/water** No data available  
**Autoignition Temperature** >700° F (>371.1° C)  
**Decomposition Temperature** No data available  
**Viscosity** No data available

**Explosive Properties** No data available  
**Oxidizing Properties** No data available

**Other Information**

**VOC Content** 0%

**10. STABILITY AND REACTIVITY**

**Reactivity:** No dangerous reactions known.  
**Chemical Stability:** Stable under normal conditions.  
**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.  
**Conditions to Avoid:** None known.  
**Incompatible Materials:** Strong oxidizing agents.  
**Hazardous Decomposition Products:** Carbon Monoxide (CO), Hydrogen Sulfide, Aldehydes, Aromatic hydrocarbons. Irritating and/or toxic fumes may be released if burned.

**11. TOXICOLOGICAL INFORMATION**

**Information on toxicological effects**

**Likely routes of exposure:** Skin and eye contact; Inhalation  
**Acute toxicity:** Not classified

| Chemical Name            | LD50 Oral (Rat)   | LC50 Inhalation (Rat)      |
|--------------------------|-------------------|----------------------------|
| Carbon Black (1333-86-4) | >8000 mg/kg (Rat) | >4.6 mg/m <sup>3</sup> 4 h |

**Skin corrosion/irritation:** Not Classified  
**Serious eye damae/irritation:** Not Classified  
**Respiratory or skin sensitization:** Not Classified  
**Germ cell mutagenicity:** Not Classified  
**Carcinogenicity:** Not Classified

| Chemical Name            | IRAC Group   | National Toxicology Program (NTP) Status |
|--------------------------|--|--|
| Carbon Black (1333-86-4) | 2B- Possibly carcinogenic to humans, Inhalation of dust. | Not listed in carcinogenicity class      |

**Reproductive Toxicity:** Not Classified  
**Specific target organ toxicity (single exposure):** Not Classified  
**Specific target organ toxicity (repeated exposure):** Not Classified  
**Aspiration hazard:** Not Classified  
**Symptoms/injury after inhalation:** Inhalation of vapors may cause respiratory irritation.  
**Symptoms/injury after skin contact:** Heated product causes burns.  
**Symptoms/injury after eye contact:** Heated product causes burns.

**12. ECOLOGICAL INFORMATION**

**Toxicity:** No information available.  
**Persistence and Degradability:**  
**Carbon Black (1333-86-4):** Not readily biodegradable  
**Bioaccumulation Potential:** No information available.  
**Mobility in soil:** No information available.  
**Other Adverse Effects:** No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods:

Sewage disposal recommendations: Do not dispose of waste into sewer.

Waste disposal recommendations: Dispose in a safe manner in accordance with local/national regulations.

### 14. TRANSPORTATION INFORMATION

**DOT:** Not considered a dangerous good for transport regulations.

### 15. REGULATORY INFORMATION

#### Legend

**TSCA** – United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** – Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS** – European Inventory of Existing Commercial Chemical Substances

#### U.S. Federal Regulations

Extracts (petroleum), heavy paraffinic distillate solvent (64742-04-7)- listed on the US TSCA inventory.

Carbon Black (1333-86-4)- listed on the US TSCA inventory.

#### International Regulations

##### **CANADA**

Extracts (petroleum), heavy paraffinic distillate solvent (64742-04-7)- listed on the Canadian DSL inventory.

Carbon Black (1333-86-4)- listed on the Canadian DSL inventory.

##### **EU Regulations**

Extracts (petroleum), heavy paraffinic distillate solvent (64742-04-7)- listed on the EEC inventory EINECS

Carbon Black (1333-86-4)- listed on the EEC inventory EINECS

##### **Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Carc. 1B Full text of H-phrases: see section 16

##### **Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]**

Carc. Cat. 2; R45

##### **National Regulations**

Carbon Black (1333-86-4)- Listed on IARC (International Agency for Research on Cancer)  
Listed on PICCUS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on Taiwan National Chemical Inventory  
Listed on the Korean ECL(Existing Chemicals List)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)

##### **U.S. State Regulations**

Carbon Black (1333-86-4)

**California Proposition 65 Carcinogens List:** Yes

**California Proposition 65 Developmental Toxicity:** No

**California Proposition 65 Reproductive Toxicity- Female:**No

**California Proposition 65 Reproductive Toxicity- Male:** No

##### **U.S. State Right-To-Know Regulations**

“X” designates that the ingredients are listed on the state right to know list.

| Chemical Name | New Jersey |
|---------------|------------|
| Asphalt       | X          |

|                              |
|------------------------------|
| <b>16. OTHER INFORMATION</b> |
|------------------------------|

|                    |                  |                 |                    |  |
|--------------------|------------------|-----------------|--------------------|--|
| <b><u>NFPA</u></b> | Health Hazard: 2 | Flammability: 1 | Instability: 0     | Physical and<br>Chemical Hazards-<br>Personal<br>Protection: X |
| <b><u>HMIS</u></b> | Health Hazard: 2 | Flammability: 1 | Physical Hazard: 0 |  |

**Full text of H-phrases:**

Carc. 1B- Carcinogenicity, Category 1B  
Carc. 2- Carcinogenicity, Category 2  
H350- May Cause Cancer  
H351- Suspected of Causing Cancer

**Revision Date:** 30-April-2015  
**Revision Note:** No information available.

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.